

04/29/2013 17:05:13.08 OWSTIMER.EXE (0x0AD4) 0x0B64 484 880k High at
Microsoft.Office.Server.Data.SqlSession.ExecuteReader(SqlCommand command, CommandBehavior behavior) at
Microsoft.Office.Server.Administration.SharedObjectStore.GetObject[T]() at
Microsoft.Office.Server.Administration.SharedResourceProvider.Microsoft.Office.Server.Administration.ISharedObjectStore.GetObject[T]
() at Microsoft.Office.Server.Administration.SharedApplicationCollection`1.GetValue(SharedResourceProvider sharedResourceProvider)
at Microsoft.Office.Server.Administration.SharedApplicationCollection`1.get_Item(SharedResourceProvider sharedResourceProvider) at
Microsoft.Office.Server.ServerContext.GetApplication[S,T](String name) at
Microsoft.Office.Server.Search.Administration.SearchContext..ctor(ServerContext serverContext, Boolean cached) at Micros...

04/29/2013 17:05:13.08* OWSTIMER.EXE (0x0AD4) 0x0B64 Windows SharePoint Services Timer 72ae Unexpected
...ft.Office.Server.Administration.SharedApplicationCollection`1.GetValue(SharedResourceProvider sharedResourceProvider) at
Microsoft.Office.Server.Administration.SharedApplicationCollection`1.get_Item(SharedResourceProvider sharedResourceProvider) at
Microsoft.Office.Server.ServerContext.GetApplication[S,T](String name) at
Microsoft.Office.Server.Search.Administration.SearchContext..ctor(ServerContext serverContext, Boolean cached) at
Microsoft.Office.Server.Search.Administration.SearchContext.GetContext(SharedResourceProvider sharedResourceProvider, Boolean
cached) at Microsoft.Office.Server.Search.Administration.SearchServiceInstance.get_SharedServiceProviders() at
Microsoft.Office.Server.Search.Administration.IndexingScheduleJobDefinition.Execute(Guid targetInstanc... 04/29/2013 17:05:13.08*
OWSTIMER.EXE (0x0AD4) 0x0B64 484 880k High
...oft.Office.Server.Search.Administration.SearchContext.GetContext(SharedResourceProvider sharedResourceProvider, Boolean cached)
at Microsoft.Office.Server.Search.Administration.SearchServiceInstance.get_SharedServiceProviders() at
Microsoft.Office.Server.Search.Administration.IndexingScheduleJobDefinition.Execute(Guid targetInstanceId) at
Microsoft.SharePoint.Administration.SPTimerJobInvoke.Invoke(TimerJobExecuteData& data, Int32& result) 04/29/2013 17:05:13.08*
OWSTIMER.EXE (0x0AD4) 0x0B64 Windows SharePoint Services Timer 72ae Unexpected ...eId) at
Microsoft.SharePoint.Administration.SPTimerJobInvoke.Invoke(TimerJobExecuteData& data, Int32& result) 04/29/2013 17:05:13.08
OWSTIMER.EXE (0x0AD4) 0x0B64 484 880l High ConnectionString:
'Server=COMO\OfficeServers;Database=SharedServices1_DB_11c0c1b7-d982-4d85-9fea-
68ce6edd9842;Trusted_Connection=yes;App=Windows SharePoint Services;Timeout=15' ConnectionState: Closed ConnectionTimeout:
15 04/29/2013 17:05:13.08 OWSTIMER.EXE (0x0AD4) 0x0B64 Windows SharePoint Services Timer 7psa Critical The Execute method
of job definition Microsoft.Office.Server.Search.Administration.IndexingScheduleJobDefinition (ID 8c270337-5acb-4e08-8e84-
bcee7a5d4e43) threw an exception. More information is included below. Login failed for user 'NT AUTHORITY\NETWORK
SERVICE'. Reason: Server is in single user mode. Only one administrator can connect at this time. 04/29/2013 17:05:13.58 mssearch.exe
(0x194C) 0x00F4 Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0:
pIDBInitialize->Initialize error. Failed to create a non fast load session. -
File:d:\office\source\search\search\searchdll\resourcemanagerimpl.cpp Line:651 04/29/2013 17:05:13.58 mssearch.exe (0x194C) 0x00F4
Search Server Common Common 0 Monitorable CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resourcemanagerimpl.cpp Line:701 04/29/2013 17:05:13.58 mssearch.exe (0x194C) 0x00F4
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:13.58 mssearch.exe (0x194C) 0x00F4 Search Server Common Exceptions 0 Monitorable <Exception>
<HR>0x80004005</HR><eip>64736D02</eip>
<module>d:\office\source\search\ytrip\tripoli\scopes\database.cxx</module><line>316</line></Exception> 04/29/2013
17:05:15.49 mssearch.exe (0x1E98) 0x1EF8 Search Server Common GatherStatus 0 Monitorable Advise status change 4, project Search,
crawl 216376 - File:d:\office\source\search\search\gather\server\gatherobj.cxx Line:4858 04/29/2013 17:05:15.49 mssearch.exe (0x1E98)
0x1E8C Search Server Common GatherStatus 0 Monitorable Remove crawl 216376 from inprogress queue -
File:d:\office\source\search\search\gather\server\gatherobj.cxx Line:6742 04/29/2013 17:05:15.50 mssearch.exe (0x1E98) 0x1E8C Search
Server Common GatherStatus 0 Monitorable Unlock Queue, project Search -
File:d:\office\source\search\search\gather\server\gatherobj.cxx Line:2923 04/29/2013 17:05:18.56 mssearch.exe (0x194C) 0x04B8 Search
Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0: pIDBInitialize->Initialize
error. Failed to create a non fast load session. - File:d:\office\source\search\search\searchdll\resourcemanagerimpl.cpp Line:651
04/29/2013 17:05:18.56 mssearch.exe (0x194C) 0x04B8 Search Server Common Common 0 Monitorable
CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resourcemanagerimpl.cpp Line:701 04/29/2013 17:05:18.56 mssearch.exe (0x194C) 0x04B8
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:18.56 mssearch.exe (0x194C) 0x04B8 Search Server Common Exceptions 0 Monitorable <Exception>
<HR>0x80004005</HR><eip>64736D02</eip>
<module>d:\office\source\search\ytrip\tripoli\scopes\database.cxx</module><line>316</line></Exception> 04/29/2013
17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-
e3411aa37675, resource 0: pIDBInitialize->Initialize error. Failed to create a non fast load session. -
File:d:\office\source\search\search\searchdll\resourcemanagerimpl.cpp Line:651 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4

Search Server Common Common 0 Monitorable CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:701 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common GatherPI 0 Monitorable SearchDB GetSession failed application
f9acae93-f25d-484d-bb9a-e3411aa37675 Error is 0x80004005 or Session pointer is null -
File:d:\office\source\search\search\gather\gthrsvc\srchs\schema.cxx Line:3421 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0: pIDBInitialize-
>Initialize error. Failed to create a non fast load session. - File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:651
04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common Common 0 Monitorable
CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:701 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common GatherPI 0 Monitorable SearchDB GetSession failed application
f9acae93-f25d-484d-bb9a-e3411aa37675 Error is 0x80004005 or Session pointer is null -
File:d:\office\source\search\search\gather\gthrsvc\srchs\schema.cxx Line:3435 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0: pIDBInitialize-
>Initialize error. Failed to create a non fast load session. - File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:651
04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common Common 0 Monitorable
CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:701 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common GatherPI 0 Monitorable SearchDB GetSession failed application
f9acae93-f25d-484d-bb9a-e3411aa37675 Error is 0x80004005 or Session pointer is null -
File:d:\office\source\search\search\gather\gthrsvc\srchs\schema.cxx Line:3435 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common GatherPI 0 Monitorable SearchDB Re-initializing DataSource application f9acae93-f25d-484d-bb9a-
e3411aa37675 - File:d:\office\source\search\search\gather\gthrsvc\srchs\schema.cxx Line:3446 04/29/2013 17:05:19.97 mssearch.exe
(0x194C) 0x00F4 Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0:
pIDBInitialize->Initialize error. Failed to create a non fast load session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:651 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common Common 0 Monitorable CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:701 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common GatherPI 0 Monitorable SearchDB GetSession failed application
f9acae93-f25d-484d-bb9a-e3411aa37675 Error is 0x80004005 or Session pointer is null -
File:d:\office\source\search\search\gather\gthrsvc\srchs\schema.cxx Line:3435 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0: pIDBInitialize-
>Initialize error. Failed to create a non fast load session. - File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:651
04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common Common 0 Monitorable
CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:701 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common GatherPI 0 Monitorable SearchDB GetSession failed application
f9acae93-f25d-484d-bb9a-e3411aa37675 Error is 0x80004005 or Session pointer is null -
File:d:\office\source\search\search\gather\gthrsvc\srchs\schema.cxx Line:3435 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common GatherPI 0 Monitorable SearchDB Re-initializing DataSource application f9acae93-f25d-484d-bb9a-
e3411aa37675 - File:d:\office\source\search\search\gather\gthrsvc\srchs\schema.cxx Line:3446 04/29/2013 17:05:19.97 mssearch.exe
(0x194C) 0x00F4 Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0:
pIDBInitialize->Initialize error. Failed to create a non fast load session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:651 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common Common 0 Monitorable CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:701 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server

HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode. Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common GatherPI 0 Monitorable SearchDB GetSession failed application f9acae93-f25d-484d-bb9a-e3411aa37675 Error is 0x80004005 or Session pointer is null -

File:d:\office\source\search\search\gather\gthrsvc\srchschema.cxx Line:3463 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common GathererSql 0 Monitorable GetManagedPropertyAliases: Failed in GetSession, Error is 0x80004005 -

File:d:\office\source\search\search\gather\gthrsvc\srchschema.cxx Line:3080 04/29/2013 17:05:19.97 mssearch.exe (0x194C) 0x00F4 Search Server Common Exceptions 0 Monitorable <Exception><HR>0x80004005</HR><eip>653BC561</eip><module>d:\office\source\search\search\gather\gthrsvc\srchschema.cxx</module><line>3081</line></Exception> 04/29/2013 17:05:23.56 mssearch.exe (0x194C) 0x04B8 Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0: pIDBInitialize->Initialize error. Failed to create a non fast load session. -

File:d:\office\source\search\search\searchdll\resourcemanagerimpl.cpp Line:651 04/29/2013 17:05:23.56 mssearch.exe (0x194C) 0x04B8 Search Server Common Common 0 Monitorable CResourceManager::CreateSession Error creating non fastload session. -

File:d:\office\source\search\search\searchdll\resourcemanagerimpl.cpp Line:701 04/29/2013 17:05:23.56 mssearch.exe (0x194C) 0x04B8 Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server

HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode. Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013 17:05:23.56 mssearch.exe (0x194C) 0x04B8 Search Server Common Exceptions 0 Monitorable <Exception><HR>0x80004005</HR><eip>64736D02</eip><module>d:\office\source\search\ytrip\tripoli\scopes\database.cxx</module><line>316</line></Exception> 04/29/2013 17:05:25.08 OWSTIMER.EXE (0x0AD4) 0x0B4C 484 880i High System.Data.SqlClient.SqlException: Login failed for user 'NT AUTHORITY\NETWORK SERVICE'. Reason: Server is in single user mode. Only one administrator can connect at this time. at System.Data.ProviderBase.DbConnectionPool.GetConnection(DbConnection owningObject) at System.Data.ProviderBase.DbConnectionFactory.GetConnection(DbConnection owningConnection) at System.Data.ProviderBase.DbConnectionClosed.OpenConnection(DbConnection outerConnection, DbConnectionFactory connectionFactory) at System.Data.SqlClient.SqlConnection.Open() at Microsoft.Office.Server.Data.SqlSession.OpenConnection() 04/29/2013 17:05:25.08 OWSTIMER.EXE (0x0AD4) 0x0B4C 484 880j High SqlError: 'Login failed for user 'NT AUTHORITY\NETWORK SERVICE'. Reason: Server is in single user mode. Only one administrator can connect at this time.' Source: '.Net SqlClient Data Provider' Number: 18461 State: 1 Class: 14 Procedure: " LineNumber: 65536 Server: 'COMO\OfficeServers' 04/29/2013 17:05:25.08 OWSTIMER.EXE (0x0AD4) 0x0B4C 484 880k High at Microsoft.Office.Server.Data.SqlSession.ExecuteReader(SqlCommand command, CommandBehavior behavior) at Microsoft.Office.Server.Administration.ScheduledJobCollection.GetScheduledJobsInNextInterval(DateTime nextDueTime) at Microsoft.Office.Server.Administration.JobScheduler.Execute(Guid targetInstanceId) at Microsoft.SharePoint.Administration.SPTimerJobInvoke.Invoke(TimerJobExecuteData& data, Int32& result) 04/29/2013 17:05:25.08 OWSTIMER.EXE (0x0AD4) 0x0B4C 484 880l High ConnectionString: 'Server=COMO\OfficeServers;Database=SharedServices1_DB_11c0c1b7-d982-4d85-9fea-68ce6edd9842;Trusted_Connection=yes;App=Windows SharePoint Services;Timeout=15' ConnectionState: Closed ConnectionTimeout: 15 04/29/2013 17:05:25.08 OWSTIMER.EXE (0x0AD4) 0x0B4C Windows SharePoint Services Timer 7psa Critical The Execute method of job definition Microsoft.Office.Server.Administration.JobScheduler (ID aeb37264-899e-49ac-95d6-4bed63f4d6a1) threw an exception. More information is included below. Login failed for user 'NT AUTHORITY\NETWORK SERVICE'. Reason: Server is in single user mode. Only one administrator can connect at this time. 04/29/2013 17:05:25.08 OWSTIMER.EXE (0x0AD4) 0x0B4C Office Server Office Server Shared Services 8nmq Critical An exception occurred while running the job scheduler. Reason: System.Data.SqlClient.SqlException: Login failed for user 'NT AUTHORITY\NETWORK SERVICE'. Reason: Server is in single user mode. Only one administrator can connect at this time. at System.Data.ProviderBase.DbConnectionPool.GetConnection(DbConnection owningObject) at System.Data.ProviderBase.DbConnectionFactory.GetConnection(DbConnection owningConnection) at System.Data.ProviderBase.DbConnectionClosed.OpenConnection(DbConnection outerConnection, DbConnectionFactory connectionFactory) at System.Data.SqlClient.SqlConnection.Open() at Microsoft.Office.Server.Data.SqlSession.OpenConnection() at Microsoft.Office.Server.Data.SqlSession.ExecuteReader(SqlCommand command, CommandBehavior behavior) at Microsoft.Office.Server.Administration.ScheduledJobCollection.GetScheduledJobsInNextInterval(DateTime nextDueTime) at Microsoft.Office.Server.Administration.JobScheduler.Execute(Guid targetInstanceId) at Microsoft.ShareP... 04/29/2013 17:05:25.08* OWSTIMER.EXE (0x0AD4) 0x0B4C Office Server Office Server Shared Services 8nmq Critical ...ft.Office.Server.Administration.ScheduledJobCollection.GetScheduledJobsInNextInterval(DateTime nextDueTime) at Microsoft.Office.Server.Administration.JobScheduler.Execute(Guid targetInstanceId) Technical Details: (null) 04/29/2013 17:05:25.08* OWSTIMER.EXE (0x0AD4) 0x0B4C Windows SharePoint Services Timer 72ae Unexpected Exception stack trace: at System.Data.ProviderBase.DbConnectionPool.GetConnection(DbConnection owningObject) at System.Data.ProviderBase.DbConnectionFactory.GetConnection(DbConnection owningConnection) at System.Data.ProviderBase.DbConnectionClosed.OpenConnection(DbConnection outerConnection, DbConnectionFactory connectionFactory) at System.Data.SqlClient.SqlConnection.Open() at Microsoft.Office.Server.Data.SqlSession.OpenConnection() at Microsoft.Office.Server.Data.SqlSession.ExecuteReader(SqlCommand command, CommandBehavior behavior) at Microsoft.Office.Server.Administration.ScheduledJobCollection.GetScheduledJobsInNextInterval(DateTime nextDueTime) at Microsoft.Office.Server.Administration.JobScheduler.Execute(Guid targetInstanceId) at Microsoft.ShareP... 04/29/2013 17:05:25.08* OWSTIMER.EXE (0x0AD4) 0x0B4C Windows SharePoint Services Timer 72ae Unexpected ...oint.Administration.SPTimerJobInvoke.Invoke(TimerJobExecuteData& data, Int32& result) 04/29/2013 17:05:28.56 mssearch.exe (0x194C) 0x2640 Search Server Common Common 0 Monitorable Application f9acae93-f25d-484d-bb9a-e3411aa37675, resource 0:

pIDBInitialize->Initialize error. Failed to create a non fast load session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:651 04/29/2013 17:05:28.56 mssearch.exe (0x194C) 0x2640
Search Server Common Common 0 Monitorable CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:701 04/29/2013 17:05:28.56 mssearch.exe (0x194C) 0x2640
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:28.56 mssearch.exe (0x194C) 0x2640 Search Server Common Exceptions 0 Monitorable <Exception>
<HR>0x80004005</HR><eip>64736D02</eip>
<module>d:\office\source\search\ytrip\tripoli\scopes\database.cxx</module><line>316</line></Exception> 04/29/2013
17:05:29.12 Microsoft.Office.Server.Convers (0x07B8) 0x07B4 Document Conversions Launcher Service 6102 Critical
LoadBalancer.RegisterLauncher failed: Unable to connect to the remote server 04/29/2013 17:05:29.12 Microsoft.Office.Server.Convers
(0x07B8) 0x07B4 Document Conversions Launcher Service 7jgs Medium Loadbalancer not running or available to launcher id 1
04/29/2013 17:05:33.56 mssearch.exe (0x194C) 0x04B8 Search Server Common Common 0 Monitorable Application f9acae93-f25d-
484d-bb9a-e3411aa37675, resource 0: pIDBInitialize->Initialize error. Failed to create a non fast load session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:651 04/29/2013 17:05:33.56 mssearch.exe (0x194C) 0x04B8
Search Server Common Common 0 Monitorable CResourceManager::CreateSession Error creating non fastload session. -
File:d:\office\source\search\search\searchdll\resource\managerimpl.cpp Line:701 04/29/2013 17:05:33.56 mssearch.exe (0x194C) 0x04B8
Search Server Common UtilCommon 0 Monitorable Dumping error record [0]: Source: Microsoft OLE DB Provider for SQL Server
HRESULT: 0x80004005 Code: 18461 Description: Login failed for user 'COMO\Administrator'. Reason: Server is in single user mode.
Only one administrator can connect at this time. - File:d:\office\source\search\common\pkmutild\atldbext.cxx Line:1250 04/29/2013
17:05:33.56 mssearch.exe (0x194C) 0x04B8 Search Server Common Exceptions 0 Monitorable <Exception>
<HR>0x80004005</HR><eip>64736D02</eip>
<module>d:\office\source\search\ytrip\tripoli\scopes\database.cxx</module><line>316</line></Exception> 04/29/2013
17:05:34.09 OWSTIMER.EXE (0x0AD4) 0x0B30 Windows SharePoint Services Database 880i High
System.Data.SqlClient.SqlException: Access to module dbo.proc_GetRunnableWorkItems is blocked because the signature is not valid. at
System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection) at
System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection) at
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj) at
System.Data.SqlClient.TdsParser.Run(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream,
BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj) at
System.Data.SqlClient.SqlDataReader.ConsumeMetaData() at System.Data.SqlClient.SqlDataReader.get_MetaData() at
System.Data.SqlClient.SqlCommand.FinishExecuteReader... 04/29/2013 17:05:34.09* OWSTIMER.EXE (0x0AD4) 0x0B30 Windows
SharePoint Services Database 880i High ...(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString) at
System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean
returnStream, Boolean async) at System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior,
RunBehavior runBehavior, Boolean returnStream, String method, DbAsyncResult result) at
System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean
returnStream, String method) at System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method) at
System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior) at
Microsoft.SharePoint.Utilities.SqlSession.ExecuteReader(SqlCommand command, Co... 04/29/2013 17:05:34.09* OWSTIMER.EXE
(0x0AD4) 0x0B30 Windows SharePoint Services Database 880i High ...mmandBehavior behavior) 04/29/2013 17:05:34.09
OWSTIMER.EXE (0x0AD4) 0x0B30 Windows SharePoint Services Database 880j High SqlError: 'Access to module
dbo.proc_GetRunnableWorkItems is blocked because the signature is not valid.' Source: '.Net SqlClient Data Provider' Number: 33002
State: 1 Class: 16 Procedure: 'proc_GetRunnableWorkItems' LineNumber: 0 Server: 'np:\\.pipe\MSSQL\$Microsoft##SSEE\sql\query'
04/29/2013 17:05:34.09 OWSTIMER.EXE (0x0AD4) 0x0B30 Windows SharePoint Services Database 5586 Critical Unknown SQL
Exception 33002 occurred. Additional error information from SQL Server is included below. Access to module
dbo.proc_GetRunnableWorkItems is blocked because the signature is not valid. 04/29/2013 17:05:34.09 OWSTIMER.EXE (0x0AD4)
0x0B30 Windows SharePoint Services Database 880k High at
Microsoft.SharePoint.Administration.SPContentDatabase.GetWorkItems(SPWorkItemCollection workItems, UInt32& dwColCount,
UInt32& dwRowCount, Object& varWorkItems) at Microsoft.SharePoint.SPWorkItemCollection.FetchData() at
Microsoft.SharePoint.SPWorkItemCollection.get_Count() at
Microsoft.SharePoint.Administration.SPWorkItemJobDefinition.HandleOneContentDatabase(SPContentDatabase db) at
Microsoft.SharePoint.Administration.SPWorkItemJobDefinition.Execute(Guid targetInstanceId) at
Microsoft.SharePoint.Administration.SPTimerJobInvoke.Invoke(TimerJobExecuteData& data, Int32& result) 04/29/2013 17:05:34.09
OWSTIMER.EXE (0x0AD4) 0x0B30 Windows SharePoint Services Database 880l High ConnectionString: 'Data
Source=np:\\.pipe\MSSQL\$Microsoft##SSEE\sql\query;Initial Catalog=SharedServicesContent_e1f796a1-4a17-479f-ba15-
394846c44f5c;Integrated Security=True;Enlist=False;Connect Timeout=15' ConnectionState: Closed ConnectionTimeout: 15 04/29/2013
17:05:34.09 OWSTIMER.EXE (0x0AD4) 0x0B30 Windows SharePoint Services Database 880m High SqlCommand:
'dbo.proc_GetRunnableWorkItems' CommandType: StoredProcedure CommandTimeout: 0 Parameter: '@RETURN_VALUE' Type: Int
Size: 0 Direction: ReturnValue Value: " Parameter: '@ProcessingId' Type: UniqueIdentifier Size: 0 Direction: Input Value: 'bd963de4-
0143-41e4-adba-c9d6791f9fc7' Parameter: '@SiteId' Type: NVarChar Size: 0 Direction: Input Value: " Parameter: '@WorkItemType'

Type: UniqueIdentifier Size: 0 Direction: Input Value: 'bdeadf09-c265-11d0-bced-00a0c90ab50f' Parameter: '@BatchId' Type: NVarChar
Size: 0 Direction: Input Value: " Parameter: '@MaxFetchSize' Type: Int Size: 0 Direction: Input Value: '100' Parameter:
'@ThrottleThreshold' Type: Int Size: 0 Direction: Input Value: '0' 04/29/2013 17:05:34.09 OWSTIMER.EXE (0x0AD4) 0x0B30
Windows SharePoint Services Database 888t High System.Data.SqlClient.SqlException: Access to module /a> Speaker Adjourned until
Thursday, May 2, 2013 10am

Produced by FTR Log Notes™
www.ftrgold.com