

2007 Minnesota County Health Tables

2007 Minnesota County Health Data

Minnesota Department of Health
Minnesota Center for Health Statistics
PO Box 64882
St. Paul, MN 55164-64882
healthstats@state.mn.us
www.health.state.mn.us/divs/chs

To obtain this information in a different format, email healthstats@state.mn.us.

Table of Contents

Introduction

Introduction	i
Section Descriptions and Notes	i

Section A: Demographics

Table 1: Estimated Population by Age and Sex	A-1
Table 2: Minnesota Population by Race and Ethnicity by State and County	A-45
Table 3: Selected Minnesota Population Statistics by State and County	A-47
Table 4: Selected Minnesota Demographics	A-49
Table 5: Selected Minnesota Socioeconomic Statistics by State and County	A-51
Table 6: Minnesota Family Investment Program – Medical Assistance and GAMC Average Monthly Enrollment by State and County	A-53
Table 8: Medical Assistance and MinnesotaCare Programs	A-57
Table 9: School Enrollment by Race/Ethnicity	A-59

Section B: Natality

Table 1: Selected Minnesota Natality Statistics by State and County	B-1
Table 2: Prematurity and Low Birth Weight in Singleton Births in Minnesota by State and County	B-3
Table 3: Infant Mortality by State and County	B-5
Table 4: Prenatal Care in Minnesota by State and County	B-7
Table 5: Cesarean Births in Minnesota by State and County	B-9
Table 6: Fertility and Family Planning in Minnesota by State and County	B-11
Table 7: Minnesota Teen Births and Pregnancies by State and County	B-13
Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by State and County	B-15
Table 9: Race and Ethnicity of Mother in Minnesota by State and County	B-17

Section C: Mortality

Table 1: Minnesota Leading Causes of Death by Age Group by State and County	C-1
Table 2: Minnesota Years of Potential Life Lost to Age 65 and 75 by State and County	C-46
Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County	C-91
Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County	C-93
Tables 4a, b & c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota	C-95

Section D: Morbidity and Utilization

Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota by State and County	D-1
Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County	D-3
Table 3: Number of Other Selected Diseases Reported in Minnesota by State and County	D-5
Table 4: Motor Vehicle Injuries by Severity by State and County	D-9
Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured by State and County	D-11
Tables 6, 7 and 8: Number and Percent of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota	D-13
Table 9: Minnesota Nonfatal Traumatic Brain Injuries Number and Rate per 100,000 by State and County	D-19
Table 10: Minnesota Nonfatal Spinal Cord Injuries Number and Rate per 100,000 by State and County	D-21
Table 11: Minnesota Behavioral Risk Factors of Adults by State and County	D-24
Table 12: Minnesota Behavioral Risk Factors of Adults by State and County	D-26

Table of Contents

Section E: Chemical Health

Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County	E-1
Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes by State and County.....	E-3
Table 3: Minnesota Driving While Impaired Violations – Number and Rate per 10,000 Population by State and County of Occurrence	E-5
Table 4: Minnesota Driving While Impaired Violations – Number and Rate per 10,000 Population by State and County of Resident.....	E-7
Notes about Chemical Health Indicators	E-9

Section F: Environmental Health

Environmental Health - Blood Lead.....	F-1
Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter ($\mu\text{g}/\text{dL}$) by State and County	F-2
Environmental Health - Foodborne and Waterborne Disease Outbreaks.....	F-4
Table 2: Foodborne and Waterborne Disease Outbreaks in Minnesota by State and County	F-5
Environmental Health - Hazardous Substances Emergency Events Surveillance.....	F-7
Table 3: Average Hazardous Material Releases, Injuries, Evacuations, and Chemicals per Event in Minnesota by State and County.....	F-8
Environmental Health - Radioactivity and Radiation	F-10
Table 4: Median Strontium-90 Levels (pCi/L) in Pasteurized Milk by Minnesota Site and Year	F-10

Introduction

The Minnesota County Health Tables (MCHT) replaced the County Health Profiles (CHP) in 2001. The County Health Profiles for 1996, 1998 and 2000 are still available on the Minnesota Planning website, <http://www.lmic.state.mn.us/datanetweb/health.html>

Users of the Minnesota County Health Tables must be aware that all data are subject to potential error. Sources of these errors include under-registration, informant or respondent errors, sampling errors, and data processing errors. Every effort has been made to minimize these errors. However, the most dangerous error remains that of the inaccurate interpretation of data that has been provided.

The user should review the definitions of terms used in the Minnesota County Health Tables. The data included in this publication are from the most recently available year(s). In an area of small population the presence or absence of a relatively rare health event should not be used to confirm or deny a specific public health problem.

Section Descriptions and Notes

Section A: Demographics Tables

This section includes selected demographic statistics from various sources, including the U.S. Census Bureau, Minnesota State Demographer's Office, and the Minnesota Departments of Human Services, Economic Security and Education.

Section B: Natality Tables

This section includes various birth statistics collected from Minnesota birth certificates which are filed with the Office of the State Registrar, Minnesota Department of Health.

All birth data in this section are by county of residence.

Section C: Mortality Tables

This section includes various death statistics collected from Minnesota death certificates which are filed with the Office of the State Registrar, Minnesota Department of Health. Mortality data in this publication are classified using the International Classification of Diseases, version 10 (ICD-10). Version 10 has been used since 1999. From 1979-1998, ICD-9 was used for coding deaths. The ICD-10 differs from ICD-9 in a number of respects although the overall content is similar. The change from ICD-9 to ICD-10 should be taken in consideration when comparing 1999 and newer mortality data to previous years. For more information on ICD-10, please refer to the Centers for Disease Control and Prevention website, <http://www.cdc.gov/nchs/about/major/dvs/icd10des.htm>

All death data in this section are by county of residence.

Section D: Morbidity and Service Utilization Tables

Included in this section are surveillance data on cancer, sexually transmitted diseases, traumatic brain injuries, survey data on behavioral risk factors and utilization data. The Minnesota Student Survey results are not included in this section but can be found on the Center for Health Statistics Website: <http://www.health.state.mn.us/divs/chs/mss/>

Section E: Chemical Health

The Chemical Health section focuses on alcohol use. Data in this section include percent of fatalities in which alcohol use was involved and driving while intoxicated. Unless specified these data are by county of occurrence. Adult chemical health use data from the Behavioral Risk Factor Surveillance System are in Section D. Youth chemical use data from the Minnesota Student Survey are located on the Center for Health Statistics website: <http://www.health.state.mn.us/divs/chs/mss/>

Section F: Environmental Health Tables

The Environmental Health Section includes county-specific summary data from the following Environmental Health programs: blood lead; foodborne/waterborne disease outbreaks; hazardous substance emergency events surveillance; and radioactivity and radiation. This section contains a description of the health hazard; the most current data available, generally summarized by county and state; and any limitations or biases to be considered before using the data.

Section A: Demographics Tables

Tables

Table 1: Population Estimates by Age and Sex

Table 2: Population Estimates by Race and Ethnicity

Table 3: Selected Population Statistics

Table 4: Selected Minnesota Demographics

Table 5: Selected Socioeconomic Statistics

Table 6: Family Investment Programs

Table 7: MA and MinnesotaCare Programs

Table 8: Selected Education Statistics

Table 9 : School Enrollment by Race/Ethnicity

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

State of Minnesota - Population Estimates by Age and Sex, 2007

Age Group	Number		Percent	
	Male	Female	Male	Female
00-04	181,165	172,736	3.5	3.3
05-09	171,069	163,453	3.3	3.1
10-14	177,922	168,808	3.4	3.2
15-17	115,581	109,548	2.2	2.1
18-19	74,212	72,342	1.4	1.4
20-24	183,401	177,442	3.5	3.4
25-29	188,522	173,136	3.6	3.3
30-34	165,838	159,597	3.2	3.1
35-39	180,434	174,293	3.5	3.4
40-44	195,847	192,183	3.8	3.7
45-49	213,502	209,946	4.1	4.0
50-54	191,974	188,264	3.7	3.6
55-59	158,930	159,306	3.1	3.1
60-64	118,809	123,145	2.3	2.4
65-69	85,023	92,457	1.6	1.8
70-74	64,203	74,926	1.2	1.4
75-79	51,682	67,345	1.0	1.3
80-84	37,802	57,914	0.7	1.1
85&up	32,342	72,522	0.6	1.4
Total	2,588,258	2,609,363	49.8	50.2
Total Male/Female	5,197,621			

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Aitkin County - Population Estimates by Age and Sex, 2007

Age Group	AITKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	437	382	2,026	1,880	181,165	172,736
05-09	406	362	2,013	1,847	171,069	163,453
10-14	434	431	2,144	2,110	177,922	168,808
15-17	311	266	1,599	1,478	115,581	109,548
18-19	163	146	995	818	74,212	72,342
20-24	438	413	2,409	2,182	183,401	177,442
25-29	559	498	2,480	2,283	188,522	173,136
30-34	356	319	1,581	1,591	165,838	159,597
35-39	377	369	1,809	1,870	180,434	174,293
40-44	465	440	2,237	2,253	195,847	192,183
45-49	603	574	2,846	2,919	213,502	209,946
50-54	550	538	3,031	2,909	191,974	188,264
55-59	512	540	2,784	2,744	158,930	159,306
60-64	537	547	2,277	2,306	118,809	123,145
65-69	500	553	1,989	1,999	85,023	92,457
70-74	477	499	1,600	1,706	64,203	74,926
75-79	401	394	1,355	1,570	51,682	67,345
80-84	267	300	979	1,183	37,802	57,914
85&up	207	339	714	1,395	32,342	72,522
Total	8,000	7,910	36,868	37,043	2,588,258	2,609,363
Total Male/Female	15,910		73,911		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Anoka County - Population Estimates by Age and Sex, 2007

Age Group	ANOKA		Minnesota	
	Male	Female	Male	Female
00-04	11,348	10,931	181,165	172,736
05-09	11,852	11,336	171,069	163,453
10-14	12,899	12,025	177,922	168,808
15-17	7,969	7,791	115,581	109,548
18-19	4,043	3,646	74,212	72,342
20-24	10,064	9,441	183,401	177,442
25-29	13,134	11,515	188,522	173,136
30-34	10,607	10,313	165,838	159,597
35-39	12,534	12,080	180,434	174,293
40-44	14,106	13,865	195,847	192,183
45-49	15,069	14,240	213,502	209,946
50-54	11,943	11,666	191,974	188,264
55-59	9,611	9,824	158,930	159,306
60-64	7,487	7,650	118,809	123,145
65-69	4,869	5,026	85,023	92,457
70-74	3,167	3,654	64,203	74,926
75-79	2,109	2,593	51,682	67,345
80-84	1,263	1,930	37,802	57,914
85&up	811	1,841	32,342	72,522
Total	164,885	161,367	2,588,258	2,609,363
Total Male/Female	326,252		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Becker County - Population Estimates by Age and Sex, 2007

Age Group	BECKER		Minnesota	
	Male	Female	Male	Female
00-04	1,101	1,020	181,165	172,736
05-09	1,002	908	171,069	163,453
10-14	988	944	177,922	168,808
15-17	716	696	115,581	109,548
18-19	374	386	74,212	72,342
20-24	1,009	963	183,401	177,442
25-29	1,275	1,209	188,522	173,136
30-34	915	791	165,838	159,597
35-39	882	842	180,434	174,293
40-44	982	958	195,847	192,183
45-49	1,219	1,206	213,502	209,946
50-54	1,218	1,159	191,974	188,264
55-59	1,075	1,059	158,930	159,306
60-64	867	894	118,809	123,145
65-69	703	739	85,023	92,457
70-74	565	660	64,203	74,926
75-79	498	562	51,682	67,345
80-84	303	465	37,802	57,914
85&up	254	557	32,342	72,522
Total	15,946	16,018	2,588,258	2,609,363
Total Male/Female	31,964		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Beltrami County - Population Estimates by Age and Sex, 2007

Age Group	BELTRAMI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,629	1,533	2,608	2,454	181,165	172,736
05-09	1,472	1,400	2,317	2,168	171,069	163,453
10-14	1,500	1,382	2,462	2,265	177,922	168,808
15-17	1,051	1,024	1,739	1,698	115,581	109,548
18-19	836	870	1,172	1,175	74,212	72,342
20-24	2,399	2,120	3,321	3,032	183,401	177,442
25-29	1,810	1,932	2,897	3,007	188,522	173,136
30-34	1,105	1,268	1,848	1,995	165,838	159,597
35-39	1,090	1,175	1,834	1,889	180,434	174,293
40-44	1,196	1,354	2,149	2,313	195,847	192,183
45-49	1,443	1,499	2,651	2,706	213,502	209,946
50-54	1,380	1,433	2,551	2,606	191,974	188,264
55-59	1,248	1,177	2,371	2,200	158,930	159,306
60-64	875	918	1,786	1,863	118,809	123,145
65-69	735	784	1,567	1,676	85,023	92,457
70-74	599	666	1,325	1,424	64,203	74,926
75-79	470	591	1,020	1,165	51,682	67,345
80-84	322	507	719	994	37,802	57,914
85&up	261	555	614	1,149	32,342	72,522
Total	21,421	22,188	36,951	37,779	2,588,258	2,609,363
Total Male/Female	43,609		74,730		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Benton County - Population Estimates by Age and Sex, 2007

Age Group	BENTON		Minnesota	
	Male	Female	Male	Female
00-04	1,460	1,465	181,165	172,736
05-09	1,444	1,339	171,069	163,453
10-14	1,329	1,213	177,922	168,808
15-17	830	772	115,581	109,548
18-19	406	457	74,212	72,342
20-24	1,534	1,487	183,401	177,442
25-29	2,081	2,086	188,522	173,136
30-34	1,635	1,618	165,838	159,597
35-39	1,460	1,410	180,434	174,293
40-44	1,459	1,380	195,847	192,183
45-49	1,435	1,343	213,502	209,946
50-54	1,207	1,129	191,974	188,264
55-59	1,037	1,001	158,930	159,306
60-64	707	741	118,809	123,145
65-69	517	497	85,023	92,457
70-74	413	496	64,203	74,926
75-79	350	430	51,682	67,345
80-84	212	378	37,802	57,914
85&up	211	535	32,342	72,522
Total	19,727	19,777	2,588,258	2,609,363
Total Male/Female	39,504		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Big Stone County - Population Estimates by Age and Sex, 2007

Age Group	BIG STONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	136	128	1,311	1,186	181,165	172,736
05-09	120	135	1,247	1,140	171,069	163,453
10-14	175	151	1,456	1,383	177,922	168,808
15-17	133	113	1,040	961	115,581	109,548
18-19	82	53	667	526	74,212	72,342
20-24	160	170	1,558	1,355	183,401	177,442
25-29	133	97	1,510	924	188,522	173,136
30-34	102	92	1,280	811	165,838	159,597
35-39	108	102	1,436	1,057	180,434	174,293
40-44	149	166	1,692	1,394	195,847	192,183
45-49	231	215	1,926	1,761	213,502	209,946
50-54	198	213	1,971	1,710	191,974	188,264
55-59	180	181	1,613	1,488	158,930	159,306
60-64	132	160	1,239	1,229	118,809	123,145
65-69	154	181	965	1,126	85,023	92,457
70-74	120	138	810	994	64,203	74,926
75-79	114	153	775	1,048	51,682	67,345
80-84	90	141	666	987	37,802	57,914
85&up	97	182	673	1,513	32,342	72,522
Total	2,614	2,771	23,835	22,593	2,588,258	2,609,363
Total Male/Female		5,385		46,428		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Blue Earth County - Population Estimates by Age and Sex, 2007

Age Group	BLUE EARTH		Minnesota	
	Male	Female	Male	Female
00-04	1,881	1,707	181,165	172,736
05-09	1,683	1,613	171,069	163,453
10-14	1,552	1,494	177,922	168,808
15-17	1,042	911	115,581	109,548
18-19	1,579	1,937	74,212	72,342
20-24	4,157	4,159	183,401	177,442
25-29	3,505	2,127	188,522	173,136
30-34	2,045	1,989	165,838	159,597
35-39	1,786	1,591	180,434	174,293
40-44	1,822	1,621	195,847	192,183
45-49	1,834	1,868	213,502	209,946
50-54	1,849	1,784	191,974	188,264
55-59	1,628	1,502	158,930	159,306
60-64	1,079	1,171	118,809	123,145
65-69	820	863	85,023	92,457
70-74	594	752	64,203	74,926
75-79	559	759	51,682	67,345
80-84	423	699	37,802	57,914
85&up	413	1,004	32,342	72,522
Total	30,251	29,551	2,588,258	2,609,363
Total Male/Female		59,802		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Brown County - Population Estimates by Age and Sex, 2007

Age Group	BROWN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	749	720	1,732	1,633	181,165	172,736
05-09	725	693	1,680	1,592	171,069	163,453
10-14	799	728	1,777	1,634	177,922	168,808
15-17	595	586	1,267	1,185	115,581	109,548
18-19	412	388	1,193	1,275	74,212	72,342
20-24	1,006	982	2,743	2,811	183,401	177,442
25-29	798	668	1,928	1,601	188,522	173,136
30-34	690	547	1,633	1,382	165,838	159,597
35-39	679	621	1,664	1,512	180,434	174,293
40-44	866	868	1,944	1,897	195,847	192,183
45-49	1,075	1,080	2,240	2,255	213,502	209,946
50-54	1,008	969	2,133	2,055	191,974	188,264
55-59	864	838	1,866	1,746	158,930	159,306
60-64	662	668	1,387	1,335	118,809	123,145
65-69	546	575	1,092	1,154	85,023	92,457
70-74	452	525	871	1,008	64,203	74,926
75-79	434	523	748	923	51,682	67,345
80-84	293	461	503	801	37,802	57,914
85&up	317	603	510	983	32,342	72,522
Total	12,970	13,043	28,911	28,782	2,588,258	2,609,363
Total Male/Female		26,013		57,693		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Carlton County - Population Estimates by Age and Sex, 2007

Age Group	CARLTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,068	983	6,755	6,377	181,165	172,736
05-09	1,002	976	6,469	6,085	171,069	163,453
10-14	1,027	1,028	7,083	6,680	177,922	168,808
15-17	750	663	4,949	4,599	115,581	109,548
18-19	486	376	4,756	4,813	74,212	72,342
20-24	1,300	1,247	10,750	10,160	183,401	177,442
25-29	1,299	1,057	8,554	7,559	188,522	173,136
30-34	1,091	850	6,531	6,004	165,838	159,597
35-39	1,217	977	7,016	6,322	180,434	174,293
40-44	1,193	1,158	7,710	8,094	195,847	192,183
45-49	1,403	1,287	9,649	9,744	213,502	209,946
50-54	1,334	1,265	10,295	10,088	191,974	188,264
55-59	1,162	1,068	9,131	8,431	158,930	159,306
60-64	837	789	6,643	6,572	118,809	123,145
65-69	588	717	4,680	5,167	85,023	92,457
70-74	540	601	3,831	4,534	64,203	74,926
75-79	416	540	3,267	4,226	51,682	67,345
80-84	303	486	2,366	3,752	37,802	57,914
85&up	235	574	2,172	4,912	32,342	72,522
Total	17,251	16,642	122,607	124,119	2,588,258	2,609,363
Total Male/Female		33,893		246,726		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Carver County - Population Estimates by Age and Sex, 2007

Age Group	CARVER		Minnesota	
	Male	Female	Male	Female
00-04	3,441	3,240	181,165	172,736
05-09	3,574	3,451	171,069	163,453
10-14	3,724	3,624	177,922	168,808
15-17	2,181	2,050	115,581	109,548
18-19	1,076	947	74,212	72,342
20-24	2,698	2,762	183,401	177,442
25-29	3,465	3,457	188,522	173,136
30-34	2,899	2,657	165,838	159,597
35-39	3,135	3,238	180,434	174,293
40-44	4,003	4,091	195,847	192,183
45-49	4,089	3,837	213,502	209,946
50-54	3,202	3,079	191,974	188,264
55-59	2,359	2,179	158,930	159,306
60-64	1,560	1,562	118,809	123,145
65-69	1,078	1,118	85,023	92,457
70-74	697	814	64,203	74,926
75-79	551	716	51,682	67,345
80-84	365	534	37,802	57,914
85&up	295	711	32,342	72,522
Total	44,392	44,067	2,588,258	2,609,363
Total Male/Female	88,459		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Cass County - Population Estimates by Age and Sex, 2007

Age Group	CASS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	919	865	3,277	3,079	181,165	172,736
05-09	802	765	2,993	2,855	171,069	163,453
10-14	828	833	3,181	3,103	177,922	168,808
15-17	636	627	2,283	2,162	115,581	109,548
18-19	353	294	1,361	1,160	74,212	72,342
20-24	863	811	3,237	2,941	183,401	177,442
25-29	1,072	1,105	3,837	3,525	188,522	173,136
30-34	756	744	2,615	2,414	165,838	159,597
35-39	765	731	2,676	2,543	180,434	174,293
40-44	884	877	3,212	3,149	195,847	192,183
45-49	1,045	1,062	3,818	3,686	213,502	209,946
50-54	1,002	961	3,660	3,422	191,974	188,264
55-59	988	933	3,209	2,976	158,930	159,306
60-64	867	932	2,640	2,675	118,809	123,145
65-69	839	836	2,309	2,433	85,023	92,457
70-74	711	678	1,890	2,026	64,203	74,926
75-79	497	509	1,566	1,816	51,682	67,345
80-84	310	371	1,029	1,499	37,802	57,914
85&up	243	409	867	1,743	32,342	72,522
Total	14,380	14,343	49,660	49,207	2,588,258	2,609,363
Total Male/Female	28,723		98,867		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Chippewa County - Population Estimates by Age and Sex, 2007

Age Group	CHIPPEWA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	406	365	1,311	1,186	181,165	172,736
05-09	342	322	1,247	1,140	171,069	163,453
10-14	434	364	1,456	1,383	177,922	168,808
15-17	294	264	1,040	961	115,581	109,548
18-19	150	137	667	526	74,212	72,342
20-24	361	368	1,558	1,355	183,401	177,442
25-29	416	312	1,510	924	188,522	173,136
30-34	312	263	1,280	811	165,838	159,597
35-39	310	338	1,436	1,057	180,434	174,293
40-44	408	400	1,692	1,394	195,847	192,183
45-49	456	484	1,926	1,761	213,502	209,946
50-54	510	485	1,971	1,710	191,974	188,264
55-59	477	430	1,613	1,488	158,930	159,306
60-64	321	343	1,239	1,229	118,809	123,145
65-69	250	287	965	1,126	85,023	92,457
70-74	195	242	810	994	64,203	74,926
75-79	182	282	775	1,048	51,682	67,345
80-84	165	254	666	987	37,802	57,914
85&up	157	379	673	1,513	32,342	72,522
Total	6,146	6,319	23,835	22,593	2,588,258	2,609,363
Total Male/Female	12,465		46,428		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Chisago County - Population Estimates by Age and Sex, 2007

Age Group	CHISAGO		Minnesota	
	Male	Female	Male	Female
00-04	1,924	1,831	181,165	172,736
05-09	1,876	1,763	171,069	163,453
10-14	1,881	1,801	177,922	168,808
15-17	1,248	1,088	115,581	109,548
18-19	676	504	74,212	72,342
20-24	1,708	1,420	183,401	177,442
25-29	2,238	2,120	188,522	173,136
30-34	1,751	1,625	165,838	159,597
35-39	1,910	1,824	180,434	174,293
40-44	2,150	1,953	195,847	192,183
45-49	2,144	1,988	213,502	209,946
50-54	1,622	1,583	191,974	188,264
55-59	1,339	1,219	158,930	159,306
60-64	997	996	118,809	123,145
65-69	770	722	85,023	92,457
70-74	563	614	64,203	74,926
75-79	410	523	51,682	67,345
80-84	291	384	37,802	57,914
85&up	243	429	32,342	72,522
Total	25,741	24,387	2,588,258	2,609,363
Total Male/Female	50,128		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Clay County - Population Estimates by Age and Sex, 2007

Age Group	CLAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,828	1,723	2,023	1,887	181,165	172,736
05-09	1,533	1,450	1,751	1,641	171,069	163,453
10-14	1,780	1,650	1,996	1,880	177,922	168,808
15-17	1,196	1,076	1,347	1,228	115,581	109,548
18-19	1,319	1,890	1,414	1,980	74,212	72,342
20-24	2,992	3,684	3,195	3,900	183,401	177,442
25-29	2,101	1,691	2,288	1,839	188,522	173,136
30-34	1,497	1,511	1,642	1,637	165,838	159,597
35-39	1,498	1,469	1,676	1,640	180,434	174,293
40-44	1,695	1,740	1,919	1,983	195,847	192,183
45-49	1,967	2,041	2,287	2,337	213,502	209,946
50-54	1,915	1,792	2,207	2,034	191,974	188,264
55-59	1,438	1,416	1,638	1,590	158,930	159,306
60-64	1,027	1,073	1,170	1,245	118,809	123,145
65-69	778	863	890	1,013	85,023	92,457
70-74	641	754	757	875	64,203	74,926
75-79	566	813	655	910	51,682	67,345
80-84	441	639	507	725	37,802	57,914
85&up	408	940	466	1,081	32,342	72,522
Total	26,620	28,215	29,828	31,425	2,588,258	2,609,363
Total Male/Female		54,835		61,253		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Clearwater County - Population Estimates by Age and Sex, 2007

Age Group	CLEARWATER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	305	273	2,608	2,454	181,165	172,736
05-09	239	220	2,317	2,168	171,069	163,453
10-14	266	235	2,462	2,265	177,922	168,808
15-17	184	188	1,739	1,698	115,581	109,548
18-19	94	81	1,172	1,175	74,212	72,342
20-24	245	250	3,321	3,032	183,401	177,442
25-29	326	279	2,897	3,007	188,522	173,136
30-34	215	202	1,848	1,995	165,838	159,597
35-39	211	195	1,834	1,889	180,434	174,293
40-44	253	249	2,149	2,313	195,847	192,183
45-49	291	313	2,651	2,706	213,502	209,946
50-54	306	302	2,551	2,606	191,974	188,264
55-59	289	262	2,371	2,200	158,930	159,306
60-64	232	224	1,786	1,863	118,809	123,145
65-69	199	224	1,567	1,676	85,023	92,457
70-74	155	189	1,325	1,424	64,203	74,926
75-79	131	129	1,020	1,165	51,682	67,345
80-84	89	119	719	994	37,802	57,914
85&up	98	183	614	1,149	32,342	72,522
Total	4,128	4,117	36,951	37,779	2,588,258	2,609,363
Total Male/Female		8,245		74,730		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Cook County - Population Estimates by Age and Sex, 2007

Age Group	COOK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	125	104	6,755	6,377	181,165	172,736
05-09	124	115	6,469	6,085	171,069	163,453
10-14	137	122	7,083	6,680	177,922	168,808
15-17	113	103	4,949	4,599	115,581	109,548
18-19	46	38	4,756	4,813	74,212	72,342
20-24	131	125	10,750	10,160	183,401	177,442
25-29	205	188	8,554	7,559	188,522	173,136
30-34	150	147	6,531	6,004	165,838	159,597
35-39	153	143	7,016	6,322	180,434	174,293
40-44	177	160	7,710	8,094	195,847	192,183
45-49	250	260	9,649	9,744	213,502	209,946
50-54	225	246	10,295	10,088	191,974	188,264
55-59	231	241	9,131	8,431	158,930	159,306
60-64	210	190	6,643	6,572	118,809	123,145
65-69	146	139	4,680	5,167	85,023	92,457
70-74	94	114	3,831	4,534	64,203	74,926
75-79	90	91	3,267	4,226	51,682	67,345
80-84	53	79	2,366	3,752	37,802	57,914
85&up	52	81	2,172	4,912	32,342	72,522
Total	2,712	2,686	122,607	124,119	2,588,258	2,609,363
Total Male/Female		5,398		246,726		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Cottonwood County - Population Estimates by Age and Sex, 2007

Age Group	COTTONWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	371	320	660	587	181,165	172,736
05-09	353	329	657	603	171,069	163,453
10-14	397	367	734	675	177,922	168,808
15-17	255	265	508	501	115,581	109,548
18-19	142	119	300	256	74,212	72,342
20-24	311	301	655	627	183,401	177,442
25-29	349	293	679	598	188,522	173,136
30-34	265	248	560	490	165,838	159,597
35-39	279	264	586	514	180,434	174,293
40-44	330	356	672	681	195,847	192,183
45-49	436	399	917	835	213,502	209,946
50-54	421	419	885	845	191,974	188,264
55-59	391	383	764	731	158,930	159,306
60-64	307	343	580	610	118,809	123,145
65-69	253	259	491	524	85,023	92,457
70-74	182	234	379	464	64,203	74,926
75-79	180	241	353	475	51,682	67,345
80-84	170	249	326	465	37,802	57,914
85&up	192	376	372	673	32,342	72,522
Total	5,584	5,765	11,078	11,154	2,588,258	2,609,363
Total Male/Female		11,349		22,232		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Crow Wing County - Population Estimates by Age and Sex, 2007

Age Group	CROW WING		Minnesota	
	Male	Female	Male	Female
00-04	2,054	1,939	181,165	172,736
05-09	1,897	1,848	171,069	163,453
10-14	1,908	1,837	177,922	168,808
15-17	1,290	1,297	115,581	109,548
18-19	720	647	74,212	72,342
20-24	1,783	1,834	183,401	177,442
25-29	2,714	2,732	188,522	173,136
30-34	1,779	1,728	165,838	159,597
35-39	1,755	1,737	180,434	174,293
40-44	1,983	1,942	195,847	192,183
45-49	2,210	2,210	213,502	209,946
50-54	2,120	2,147	191,974	188,264
55-59	1,836	1,872	158,930	159,306
60-64	1,450	1,572	118,809	123,145
65-69	1,377	1,529	85,023	92,457
70-74	1,179	1,296	64,203	74,926
75-79	1,001	1,145	51,682	67,345
80-84	727	913	37,802	57,914
85&up	554	1,086	32,342	72,522
Total	30,337	31,311	2,588,258	2,609,363
Total Male/Female		61,648		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Dakota County - Population Estimates by Age and Sex, 2007

Age Group	DAKOTA		Minnesota	
	Male	Female	Male	Female
00-04	14,301	13,530	181,165	172,736
05-09	14,393	13,884	171,069	163,453
10-14	15,330	14,701	177,922	168,808
15-17	9,549	9,207	115,581	109,548
18-19	4,920	4,325	74,212	72,342
20-24	11,855	11,737	183,401	177,442
25-29	13,347	13,155	188,522	173,136
30-34	12,732	13,062	165,838	159,597
35-39	14,678	15,193	180,434	174,293
40-44	16,344	16,756	195,847	192,183
45-49	17,510	17,628	213,502	209,946
50-54	14,657	14,745	191,974	188,264
55-59	11,418	11,938	158,930	159,306
60-64	8,390	8,704	118,809	123,145
65-69	5,406	5,762	85,023	92,457
70-74	3,553	4,077	64,203	74,926
75-79	2,644	3,350	51,682	67,345
80-84	1,574	2,453	37,802	57,914
85&up	1,130	2,540	32,342	72,522
Total	193,731	196,747	2,588,258	2,609,363
Total Male/Female		390,478		

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Dodge County - Population Estimates by Age and Sex, 2007

Age Group	DODGE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	732	721	2,146	2,003	181,165	172,736
05-09	673	745	1,927	1,953	171,069	163,453
10-14	760	737	2,087	1,991	177,922	168,808
15-17	470	480	1,295	1,302	115,581	109,548
18-19	207	242	642	655	74,212	72,342
20-24	609	589	1,817	1,720	183,401	177,442
25-29	763	716	2,027	1,939	188,522	173,136
30-34	629	563	1,720	1,661	165,838	159,597
35-39	597	640	1,802	1,799	180,434	174,293
40-44	781	701	2,154	2,045	195,847	192,183
45-49	815	824	2,182	2,255	213,502	209,946
50-54	726	684	2,143	1,986	191,974	188,264
55-59	508	499	1,574	1,528	158,930	159,306
60-64	422	404	1,201	1,207	118,809	123,145
65-69	325	336	932	1,043	85,023	92,457
70-74	221	263	696	840	64,203	74,926
75-79	183	231	583	751	51,682	67,345
80-84	139	209	424	670	37,802	57,914
85&up	152	256	413	817	32,342	72,522
Total	9,712	9,840	27,765	28,165	2,588,258	2,609,363
Total Male/Female	19,552		55,930		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Dodge and Steele Counties

Douglas County - Population Estimates by Age and Sex, 2007

Age Group	DOUGLAS		Minnesota	
	Male	Female	Male	Female
00-04	1,100	1,021	181,165	172,736
05-09	1,053	984	171,069	163,453
10-14	1,006	1,024	177,922	168,808
15-17	699	627	115,581	109,548
18-19	510	431	74,212	72,342
20-24	1,285	1,123	183,401	177,442
25-29	1,787	1,668	188,522	173,136
30-34	1,030	913	165,838	159,597
35-39	1,019	997	180,434	174,293
40-44	1,081	1,046	195,847	192,183
45-49	1,291	1,246	213,502	209,946
50-54	1,244	1,244	191,974	188,264
55-59	1,045	1,071	158,930	159,306
60-64	902	903	118,809	123,145
65-69	783	847	85,023	92,457
70-74	715	779	64,203	74,926
75-79	548	720	51,682	67,345
80-84	439	636	37,802	57,914
85&up	428	830	32,342	72,522
Total	17,965	18,110	2,588,258	2,609,363
Total Male/Female	36,075		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Faribault County - Population Estimates by Age and Sex, 2007

Age Group	FARIBAULT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	438	398	987	963	181,165	172,736
05-09	395	340	971	905	171,069	163,453
10-14	486	435	1,121	1,034	177,922	168,808
15-17	410	322	906	758	115,581	109,548
18-19	179	152	427	357	74,212	72,342
20-24	467	454	1,073	1,030	183,401	177,442
25-29	410	357	1,004	799	188,522	173,136
30-34	318	260	739	647	165,838	159,597
35-39	333	283	856	785	180,434	174,293
40-44	479	478	1,098	1,110	195,847	192,183
45-49	585	607	1,385	1,416	213,502	209,946
50-54	651	550	1,518	1,418	191,974	188,264
55-59	517	500	1,299	1,223	158,930	159,306
60-64	436	452	987	1,015	118,809	123,145
65-69	325	384	778	881	85,023	92,457
70-74	271	340	682	797	64,203	74,926
75-79	281	371	629	861	51,682	67,345
80-84	217	308	504	765	37,802	57,914
85&up	204	476	475	1,128	32,342	72,522
Total	7,402	7,467	17,439	17,892	2,588,258	2,609,363
Total Male/Female	14,869		35,331		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Fillmore County - Population Estimates by Age and Sex, 2007

Age Group	FILLMORE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	721	685	1,252	1,233	181,165	172,736
05-09	622	579	1,173	1,078	171,069	163,453
10-14	665	659	1,350	1,322	177,922	168,808
15-17	499	497	975	978	115,581	109,548
18-19	259	230	518	469	74,212	72,342
20-24	609	617	1,225	1,206	183,401	177,442
25-29	770	648	1,448	1,192	188,522	173,136
30-34	545	509	955	1,000	165,838	159,597
35-39	578	520	1,144	1,046	180,434	174,293
40-44	692	671	1,313	1,375	195,847	192,183
45-49	824	796	1,716	1,654	213,502	209,946
50-54	774	768	1,588	1,551	191,974	188,264
55-59	699	664	1,370	1,286	158,930	159,306
60-64	533	560	1,031	1,048	118,809	123,145
65-69	428	467	769	825	85,023	92,457
70-74	357	436	699	805	64,203	74,926
75-79	359	371	639	731	51,682	67,345
80-84	243	412	453	730	37,802	57,914
85&up	250	521	454	951	32,342	72,522
Total	10,427	10,610	20,072	20,480	2,588,258	2,609,363
Total Male/Female	21,037		40,552		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Freeborn County - Population Estimates by Age and Sex, 2007

Age Group	FREEBORN		Minnesota	
	Male	Female	Male	Female
00-04	961	913	181,165	172,736
05-09	909	846	171,069	163,453
10-14	921	922	177,922	168,808
15-17	636	655	115,581	109,548
18-19	385	346	74,212	72,342
20-24	840	856	183,401	177,442
25-29	1,087	1,014	188,522	173,136
30-34	812	707	165,838	159,597
35-39	850	782	180,434	174,293
40-44	1,044	1,038	195,847	192,183
45-49	1,266	1,284	213,502	209,946
50-54	1,242	1,065	191,974	188,264
55-59	1,060	1,012	158,930	159,306
60-64	892	919	118,809	123,145
65-69	702	821	85,023	92,457
70-74	583	669	64,203	74,926
75-79	496	668	51,682	67,345
80-84	393	589	37,802	57,914
85&up	348	724	32,342	72,522
Total	15,427	15,830	2,588,258	2,609,363
Total Male/Female	#		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Goodhue County - Population Estimates by Age and Sex, 2007

Age Group	GOODHUE		Minnesota	
	Male	Female	Male	Female
00-04	1,426	1,416	181,165	172,736
05-09	1,402	1,293	171,069	163,453
10-14	1,511	1,417	177,922	168,808
15-17	1,069	1,001	115,581	109,548
18-19	622	515	74,212	72,342
20-24	1,401	1,422	183,401	177,442
25-29	1,681	1,504	188,522	173,136
30-34	1,281	1,171	165,838	159,597
35-39	1,359	1,336	180,434	174,293
40-44	1,611	1,633	195,847	192,183
45-49	1,980	1,929	213,502	209,946
50-54	1,810	1,771	191,974	188,264
55-59	1,502	1,469	158,930	159,306
60-64	1,190	1,122	118,809	123,145
65-69	878	921	85,023	92,457
70-74	712	784	64,203	74,926
75-79	604	771	51,682	67,345
80-84	430	656	37,802	57,914
85&up	367	872	32,342	72,522
Total	22,836	23,003	2,588,258	2,609,363
Total Male/Female	45,839		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Grant County - Population Estimates by Age and Sex, 2007

Age Group	GRANT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	173	155	828	794	181,165	172,736
05-09	153	135	782	707	171,069	163,453
10-14	175	193	861	827	177,922	168,808
15-17	113	124	615	605	115,581	109,548
18-19	60	77	513	653	74,212	72,342
20-24	173	186	1,347	1,371	183,401	177,442
25-29	207	158	962	776	188,522	173,136
30-34	153	120	713	585	165,838	159,597
35-39	139	128	700	676	180,434	174,293
40-44	176	207	884	930	195,847	192,183
45-49	233	232	1,121	1,103	213,502	209,946
50-54	226	210	1,166	1,088	191,974	188,264
55-59	194	195	989	897	158,930	159,306
60-64	168	153	762	760	118,809	123,145
65-69	149	152	630	708	85,023	92,457
70-74	127	149	562	713	64,203	74,926
75-79	123	143	570	687	51,682	67,345
80-84	103	155	474	641	37,802	57,914
85&up	111	193	485	937	32,342	72,522
Total	2,956	3,065	14,964	15,458	2,588,258	2,609,363
Total Male/Female		6,021		30,422		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Hennepin County - Population Estimates by Age and Sex, 2007

Age Group	HENNEPIN		Minnesota	
	Male	Female	Male	Female
00-04	40,894	39,092	181,165	172,736
05-09	36,543	35,271	171,069	163,453
10-14	36,188	34,393	177,922	168,808
15-17	23,064	21,960	115,581	109,548
18-19	15,247	14,220	74,212	72,342
20-24	37,063	34,764	183,401	177,442
25-29	36,103	33,641	188,522	173,136
30-34	42,354	40,866	165,838	159,597
35-39	46,577	43,698	180,434	174,293
40-44	46,339	44,091	195,847	192,183
45-49	48,477	47,879	213,502	209,946
50-54	43,566	43,603	191,974	188,264
55-59	35,807	37,791	158,930	159,306
60-64	26,012	27,813	118,809	123,145
65-69	16,689	18,865	85,023	92,457
70-74	11,599	14,383	64,203	74,926
75-79	9,353	13,027	51,682	67,345
80-84	7,356	11,719	37,802	57,914
85&up	5,913	14,379	32,342	72,522
Total	565,144	571,455	2,588,258	2,609,363
Total Male/Female		1,136,599		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Houston County - Population Estimates by Age and Sex, 2007

Age Group	HOUSTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	531	548	1,252	1,233	181,165	172,736
05-09	551	499	1,173	1,078	171,069	163,453
10-14	685	663	1,350	1,322	177,922	168,808
15-17	476	481	975	978	115,581	109,548
18-19	259	239	518	469	74,212	72,342
20-24	616	589	1,225	1,206	183,401	177,442
25-29	678	544	1,448	1,192	188,522	173,136
30-34	410	491	955	1,000	165,838	159,597
35-39	566	526	1,144	1,046	180,434	174,293
40-44	621	704	1,313	1,375	195,847	192,183
45-49	892	858	1,716	1,654	213,502	209,946
50-54	814	783	1,588	1,551	191,974	188,264
55-59	671	622	1,370	1,286	158,930	159,306
60-64	498	488	1,031	1,048	118,809	123,145
65-69	341	358	769	825	85,023	92,457
70-74	342	369	699	805	64,203	74,926
75-79	280	360	639	731	51,682	67,345
80-84	210	318	453	730	37,802	57,914
85&up	204	430	454	951	32,342	72,522
Total	9,645	9,870	20,072	20,480	2,588,258	2,609,363
Total Male/Female	19,515		40,552		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Hubbard County - Population Estimates by Age and Sex, 2007

Age Group	HUBBARD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	572	537	2,608	2,454	181,165	172,736
05-09	518	476	2,317	2,168	171,069	163,453
10-14	579	517	2,462	2,265	177,922	168,808
15-17	409	377	1,739	1,698	115,581	109,548
18-19	200	188	1,172	1,175	74,212	72,342
20-24	583	556	3,321	3,032	183,401	177,442
25-29	637	674	2,897	3,007	188,522	173,136
30-34	461	447	1,848	1,995	165,838	159,597
35-39	455	447	1,834	1,889	180,434	174,293
40-44	541	591	2,149	2,313	195,847	192,183
45-49	740	708	2,651	2,706	213,502	209,946
50-54	661	668	2,551	2,606	191,974	188,264
55-59	659	642	2,371	2,200	158,930	159,306
60-64	560	576	1,786	1,863	118,809	123,145
65-69	505	560	1,567	1,676	85,023	92,457
70-74	473	472	1,325	1,424	64,203	74,926
75-79	358	363	1,020	1,165	51,682	67,345
80-84	258	292	719	994	37,802	57,914
85&up	191	330	614	1,149	32,342	72,522
Total	9,360	9,421	36,951	37,779	2,588,258	2,609,363
Total Male/Female	18,781		74,730		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods
2008 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Isanti County - Population Estimates by Age and Sex, 2007

Age Group	ISANTI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,315	1,260	2,260	2,190	181,165	172,736
05-09	1,243	1,220	2,054	2,019	171,069	163,453
10-14	1,359	1,279	2,159	2,080	177,922	168,808
15-17	901	835	1,545	1,402	115,581	109,548
18-19	456	415	753	704	74,212	72,342
20-24	1,272	1,320	2,072	2,114	183,401	177,442
25-29	2,003	1,939	3,190	3,157	188,522	173,136
30-34	1,322	1,321	2,177	2,114	165,838	159,597
35-39	1,407	1,324	2,197	2,093	180,434	174,293
40-44	1,505	1,421	2,421	2,297	195,847	192,183
45-49	1,625	1,571	2,634	2,522	213,502	209,946
50-54	1,374	1,286	2,262	2,161	191,974	188,264
55-59	1,138	1,116	1,875	1,791	158,930	159,306
60-64	839	845	1,393	1,462	118,809	123,145
65-69	616	667	1,136	1,282	85,023	92,457
70-74	431	447	878	911	64,203	74,926
75-79	279	396	632	865	51,682	67,345
80-84	197	312	438	683	37,802	57,914
85&up	233	432	441	911	32,342	72,522
Total	19,515	19,406	32,517	32,758	2,588,258	2,609,363
Total Male/Female		38,921		65,275		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Itasca County - Population Estimates by Age and Sex, 2007

Age Group	ITASCA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,264	1,201	2,026	1,880	181,165	172,736
05-09	1,242	1,152	2,013	1,847	171,069	163,453
10-14	1,288	1,290	2,144	2,110	177,922	168,808
15-17	985	917	1,599	1,478	115,581	109,548
18-19	659	527	995	818	74,212	72,342
20-24	1,608	1,409	2,409	2,182	183,401	177,442
25-29	1,494	1,440	2,480	2,283	188,522	173,136
30-34	985	1,014	1,581	1,591	165,838	159,597
35-39	1,089	1,106	1,809	1,870	180,434	174,293
40-44	1,334	1,392	2,237	2,253	195,847	192,183
45-49	1,692	1,747	2,846	2,919	213,502	209,946
50-54	1,877	1,825	3,031	2,909	191,974	188,264
55-59	1,745	1,698	2,784	2,744	158,930	159,306
60-64	1,325	1,333	2,277	2,306	118,809	123,145
65-69	1,136	1,094	1,989	1,999	85,023	92,457
70-74	850	907	1,600	1,706	64,203	74,926
75-79	746	849	1,355	1,570	51,682	67,345
80-84	536	653	979	1,183	37,802	57,914
85&up	381	752	714	1,395	32,342	72,522
Total	22,236	22,306	36,868	37,043	2,588,258	2,609,363
Total Male/Female		44,542		73,911		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Jackson County - Population Estimates by Age and Sex, 2007

Age Group	JACKSON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	289	267	660	587	181,165	172,736
05-09	304	274	657	603	171,069	163,453
10-14	337	308	734	675	177,922	168,808
15-17	253	236	508	501	115,581	109,548
18-19	158	137	300	256	74,212	72,342
20-24	344	326	655	627	183,401	177,442
25-29	330	305	679	598	188,522	173,136
30-34	295	242	560	490	165,838	159,597
35-39	307	250	586	514	180,434	174,293
40-44	342	325	672	681	195,847	192,183
45-49	481	436	917	835	213,502	209,946
50-54	464	426	885	845	191,974	188,264
55-59	373	348	764	731	158,930	159,306
60-64	273	267	580	610	118,809	123,145
65-69	238	265	491	524	85,023	92,457
70-74	197	230	379	464	64,203	74,926
75-79	173	234	353	475	51,682	67,345
80-84	156	216	326	465	37,802	57,914
85&up	180	297	372	673	32,342	72,522
Total	5,494	5,389	11,078	11,154	2,588,258	2,609,363
Total Male/Female	10,883		22,232		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Kanabec County - Population Estimates by Age and Sex, 2007

Age Group	Male		Male		Male	
00-04	473	427	1,324	1,240	181,165	172,736
05-09	495	461	1,284	1,246	171,069	163,453
10-14	583	528	1,464	1,331	177,922	168,808
15-17	380	358	1,040	966	115,581	109,548
18-19	182	148	514	427	74,212	72,342
20-24	482	509	1,455	1,300	183,401	177,442
25-29	657	667	2,011	1,799	188,522	173,136
30-34	480	502	1,447	1,273	165,838	159,597
35-39	536	513	1,458	1,266	180,434	174,293
40-44	505	505	1,583	1,442	195,847	192,183
45-49	686	608	1,863	1,657	213,502	209,946
50-54	604	572	1,680	1,535	191,974	188,264
55-59	548	489	1,417	1,259	158,930	159,306
60-64	401	423	1,075	1,134	118,809	123,145
65-69	333	346	886	995	85,023	92,457
70-74	294	277	836	819	64,203	74,926
75-79	211	239	612	688	51,682	67,345
80-84	170	199	460	535	37,802	57,914
85&up	92	207	287	646	32,342	72,522
Total	8,112	7,978	22,696	21,558	2,588,258	2,609,363
Total Male/Female	16,090		44,254		5,197,621	
Source: U.S. Census Bureau: 2007 (

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Kandiyohi County - Population Estimates by Age and Sex, 2007

Age Group	KANDIYOHI		Minnesota	
	Male	Female	Male	Female
00-04	1,441	1,408	181,165	172,736
05-09	1,249	1,219	171,069	163,453
10-14	1,366	1,279	177,922	168,808
15-17	950	911	115,581	109,548
18-19	609	631	74,212	72,342
20-24	1,371	1,304	183,401	177,442
25-29	1,466	1,266	188,522	173,136
30-34	1,083	1,048	165,838	159,597
35-39	1,178	1,072	180,434	174,293
40-44	1,238	1,270	195,847	192,183
45-49	1,512	1,644	213,502	209,946
50-54	1,689	1,615	191,974	188,264
55-59	1,320	1,330	158,930	159,306
60-64	1,023	1,012	118,809	123,145
65-69	715	806	85,023	92,457
70-74	657	743	64,203	74,926
75-79	526	652	51,682	67,345
80-84	414	601	37,802	57,914
85&up	403	763	32,342	72,522
Total	20,210	20,574	2,588,258	2,609,363
Total Male/Female		40,784		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Kittson County - Population Estimates by Age and Sex, 2007

Age Group	KITTSOON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	99	82	1,474	1,470	181,165	172,736
05-09	114	131	1,484	1,424	171,069	163,453
10-14	142	158	1,640	1,551	177,922	168,808
15-17	115	88	1,138	997	115,581	109,548
18-19	51	42	678	580	74,212	72,342
20-24	129	103	1,571	1,374	183,401	177,442
25-29	74	67	1,596	1,477	188,522	173,136
30-34	66	54	1,287	1,173	165,838	159,597
35-39	119	100	1,417	1,299	180,434	174,293
40-44	147	149	1,738	1,568	195,847	192,183
45-49	199	179	1,983	1,898	213,502	209,946
50-54	200	202	1,966	1,800	191,974	188,264
55-59	187	173	1,597	1,483	158,930	159,306
60-64	151	131	1,255	1,268	118,809	123,145
65-69	114	116	966	1,049	85,023	92,457
70-74	105	103	726	813	64,203	74,926
75-79	88	129	651	787	51,682	67,345
80-84	64	98	483	700	37,802	57,914
85&up	80	156	526	1,056	32,342	72,522
Total	2,244	2,261	24,176	23,767	2,588,258	2,609,363
Total Male/Female		4,505		47,943		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Koochiching County - Population Estimates by Age and Sex, 2007

Age Group	KOOCHICHING		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	325	297	2,026	1,880	181,165	172,736
05-09	365	333	2,013	1,847	171,069	163,453
10-14	422	389	2,144	2,110	177,922	168,808
15-17	303	295	1,599	1,478	115,581	109,548
18-19	173	145	995	818	74,212	72,342
20-24	363	360	2,409	2,182	183,401	177,442
25-29	427	345	2,480	2,283	188,522	173,136
30-34	240	258	1,581	1,591	165,838	159,597
35-39	343	395	1,809	1,870	180,434	174,293
40-44	438	421	2,237	2,253	195,847	192,183
45-49	551	598	2,846	2,919	213,502	209,946
50-54	604	546	3,031	2,909	191,974	188,264
55-59	527	506	2,784	2,744	158,930	159,306
60-64	415	426	2,277	2,306	118,809	123,145
65-69	353	352	1,989	1,999	85,023	92,457
70-74	273	300	1,600	1,706	64,203	74,926
75-79	208	327	1,355	1,570	51,682	67,345
80-84	176	230	979	1,183	37,802	57,914
85&up	126	304	714	1,395	32,342	72,522
Total	6,632	6,827	36,868	37,043	2,588,258	2,609,363
Total Male/Female	13,459		73,911		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Lac Qui Parle County - Population Estimates by Age and Sex, 2007

Age Group	LAC QUI PARLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	172	156	1,311	1,186	181,165	172,736
05-09	168	170	1,247	1,140	171,069	163,453
10-14	230	246	1,456	1,383	177,922	168,808
15-17	172	151	1,040	961	115,581	109,548
18-19	96	70	667	526	74,212	72,342
20-24	228	206	1,558	1,355	183,401	177,442
25-29	206	154	1,510	924	188,522	173,136
30-34	152	103	1,280	811	165,838	159,597
35-39	132	147	1,436	1,057	180,434	174,293
40-44	228	212	1,692	1,394	195,847	192,183
45-49	298	297	1,926	1,761	213,502	209,946
50-54	353	297	1,971	1,710	191,974	188,264
55-59	267	268	1,613	1,488	158,930	159,306
60-64	225	217	1,239	1,229	118,809	123,145
65-69	156	192	965	1,126	85,023	92,457
70-74	133	158	810	994	64,203	74,926
75-79	136	167	775	1,048	51,682	67,345
80-84	134	168	666	987	37,802	57,914
85&up	131	262	673	1,513	32,342	72,522
Total	3,617	3,641	23,835	22,593	2,588,258	2,609,363
Total Male/Female	7,258		46,428		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties
2008 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Lake County - Population Estimates by Age and Sex, 2007

Age Group	LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	256	234	6,755	6,377	181,165	172,736
05-09	279	261	6,469	6,085	171,069	163,453
10-14	289	299	7,083	6,680	177,922	168,808
15-17	188	213	4,949	4,599	115,581	109,548
18-19	145	102	4,756	4,813	74,212	72,342
20-24	313	287	10,750	10,160	183,401	177,442
25-29	331	363	8,554	7,559	188,522	173,136
30-34	277	247	6,531	6,004	165,838	159,597
35-39	253	273	7,016	6,322	180,434	174,293
40-44	341	367	7,710	8,094	195,847	192,183
45-49	451	446	9,649	9,744	213,502	209,946
50-54	489	431	10,295	10,088	191,974	188,264
55-59	412	360	9,131	8,431	158,930	159,306
60-64	304	324	6,643	6,572	118,809	123,145
65-69	266	282	4,680	5,167	85,023	92,457
70-74	247	274	3,831	4,534	64,203	74,926
75-79	237	242	3,267	4,226	51,682	67,345
80-84	160	170	2,366	3,752	37,802	57,914
85&up	110	218	2,172	4,912	32,342	72,522
Total	5,348	5,393	122,607	124,119	2,588,258	2,609,363
Total Male/Female		10,741		246,726		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Lake of the Woods County - Population Estimates by Age and Sex, 2007

Age Group	LAKE OF THE WOODS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	102	111	2,608	2,454	181,165	172,736
05-09	88	72	2,317	2,168	171,069	163,453
10-14	117	131	2,462	2,265	177,922	168,808
15-17	95	109	1,739	1,698	115,581	109,548
18-19	42	36	1,172	1,175	74,212	72,342
20-24	94	106	3,321	3,032	183,401	177,442
25-29	124	122	2,897	3,007	188,522	173,136
30-34	67	78	1,848	1,995	165,838	159,597
35-39	78	72	1,834	1,889	180,434	174,293
40-44	159	119	2,149	2,313	195,847	192,183
45-49	177	186	2,651	2,706	213,502	209,946
50-54	204	203	2,551	2,606	191,974	188,264
55-59	175	119	2,371	2,200	158,930	159,306
60-64	119	145	1,786	1,863	118,809	123,145
65-69	128	108	1,567	1,676	85,023	92,457
70-74	98	97	1,325	1,424	64,203	74,926
75-79	61	82	1,020	1,165	51,682	67,345
80-84	50	76	719	994	37,802	57,914
85&up	64	81	614	1,149	32,342	72,522
Total	2,042	2,053	36,951	37,779	2,588,258	2,609,363
Total Male/Female		4,095		74,730		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Le Sueur County - Population Estimates by Age and Sex, 2007

Age Group	LE SUEUR		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	923	891	1,585	1,551	181,165	172,736
05-09	887	860	1,527	1,462	171,069	163,453
10-14	940	948	1,563	1,575	177,922	168,808
15-17	658	606	1,068	998	115,581	109,548
18-19	349	355	613	534	74,212	72,342
20-24	909	892	1,637	1,454	183,401	177,442
25-29	1,189	1,050	2,052	1,690	188,522	173,136
30-34	783	715	1,525	1,183	165,838	159,597
35-39	871	881	1,616	1,405	180,434	174,293
40-44	1,033	1,003	1,793	1,616	195,847	192,183
45-49	1,153	1,074	2,024	1,794	213,502	209,946
50-54	1,045	954	1,784	1,683	191,974	188,264
55-59	941	831	1,570	1,424	158,930	159,306
60-64	698	712	1,158	1,122	118,809	123,145
65-69	544	553	852	900	85,023	92,457
70-74	395	448	639	735	64,203	74,926
75-79	299	399	493	709	51,682	67,345
80-84	253	342	443	616	37,802	57,914
85&up	210	440	386	783	32,342	72,522
Total	14,080	13,954	24,328	23,234	2,588,258	2,609,363
Total Male/Female		28,034		47,562		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Lincoln County - Population Estimates by Age and Sex, 2007

Age Group	LINCOLN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	165	164	1,496	1,420	181,165	172,736
05-09	141	150	1,416	1,376	171,069	163,453
10-14	186	183	1,608	1,537	177,922	168,808
15-17	124	120	1,050	1,072	115,581	109,548
18-19	72	57	758	735	74,212	72,342
20-24	161	169	1,971	1,938	183,401	177,442
25-29	174	106	1,493	1,246	188,522	173,136
30-34	112	130	1,188	1,115	165,838	159,597
35-39	148	149	1,306	1,226	180,434	174,293
40-44	195	180	1,577	1,531	195,847	192,183
45-49	236	192	1,785	1,837	213,502	209,946
50-54	229	204	1,828	1,724	191,974	188,264
55-59	174	169	1,449	1,405	158,930	159,306
60-64	157	165	1,169	1,186	118,809	123,145
65-69	150	174	930	1,085	85,023	92,457
70-74	134	159	848	972	64,203	74,926
75-79	131	158	727	1,006	51,682	67,345
80-84	104	126	566	904	37,802	57,914
85&up	94	235	617	1,291	32,342	72,522
Total	2,887	2,990	23,782	24,606	2,588,258	2,609,363
Total Male/Female		5,877		48,388		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Lyon County - Population Estimates by Age and Sex, 2007

Age Group	LYON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	792	730	1,496	1,420	181,165	172,736
05-09	791	770	1,416	1,376	171,069	163,453
10-14	868	759	1,608	1,537	177,922	168,808
15-17	513	580	1,050	1,072	115,581	109,548
18-19	452	488	758	735	74,212	72,342
20-24	1,257	1,182	1,971	1,938	183,401	177,442
25-29	867	761	1,493	1,246	188,522	173,136
30-34	677	641	1,188	1,115	165,838	159,597
35-39	715	656	1,306	1,226	180,434	174,293
40-44	807	780	1,577	1,531	195,847	192,183
45-49	852	966	1,785	1,837	213,502	209,946
50-54	898	859	1,828	1,724	191,974	188,264
55-59	695	649	1,449	1,405	158,930	159,306
60-64	509	544	1,169	1,186	118,809	123,145
65-69	408	448	930	1,085	85,023	92,457
70-74	349	382	848	972	64,203	74,926
75-79	269	408	727	1,006	51,682	67,345
80-84	229	373	566	904	37,802	57,914
85&up	244	527	617	1,291	32,342	72,522
Total	12,192	12,503	23,782	24,606	2,588,258	2,609,363
Total Male/Female		24,695		48,388		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

McLeod County - Population Estimates by Age and Sex, 2007

Age Group	MCLEOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,383	1,332	2,705	2,610	181,165	172,736
05-09	1,258	1,245	2,525	2,422	171,069	163,453
10-14	1,321	1,271	2,713	2,485	177,922	168,808
15-17	896	809	1,813	1,616	115,581	109,548
18-19	517	381	996	792	74,212	72,342
20-24	1,164	1,075	2,405	2,193	183,401	177,442
25-29	1,244	1,295	2,559	2,526	188,522	173,136
30-34	1,260	1,196	2,349	2,140	165,838	159,597
35-39	1,254	1,203	2,405	2,279	180,434	174,293
40-44	1,400	1,319	2,706	2,606	195,847	192,183
45-49	1,414	1,340	3,004	2,784	213,502	209,946
50-54	1,216	1,264	2,716	2,626	191,974	188,264
55-59	1,127	1,072	2,367	2,202	158,930	159,306
60-64	899	886	1,872	1,822	118,809	123,145
65-69	613	725	1,305	1,498	85,023	92,457
70-74	518	581	1,111	1,297	64,203	74,926
75-79	401	555	963	1,173	51,682	67,345
80-84	322	520	689	1,046	37,802	57,914
85&up	292	652	653	1,465	32,342	72,522
Total	18,499	18,721	37,856	37,582	2,588,258	2,609,363
Total Male/Female		37,220		75,438		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Mahnomen County - Population Estimates by Age and Sex, 2007

Age Group	MAHNOMEN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	186	199	376	360	181,165	172,736
05-09	155	153	331	326	171,069	163,453
10-14	206	164	435	392	177,922	168,808
15-17	121	134	275	276	115,581	109,548
18-19	71	53	156	124	74,212	72,342
20-24	162	141	357	335	183,401	177,442
25-29	131	148	307	278	188,522	173,136
30-34	128	115	267	219	165,838	159,597
35-39	129	120	279	268	180,434	174,293
40-44	172	165	428	400	195,847	192,183
45-49	199	170	469	474	213,502	209,946
50-54	184	171	469	418	191,974	188,264
55-59	176	171	401	368	158,930	159,306
60-64	146	161	343	372	118,809	123,145
65-69	123	117	280	281	85,023	92,457
70-74	101	102	240	268	64,203	74,926
75-79	70	80	200	228	51,682	67,345
80-84	56	82	150	221	37,802	57,914
85&up	55	112	139	304	32,342	72,522
Total	2,571	2,558	5,902	5,912	2,588,258	2,609,363
Total Male/Female		5,129		11,814		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Marshall County - Population Estimates by Age and Sex, 2007

Age Group	MARSHALL		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	261	280	1,474	1,470	181,165	172,736
05-09	255	257	1,484	1,424	171,069	163,453
10-14	316	271	1,640	1,551	177,922	168,808
15-17	219	196	1,138	997	115,581	109,548
18-19	116	108	678	580	74,212	72,342
20-24	325	285	1,571	1,374	183,401	177,442
25-29	298	246	1,596	1,477	188,522	173,136
30-34	210	166	1,287	1,173	165,838	159,597
35-39	259	214	1,417	1,299	180,434	174,293
40-44	335	298	1,738	1,568	195,847	192,183
45-49	392	358	1,983	1,898	213,502	209,946
50-54	434	391	1,966	1,800	191,974	188,264
55-59	347	313	1,597	1,483	158,930	159,306
60-64	271	273	1,255	1,268	118,809	123,145
65-69	224	260	966	1,049	85,023	92,457
70-74	174	222	726	813	64,203	74,926
75-79	171	194	651	787	51,682	67,345
80-84	143	177	483	700	37,802	57,914
85&up	139	220	526	1,056	32,342	72,522
Total	4,889	4,729	24,176	23,767	2,588,258	2,609,363
Total Male/Female		9,618		47,943		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties
2008 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Martin County - Population Estimates by Age and Sex, 2007

Age Group	MARTIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	549	565	987	963	181,165	172,736
05-09	576	565	971	905	171,069	163,453
10-14	635	599	1,121	1,034	177,922	168,808
15-17	496	436	906	758	115,581	109,548
18-19	248	205	427	357	74,212	72,342
20-24	606	576	1,073	1,030	183,401	177,442
25-29	594	442	1,004	799	188,522	173,136
30-34	421	387	739	647	165,838	159,597
35-39	523	502	856	785	180,434	174,293
40-44	619	632	1,098	1,110	195,847	192,183
45-49	800	809	1,385	1,416	213,502	209,946
50-54	867	868	1,518	1,418	191,974	188,264
55-59	782	723	1,299	1,223	158,930	159,306
60-64	551	563	987	1,015	118,809	123,145
65-69	453	497	778	881	85,023	92,457
70-74	411	457	682	797	64,203	74,926
75-79	348	490	629	861	51,682	67,345
80-84	287	457	504	765	37,802	57,914
85&up	271	652	475	1,128	32,342	72,522
Total	10,037	10,425	17,439	17,892	2,588,258	2,609,363
Total Male/Female		20,462		35,331		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Meeker County - Population Estimates by Age and Sex, 2007

Age Group	MEEKER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	791	781	2,705	2,610	181,165	172,736
05-09	783	719	2,525	2,422	171,069	163,453
10-14	824	735	2,713	2,485	177,922	168,808
15-17	525	458	1,813	1,616	115,581	109,548
18-19	285	233	996	792	74,212	72,342
20-24	752	696	2,405	2,193	183,401	177,442
25-29	840	777	2,559	2,526	188,522	173,136
30-34	677	567	2,349	2,140	165,838	159,597
35-39	685	620	2,405	2,279	180,434	174,293
40-44	752	760	2,706	2,606	195,847	192,183
45-49	959	857	3,004	2,784	213,502	209,946
50-54	923	876	2,716	2,626	191,974	188,264
55-59	773	709	2,367	2,202	158,930	159,306
60-64	590	574	1,872	1,822	118,809	123,145
65-69	429	459	1,305	1,498	85,023	92,457
70-74	357	436	1,111	1,297	64,203	74,926
75-79	341	375	963	1,173	51,682	67,345
80-84	239	329	689	1,046	37,802	57,914
85&up	224	501	653	1,465	32,342	72,522
Total	11,749	11,462	37,856	37,582	2,588,258	2,609,363
Total Male/Female		23,211		75,438		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Mille Lacs County - Population Estimates by Age and Sex, 2007

Age Group	MILLE LACS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	945	930	2,260	2,190	181,165	172,736
05-09	811	799	2,054	2,019	171,069	163,453
10-14	800	801	2,159	2,080	177,922	168,808
15-17	644	567	1,545	1,402	115,581	109,548
18-19	297	289	753	704	74,212	72,342
20-24	800	794	2,072	2,114	183,401	177,442
25-29	1,187	1,218	3,190	3,157	188,522	173,136
30-34	855	793	2,177	2,114	165,838	159,597
35-39	790	769	2,197	2,093	180,434	174,293
40-44	916	876	2,421	2,297	195,847	192,183
45-49	1,009	951	2,634	2,522	213,502	209,946
50-54	888	875	2,262	2,161	191,974	188,264
55-59	737	675	1,875	1,791	158,930	159,306
60-64	554	617	1,393	1,462	118,809	123,145
65-69	520	615	1,136	1,282	85,023	92,457
70-74	447	464	878	911	64,203	74,926
75-79	353	469	632	865	51,682	67,345
80-84	241	371	438	683	37,802	57,914
85&up	208	479	441	911	32,342	72,522
Total	13,002	13,352	32,517	32,758	2,588,258	2,609,363
Total Male/Female		26,354		65,275		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Morrison County - Population Estimates by Age and Sex, 2007

Age Group	MORRISON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,133	1,035	3,277	3,079	181,165	172,736
05-09	1,080	1,025	2,993	2,855	171,069	163,453
10-14	1,120	1,087	3,181	3,103	177,922	168,808
15-17	744	722	2,283	2,162	115,581	109,548
18-19	456	366	1,361	1,160	74,212	72,342
20-24	1,093	994	3,237	2,941	183,401	177,442
25-29	1,399	1,190	3,837	3,525	188,522	173,136
30-34	904	836	2,615	2,414	165,838	159,597
35-39	942	929	2,676	2,543	180,434	174,293
40-44	1,182	1,119	3,212	3,149	195,847	192,183
45-49	1,295	1,216	3,818	3,686	213,502	209,946
50-54	1,249	1,117	3,660	3,422	191,974	188,264
55-59	1,000	930	3,209	2,976	158,930	159,306
60-64	777	757	2,640	2,675	118,809	123,145
65-69	629	693	2,309	2,433	85,023	92,457
70-74	485	593	1,890	2,026	64,203	74,926
75-79	452	564	1,566	1,816	51,682	67,345
80-84	294	482	1,029	1,499	37,802	57,914
85&up	263	581	867	1,743	32,342	72,522
Total	16,497	16,236	49,660	49,207	2,588,258	2,609,363
Total Male/Female		32,733		98,867		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Mower County - Population Estimates by Age and Sex, 2007

Age Group	MOWER		Minnesota	
	Male	Female	Male	Female
00-04	1,362	1,283	181,165	172,736
05-09	1,300	1,188	171,069	163,453
10-14	1,271	1,194	177,922	168,808
15-17	880	844	115,581	109,548
18-19	524	458	74,212	72,342
20-24	1,271	954	183,401	177,442
25-29	1,177	1,156	188,522	173,136
30-34	1,082	971	165,838	159,597
35-39	1,051	1,025	180,434	174,293
40-44	1,263	1,262	195,847	192,183
45-49	1,443	1,427	213,502	209,946
50-54	1,337	1,226	191,974	188,264
55-59	1,211	1,108	158,930	159,306
60-64	890	895	118,809	123,145
65-69	681	821	85,023	92,457
70-74	582	751	64,203	74,926
75-79	588	836	51,682	67,345
80-84	529	709	37,802	57,914
85&up	460	1,030	32,342	72,522
Total	18,902	19,138	2,588,258	2,609,363
Total Male/Female	38,040		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Murray County - Population Estimates by Age and Sex, 2007

Age Group	MURRAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	230	229	1,496	1,420	181,165	172,736
05-09	212	214	1,416	1,376	171,069	163,453
10-14	268	281	1,608	1,537	177,922	168,808
15-17	194	183	1,050	1,072	115,581	109,548
18-19	105	91	758	735	74,212	72,342
20-24	285	247	1,971	1,938	183,401	177,442
25-29	201	161	1,493	1,246	188,522	173,136
30-34	177	162	1,188	1,115	165,838	159,597
35-39	205	199	1,306	1,226	180,434	174,293
40-44	290	278	1,577	1,531	195,847	192,183
45-49	331	302	1,785	1,837	213,502	209,946
50-54	353	336	1,828	1,724	191,974	188,264
55-59	318	301	1,449	1,405	158,930	159,306
60-64	272	249	1,169	1,186	118,809	123,145
65-69	187	234	930	1,085	85,023	92,457
70-74	190	201	848	972	64,203	74,926
75-79	171	208	727	1,006	51,682	67,345
80-84	115	178	566	904	37,802	57,914
85&up	125	228	617	1,291	32,342	72,522
Total	4,229	4,282	23,782	24,606	2,588,258	2,609,363
Total Male/Female	8,511		48,388		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Nicollet County - Population Estimates by Age and Sex, 2007

Age Group	NICOLLET		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	983	913	1,732	1,633	181,165	172,736
05-09	955	899	1,680	1,592	171,069	163,453
10-14	978	906	1,777	1,634	177,922	168,808
15-17	672	599	1,267	1,185	115,581	109,548
18-19	781	887	1,193	1,275	74,212	72,342
20-24	1,737	1,829	2,743	2,811	183,401	177,442
25-29	1,130	933	1,928	1,601	188,522	173,136
30-34	943	835	1,633	1,382	165,838	159,597
35-39	985	891	1,664	1,512	180,434	174,293
40-44	1,078	1,029	1,944	1,897	195,847	192,183
45-49	1,165	1,175	2,240	2,255	213,502	209,946
50-54	1,125	1,086	2,133	2,055	191,974	188,264
55-59	1,002	908	1,866	1,746	158,930	159,306
60-64	725	667	1,387	1,335	118,809	123,145
65-69	546	579	1,092	1,154	85,023	92,457
70-74	419	483	871	1,008	64,203	74,926
75-79	314	400	748	923	51,682	67,345
80-84	210	340	503	801	37,802	57,914
85&up	193	380	510	983	32,342	72,522
Total	15,941	15,739	28,911	28,782	2,588,258	2,609,363
Total Male/Female	31,680		57,693		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Nobles County - Population Estimates by Age and Sex, 2007

Age Group	NOBLES		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	793	742	1,127	1,057	181,165	172,736
05-09	691	709	982	1,005	171,069	163,453
10-14	731	672	1,049	967	177,922	168,808
15-17	479	404	698	607	115,581	109,548
18-19	268	245	368	344	74,212	72,342
20-24	630	531	951	811	183,401	177,442
25-29	591	487	887	756	188,522	173,136
30-34	516	449	762	697	165,838	159,597
35-39	661	561	915	799	180,434	174,293
40-44	674	637	961	935	195,847	192,183
45-49	802	715	1,157	1,062	213,502	209,946
50-54	797	711	1,129	1,033	191,974	188,264
55-59	628	599	944	899	158,930	159,306
60-64	496	506	755	754	118,809	123,145
65-69	410	390	580	590	85,023	92,457
70-74	304	382	466	578	64,203	74,926
75-79	261	375	403	586	51,682	67,345
80-84	225	326	370	536	37,802	57,914
85&up	218	512	326	780	32,342	72,522
Total	10,175	9,953	14,830	14,796	2,588,258	2,609,363
Total Male/Female	20,128		29,626		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties
2008 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Norman County - Population Estimates by Age and Sex, 2007

Age Group	NORMAN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	190	161	376	360	181,165	172,736
05-09	176	173	331	326	171,069	163,453
10-14	229	228	435	392	177,922	168,808
15-17	154	142	275	276	115,581	109,548
18-19	85	71	156	124	74,212	72,342
20-24	195	194	357	335	183,401	177,442
25-29	176	130	307	278	188,522	173,136
30-34	139	104	267	219	165,838	159,597
35-39	150	148	279	268	180,434	174,293
40-44	256	235	428	400	195,847	192,183
45-49	270	304	469	474	213,502	209,946
50-54	285	247	469	418	191,974	188,264
55-59	225	197	401	368	158,930	159,306
60-64	197	211	343	372	118,809	123,145
65-69	157	164	280	281	85,023	92,457
70-74	139	166	240	268	64,203	74,926
75-79	130	148	200	228	51,682	67,345
80-84	94	139	150	221	37,802	57,914
85&up	84	192	139	304	32,342	72,522
Total	3,331	3,354	5,902	5,912	2,588,258	2,609,363
Total Male/Female	6,685		11,814		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Olmsted County - Population Estimates by Age and Sex, 2007

Age Group	OLMSTED		Minnesota	
	Male	Female	Male	Female
00-04	5,552	5,189	181,165	172,736
05-09	4,909	4,787	171,069	163,453
10-14	4,926	4,452	177,922	168,808
15-17	3,069	2,817	115,581	109,548
18-19	1,579	1,641	74,212	72,342
20-24	4,246	4,173	183,401	177,442
25-29	5,205	4,817	188,522	173,136
30-34	4,819	4,823	165,838	159,597
35-39	5,277	5,068	180,434	174,293
40-44	5,286	5,294	195,847	192,183
45-49	5,898	5,904	213,502	209,946
50-54	4,849	4,889	191,974	188,264
55-59	3,720	3,961	158,930	159,306
60-64	2,969	3,232	118,809	123,145
65-69	2,224	2,480	85,023	92,457
70-74	1,729	1,942	64,203	74,926
75-79	1,315	1,685	51,682	67,345
80-84	946	1,424	37,802	57,914
85&up	795	1,856	32,342	72,522
Total	69,313	70,434	2,588,258	2,609,363
Total Male/Female	139,747		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Otter Tail County - Population Estimates by Age and Sex, 2007

Age Group	OTTER TAIL		Minnesota	
	Male	Female	Male	Female
00-04	1,537	1,489	181,165	172,736
05-09	1,560	1,464	171,069	163,453
10-14	1,800	1,678	177,922	168,808
15-17	1,316	1,160	115,581	109,548
18-19	852	703	74,212	72,342
20-24	1,766	1,819	183,401	177,442
25-29	2,035	1,606	188,522	173,136
30-34	1,306	1,211	165,838	159,597
35-39	1,457	1,459	180,434	174,293
40-44	1,875	1,789	195,847	192,183
45-49	2,316	2,224	213,502	209,946
50-54	2,271	2,041	191,974	188,264
55-59	1,909	1,873	158,930	159,306
60-64	1,545	1,599	118,809	123,145
65-69	1,375	1,489	85,023	92,457
70-74	1,185	1,381	64,203	74,926
75-79	1,054	1,186	51,682	67,345
80-84	671	969	37,802	57,914
85&up	705	1,356	32,342	72,522
Total	28,535	28,496	2,588,258	2,609,363
Total Male/Female	57,031		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Pennington County - Population Estimates by Age and Sex, 2007

Age Group	PENNINGTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	451	469	1,474	1,470	181,165	172,736
05-09	432	421	1,484	1,424	171,069	163,453
10-14	449	383	1,640	1,551	177,922	168,808
15-17	273	254	1,138	997	115,581	109,548
18-19	251	206	678	580	74,212	72,342
20-24	535	407	1,571	1,374	183,401	177,442
25-29	533	576	1,596	1,477	188,522	173,136
30-34	419	415	1,287	1,173	165,838	159,597
35-39	406	372	1,417	1,299	180,434	174,293
40-44	403	416	1,738	1,568	195,847	192,183
45-49	508	513	1,983	1,898	213,502	209,946
50-54	498	502	1,966	1,800	191,974	188,264
55-59	432	415	1,597	1,483	158,930	159,306
60-64	348	375	1,255	1,268	118,809	123,145
65-69	244	284	966	1,049	85,023	92,457
70-74	184	226	726	813	64,203	74,926
75-79	170	220	651	787	51,682	67,345
80-84	119	205	483	700	37,802	57,914
85&up	132	310	526	1,056	32,342	72,522
Total	6,787	6,969	24,176	23,767	2,588,258	2,609,363
Total Male/Female	13,756		47,943		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Pine County - Population Estimates by Age and Sex, 2007

Age Group	PINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	851	813	1,324	1,240	181,165	172,736
05-09	789	785	1,284	1,246	171,069	163,453
10-14	881	803	1,464	1,331	177,922	168,808
15-17	660	608	1,040	966	115,581	109,548
18-19	332	279	514	427	74,212	72,342
20-24	973	791	1,455	1,300	183,401	177,442
25-29	1,354	1,132	2,011	1,799	188,522	173,136
30-34	967	771	1,447	1,273	165,838	159,597
35-39	922	753	1,458	1,266	180,434	174,293
40-44	1,078	937	1,583	1,442	195,847	192,183
45-49	1,177	1,049	1,863	1,657	213,502	209,946
50-54	1,076	963	1,680	1,535	191,974	188,264
55-59	869	770	1,417	1,259	158,930	159,306
60-64	674	711	1,075	1,134	118,809	123,145
65-69	553	649	886	995	85,023	92,457
70-74	542	542	836	819	64,203	74,926
75-79	401	449	612	688	51,682	67,345
80-84	290	336	460	535	37,802	57,914
85&up	195	439	287	646	32,342	72,522
Total	14,584	13,580	22,696	21,558	2,588,258	2,609,363
Total Male/Female		28,164		44,254		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Pipestone County - Population Estimates by Age and Sex, 2007

Age Group	PIPESTONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	309	297	1,496	1,420	181,165	172,736
05-09	272	242	1,416	1,376	171,069	163,453
10-14	286	314	1,608	1,537	177,922	168,808
15-17	219	189	1,050	1,072	115,581	109,548
18-19	129	99	758	735	74,212	72,342
20-24	268	340	1,971	1,938	183,401	177,442
25-29	251	218	1,493	1,246	188,522	173,136
30-34	222	182	1,188	1,115	165,838	159,597
35-39	238	222	1,306	1,226	180,434	174,293
40-44	285	293	1,577	1,531	195,847	192,183
45-49	366	377	1,785	1,837	213,502	209,946
50-54	348	325	1,828	1,724	191,974	188,264
55-59	262	286	1,449	1,405	158,930	159,306
60-64	231	228	1,169	1,186	118,809	123,145
65-69	185	229	930	1,085	85,023	92,457
70-74	175	230	848	972	64,203	74,926
75-79	156	232	727	1,006	51,682	67,345
80-84	118	227	566	904	37,802	57,914
85&up	154	301	617	1,291	32,342	72,522
Total	4,474	4,831	23,782	24,606	2,588,258	2,609,363
Total Male/Female		9,305		48,388		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Polk County - Population Estimates by Age and Sex, 2007

Age Group	POLK		Minnesota	
	Male	Female	Male	Female
00-04	982	915	181,165	172,736
05-09	817	850	171,069	163,453
10-14	1,048	941	177,922	168,808
15-17	681	689	115,581	109,548
18-19	507	487	74,212	72,342
20-24	1,254	1,186	183,401	177,442
25-29	1,229	932	188,522	173,136
30-34	645	663	165,838	159,597
35-39	783	733	180,434	174,293
40-44	1,038	992	195,847	192,183
45-49	1,172	1,186	213,502	209,946
50-54	1,219	1,167	191,974	188,264
55-59	980	920	158,930	159,306
60-64	755	721	118,809	123,145
65-69	572	690	85,023	92,457
70-74	474	569	64,203	74,926
75-79	406	549	51,682	67,345
80-84	317	508	37,802	57,914
85&up	339	792	32,342	72,522
Total	15,218	15,490	2,588,258	2,609,363
Total Male/Female		30,708		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Pope County - Population Estimates by Age and Sex, 2007

Age Group	POPE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	327	297	828	794	181,165	172,736
05-09	283	253	782	707	171,069	163,453
10-14	318	286	861	827	177,922	168,808
15-17	268	234	615	605	115,581	109,548
18-19	132	120	513	653	74,212	72,342
20-24	341	338	1,347	1,371	183,401	177,442
25-29	400	330	962	776	188,522	173,136
30-34	248	238	713	585	165,838	159,597
35-39	273	270	700	676	180,434	174,293
40-44	337	353	884	930	195,847	192,183
45-49	422	411	1,121	1,103	213,502	209,946
50-54	467	431	1,166	1,088	191,974	188,264
55-59	403	350	989	897	158,930	159,306
60-64	294	316	762	760	118,809	123,145
65-69	232	273	630	708	85,023	92,457
70-74	214	269	562	713	64,203	74,926
75-79	208	257	570	687	51,682	67,345
80-84	166	232	474	641	37,802	57,914
85&up	144	330	485	937	32,342	72,522
Total	5,477	5,588	14,964	15,458	2,588,258	2,609,363
Total Male/Female		11,065		30,422		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Ramsey County - Population Estimates by Age and Sex, 2007

Age Group	RAMSEY		Minnesota	
	Male	Female	Male	Female
00-04	17,685	16,848	181,165	172,736
05-09	16,518	15,402	171,069	163,453
10-14	17,160	16,092	177,922	168,808
15-17	11,157	10,465	115,581	109,548
18-19	7,576	8,237	74,212	72,342
20-24	16,970	18,243	183,401	177,442
25-29	15,644	14,868	188,522	173,136
30-34	16,034	16,854	165,838	159,597
35-39	17,144	17,385	180,434	174,293
40-44	17,902	18,014	195,847	192,183
45-49	19,114	19,734	213,502	209,946
50-54	17,780	18,635	191,974	188,264
55-59	15,161	16,431	158,930	159,306
60-64	11,012	12,292	118,809	123,145
65-69	7,774	8,835	85,023	92,457
70-74	5,906	7,664	64,203	74,926
75-79	4,703	7,095	51,682	67,345
80-84	3,727	6,570	37,802	57,914
85&up	3,131	8,129	32,342	72,522
Total	242,098	257,793	2,588,258	2,609,363
Total Male/Female		499,891		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Red Lake County - Population Estimates by Age and Sex, 2007

Age Group	RED LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	115	119	1,474	1,470	181,165	172,736
05-09	116	119	1,484	1,424	171,069	163,453
10-14	114	126	1,640	1,551	177,922	168,808
15-17	94	72	1,138	997	115,581	109,548
18-19	56	57	678	580	74,212	72,342
20-24	149	134	1,571	1,374	183,401	177,442
25-29	164	142	1,596	1,477	188,522	173,136
30-34	122	92	1,287	1,173	165,838	159,597
35-39	96	94	1,417	1,299	180,434	174,293
40-44	141	136	1,738	1,568	195,847	192,183
45-49	158	157	1,983	1,898	213,502	209,946
50-54	191	156	1,966	1,800	191,974	188,264
55-59	138	126	1,597	1,483	158,930	159,306
60-64	110	115	1,255	1,268	118,809	123,145
65-69	92	88	966	1,049	85,023	92,457
70-74	69	72	726	813	64,203	74,926
75-79	59	77	651	787	51,682	67,345
80-84	48	65	483	700	37,802	57,914
85&up	46	93	526	1,056	32,342	72,522
Total	2,078	2,040	24,176	23,767	2,588,258	2,609,363
Total Male/Female		4,118		47,943		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Redwood County - Population Estimates by Age and Sex, 2007

Age Group	REDWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	505	468	1,019	922	181,165	172,736
05-09	476	414	948	913	171,069	163,453
10-14	507	514	1,075	1,024	177,922	168,808
15-17	384	330	814	705	115,581	109,548
18-19	205	155	396	346	74,212	72,342
20-24	516	462	1,022	928	183,401	177,442
25-29	429	352	865	709	188,522	173,136
30-34	384	282	815	612	165,838	159,597
35-39	441	412	874	821	180,434	174,293
40-44	497	500	1,003	1,019	195,847	192,183
45-49	615	609	1,311	1,275	213,502	209,946
50-54	589	528	1,289	1,169	191,974	188,264
55-59	536	535	1,126	980	158,930	159,306
60-64	419	433	828	859	118,809	123,145
65-69	361	377	689	733	85,023	92,457
70-74	280	298	553	608	64,203	74,926
75-79	240	295	492	605	51,682	67,345
80-84	174	307	354	604	37,802	57,914
85&up	227	463	453	893	32,342	72,522
Total	7,785	7,734	15,926	15,725	2,588,258	2,609,363
Total Male/Female	15,519		31,651		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Renville County - Population Estimates by Age and Sex, 2007

Age Group	RENVILLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	514	454	1,019	922	181,165	172,736
05-09	472	499	948	913	171,069	163,453
10-14	568	510	1,075	1,024	177,922	168,808
15-17	430	375	814	705	115,581	109,548
18-19	191	191	396	346	74,212	72,342
20-24	506	466	1,022	928	183,401	177,442
25-29	436	357	865	709	188,522	173,136
30-34	431	330	815	612	165,838	159,597
35-39	433	409	874	821	180,434	174,293
40-44	506	519	1,003	1,019	195,847	192,183
45-49	696	666	1,311	1,275	213,502	209,946
50-54	700	641	1,289	1,169	191,974	188,264
55-59	590	445	1,126	980	158,930	159,306
60-64	409	426	828	859	118,809	123,145
65-69	328	356	689	733	85,023	92,457
70-74	273	310	553	608	64,203	74,926
75-79	252	310	492	605	51,682	67,345
80-84	180	297	354	604	37,802	57,914
85&up	226	430	453	893	32,342	72,522
Total	8,141	7,991	15,926	15,725	2,588,258	2,609,363
Total Male/Female	16,132		31,651		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Rice County - Population Estimates by Age and Sex, 2007

Age Group	RICE		Minnesota	
	Male	Female	Male	Female
00-04	2,015	1,919	181,165	172,736
05-09	1,939	1,767	171,069	163,453
10-14	1,899	1,918	177,922	168,808
15-17	1,319	1,264	115,581	109,548
18-19	1,451	1,575	74,212	72,342
20-24	3,396	3,310	183,401	177,442
25-29	2,579	2,282	188,522	173,136
30-34	1,935	1,611	165,838	159,597
35-39	2,000	1,729	180,434	174,293
40-44	2,197	1,983	195,847	192,183
45-49	2,411	2,234	213,502	209,946
50-54	2,099	2,023	191,974	188,264
55-59	1,703	1,627	158,930	159,306
60-64	1,265	1,294	118,809	123,145
65-69	962	1,032	85,023	92,457
70-74	755	879	64,203	74,926
75-79	620	724	51,682	67,345
80-84	382	659	37,802	57,914
85&up	358	840	32,342	72,522
Total	31,285	30,670	2,588,258	2,609,363
Total Male/Female		61,955		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Rock County - Population Estimates by Age and Sex, 2007

Age Group	ROCK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	334	315	1,127	1,057	181,165	172,736
05-09	291	296	982	1,005	171,069	163,453
10-14	318	295	1,049	967	177,922	168,808
15-17	219	203	698	607	115,581	109,548
18-19	100	99	368	344	74,212	72,342
20-24	321	280	951	811	183,401	177,442
25-29	296	269	887	756	188,522	173,136
30-34	246	248	762	697	165,838	159,597
35-39	254	238	915	799	180,434	174,293
40-44	287	298	961	935	195,847	192,183
45-49	355	347	1,157	1,062	213,502	209,946
50-54	332	322	1,129	1,033	191,974	188,264
55-59	316	300	944	899	158,930	159,306
60-64	259	248	755	754	118,809	123,145
65-69	170	200	580	590	85,023	92,457
70-74	162	196	466	578	64,203	74,926
75-79	142	211	403	586	51,682	67,345
80-84	145	210	370	536	37,802	57,914
85&up	108	268	326	780	32,342	72,522
Total	4,655	4,843	14,830	14,796	2,588,258	2,609,363
Total Male/Female		9,498		29,626		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Roseau County - Population Estimates by Age and Sex, 2007

Age Group	ROSEAU		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	548	520	1,474	1,470	181,165	172,736
05-09	567	496	1,484	1,424	171,069	163,453
10-14	619	613	1,640	1,551	177,922	168,808
15-17	437	387	1,138	997	115,581	109,548
18-19	204	167	678	580	74,212	72,342
20-24	433	445	1,571	1,374	183,401	177,442
25-29	527	446	1,596	1,477	188,522	173,136
30-34	470	446	1,287	1,173	165,838	159,597
35-39	537	519	1,417	1,299	180,434	174,293
40-44	712	569	1,738	1,568	195,847	192,183
45-49	726	691	1,983	1,898	213,502	209,946
50-54	643	549	1,966	1,800	191,974	188,264
55-59	493	456	1,597	1,483	158,930	159,306
60-64	375	374	1,255	1,268	118,809	123,145
65-69	292	301	966	1,049	85,023	92,457
70-74	194	190	726	813	64,203	74,926
75-79	163	167	651	787	51,682	67,345
80-84	109	155	483	700	37,802	57,914
85&up	129	277	526	1,056	32,342	72,522
Total	8,178	7,768	24,176	23,767	2,588,258	2,609,363
Total Male/Female	15,946		47,943		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake & Roseau Counties

St. Louis County - Population Estimates by Age and Sex, 2007

Age Group	ST. LOUIS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	5,306	5,056	6,755	6,377	181,165	172,736
05-09	5,064	4,733	6,469	6,085	171,069	163,453
10-14	5,630	5,231	7,083	6,680	177,922	168,808
15-17	3,898	3,620	4,949	4,599	115,581	109,548
18-19	4,079	4,297	4,756	4,813	74,212	72,342
20-24	9,006	8,501	10,750	10,160	183,401	177,442
25-29	6,719	5,951	8,554	7,559	188,522	173,136
30-34	5,013	4,760	6,531	6,004	165,838	159,597
35-39	5,393	4,929	7,016	6,322	180,434	174,293
40-44	5,999	6,409	7,710	8,094	195,847	192,183
45-49	7,545	7,751	9,649	9,744	213,502	209,946
50-54	8,247	8,146	10,295	10,088	191,974	188,264
55-59	7,326	6,762	9,131	8,431	158,930	159,306
60-64	5,292	5,269	6,643	6,572	118,809	123,145
65-69	3,680	4,029	4,680	5,167	85,023	92,457
70-74	2,950	3,545	3,831	4,534	64,203	74,926
75-79	2,524	3,353	3,267	4,226	51,682	67,345
80-84	1,850	3,017	2,366	3,752	37,802	57,914
85&up	1,775	4,039	2,172	4,912	32,342	72,522
Total	97,296	99,398	122,607	124,119	2,588,258	2,609,363
Total Male/Female	196,694		246,726		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties
2008 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Scott County - Population Estimates by Age and Sex, 2007

Age Group	SCOTT		Minnesota	
	Male	Female	Male	Female
00-04	5,729	5,669	181,165	172,736
05-09	5,513	5,227	171,069	163,453
10-14	5,218	4,945	177,922	168,808
15-17	2,925	2,802	115,581	109,548
18-19	1,320	1,154	74,212	72,342
20-24	3,584	3,572	183,401	177,442
25-29	5,522	5,648	188,522	173,136
30-34	4,665	4,841	165,838	159,597
35-39	5,302	5,524	180,434	174,293
40-44	5,826	5,547	195,847	192,183
45-49	5,312	4,968	213,502	209,946
50-54	3,995	3,600	191,974	188,264
55-59	2,918	2,844	158,930	159,306
60-64	2,149	2,172	118,809	123,145
65-69	1,478	1,456	85,023	92,457
70-74	895	982	64,203	74,926
75-79	636	776	51,682	67,345
80-84	416	593	37,802	57,914
85&up	280	639	32,342	72,522
Total	63,683	62,959	2,588,258	2,609,363
Total Male/Female	126,642		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Sherburne County - Population Estimates by Age and Sex, 2007

Age Group	SHERBURNE		Minnesota	
	Male	Female	Male	Female
00-04	3,519	3,420	181,165	172,736
05-09	3,508	3,253	171,069	163,453
10-14	3,325	3,202	177,922	168,808
15-17	2,065	1,911	115,581	109,548
18-19	1,077	933	74,212	72,342
20-24	3,405	3,193	183,401	177,442
25-29	4,291	3,969	188,522	173,136
30-34	3,355	2,991	165,838	159,597
35-39	3,453	3,428	180,434	174,293
40-44	3,486	3,338	195,847	192,183
45-49	3,440	3,191	213,502	209,946
50-54	2,683	2,495	191,974	188,264
55-59	2,015	2,070	158,930	159,306
60-64	1,483	1,475	118,809	123,145
65-69	1,053	986	85,023	92,457
70-74	770	727	64,203	74,926
75-79	489	616	51,682	67,345
80-84	328	491	37,802	57,914
85&up	230	623	32,342	72,522
Total	43,975	42,312	2,588,258	2,609,363
Total Male/Female	86,287		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Sibley County - Population Estimates by Age and Sex, 2007

Age Group	SIBLEY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	531	497	2,705	2,610	181,165	172,736
05-09	484	458	2,525	2,422	171,069	163,453
10-14	568	479	2,713	2,485	177,922	168,808
15-17	392	349	1,813	1,616	115,581	109,548
18-19	194	178	996	792	74,212	72,342
20-24	489	422	2,405	2,193	183,401	177,442
25-29	475	454	2,559	2,526	188,522	173,136
30-34	412	377	2,349	2,140	165,838	159,597
35-39	466	456	2,405	2,279	180,434	174,293
40-44	554	527	2,706	2,606	195,847	192,183
45-49	631	587	3,004	2,784	213,502	209,946
50-54	577	486	2,716	2,626	191,974	188,264
55-59	467	421	2,367	2,202	158,930	159,306
60-64	383	362	1,872	1,822	118,809	123,145
65-69	263	314	1,305	1,498	85,023	92,457
70-74	236	280	1,111	1,297	64,203	74,926
75-79	221	243	963	1,173	51,682	67,345
80-84	128	197	689	1,046	37,802	57,914
85&up	137	312	653	1,465	32,342	72,522
Total	7,608	7,399	37,856	37,582	2,588,258	2,609,363
Total Male/Female		15,007		75,438		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Stearns County - Population Estimates by Age and Sex, 2007

Age Group	STEARNS		Minnesota	
	Male	Female	Male	Female
00-04	4,783	4,630	181,165	172,736
05-09	4,545	4,439	171,069	163,453
10-14	4,680	4,425	177,922	168,808
15-17	3,023	2,950	115,581	109,548
18-19	3,020	3,407	74,212	72,342
20-24	8,282	7,881	183,401	177,442
25-29	6,207	5,265	188,522	173,136
30-34	4,552	4,057	165,838	159,597
35-39	4,672	4,310	180,434	174,293
40-44	5,162	4,846	195,847	192,183
45-49	5,263	5,144	213,502	209,946
50-54	4,899	4,692	191,974	188,264
55-59	4,030	3,865	158,930	159,306
60-64	2,857	2,874	118,809	123,145
65-69	2,173	2,370	85,023	92,457
70-74	1,889	2,087	64,203	74,926
75-79	1,572	1,958	51,682	67,345
80-84	1,133	1,510	37,802	57,914
85&up	866	1,733	32,342	72,522
Total	73,608	72,443	2,588,258	2,609,363
Total Male/Female		146,051		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Steele County - Population Estimates by Age and Sex, 2007

Age Group	STEELE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,414	1,282	2,146	2,003	181,165	172,736
05-09	1,254	1,208	1,927	1,953	171,069	163,453
10-14	1,327	1,254	2,087	1,991	177,922	168,808
15-17	825	822	1,295	1,302	115,581	109,548
18-19	435	413	642	655	74,212	72,342
20-24	1,208	1,131	1,817	1,720	183,401	177,442
25-29	1,264	1,223	2,027	1,939	188,522	173,136
30-34	1,091	1,098	1,720	1,661	165,838	159,597
35-39	1,205	1,159	1,802	1,799	180,434	174,293
40-44	1,373	1,344	2,154	2,045	195,847	192,183
45-49	1,367	1,431	2,182	2,255	213,502	209,946
50-54	1,417	1,302	2,143	1,986	191,974	188,264
55-59	1,066	1,029	1,574	1,528	158,930	159,306
60-64	779	803	1,201	1,207	118,809	123,145
65-69	607	707	932	1,043	85,023	92,457
70-74	475	577	696	840	64,203	74,926
75-79	400	520	583	751	51,682	67,345
80-84	285	461	424	670	37,802	57,914
85&up	261	561	413	817	32,342	72,522
Total	18,053	18,325	27,765	28,165	2,588,258	2,609,363
Total Male/Female	36,378		55,930		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*CHS Agency- Community Health Services Agency consisting of Dodge and Steele Counties

Stevens County - Population Estimates by Age and Sex, 2007

Age Group	STEVENS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	244	255	828	794	181,165	172,736
05-09	249	239	782	707	171,069	163,453
10-14	253	222	861	827	177,922	168,808
15-17	155	159	615	605	115,581	109,548
18-19	267	423	513	653	74,212	72,342
20-24	716	732	1,347	1,371	183,401	177,442
25-29	273	225	962	776	188,522	173,136
30-34	235	182	713	585	165,838	159,597
35-39	212	200	700	676	180,434	174,293
40-44	266	239	884	930	195,847	192,183
45-49	333	334	1,121	1,103	213,502	209,946
50-54	335	311	1,166	1,088	191,974	188,264
55-59	274	257	989	897	158,930	159,306
60-64	205	197	762	760	118,809	123,145
65-69	165	172	630	708	85,023	92,457
70-74	131	177	562	713	64,203	74,926
75-79	140	181	570	687	51,682	67,345
80-84	117	171	474	641	37,802	57,914
85&up	137	241	485	937	32,342	72,522
Total	4,707	4,917	14,964	15,458	2,588,258	2,609,363
Total Male/Female	9,624		30,422		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties
2008 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Swift County - Population Estimates by Age and Sex, 2007

Age Group	SWIFT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	293	252	1,311	1,186	181,165	172,736
05-09	286	253	1,247	1,140	171,069	163,453
10-14	310	320	1,456	1,383	177,922	168,808
15-17	215	207	1,040	961	115,581	109,548
18-19	155	104	667	526	74,212	72,342
20-24	477	291	1,558	1,355	183,401	177,442
25-29	467	174	1,510	924	188,522	173,136
30-34	509	193	1,280	811	165,838	159,597
35-39	648	229	1,436	1,057	180,434	174,293
40-44	595	279	1,692	1,394	195,847	192,183
45-49	527	356	1,926	1,761	213,502	209,946
50-54	456	338	1,971	1,710	191,974	188,264
55-59	345	312	1,613	1,488	158,930	159,306
60-64	299	255	1,239	1,229	118,809	123,145
65-69	192	205	965	1,126	85,023	92,457
70-74	175	245	810	994	64,203	74,926
75-79	166	222	775	1,048	51,682	67,345
80-84	134	226	666	987	37,802	57,914
85&up	155	327	673	1,513	32,342	72,522
Total	6,404	4,788	23,835	22,593	2,588,258	2,609,363
Total Male/Female		11,192		46,428		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Todd County - Population Estimates by Age and Sex, 2007

Age Group	TODD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	784	730	3,277	3,079	181,165	172,736
05-09	689	682	2,993	2,855	171,069	163,453
10-14	807	775	3,181	3,103	177,922	168,808
15-17	599	524	2,283	2,162	115,581	109,548
18-19	346	342	1,361	1,160	74,212	72,342
20-24	835	767	3,237	2,941	183,401	177,442
25-29	898	816	3,837	3,525	188,522	173,136
30-34	622	509	2,615	2,414	165,838	159,597
35-39	641	571	2,676	2,543	180,434	174,293
40-44	769	763	3,212	3,149	195,847	192,183
45-49	989	933	3,818	3,686	213,502	209,946
50-54	956	880	3,660	3,422	191,974	188,264
55-59	818	728	3,209	2,976	158,930	159,306
60-64	670	639	2,640	2,675	118,809	123,145
65-69	544	573	2,309	2,433	85,023	92,457
70-74	411	454	1,890	2,026	64,203	74,926
75-79	356	396	1,566	1,816	51,682	67,345
80-84	253	330	1,029	1,499	37,802	57,914
85&up	199	431	867	1,743	32,342	72,522
Total	12,186	11,843	49,660	49,207	2,588,258	2,609,363
Total Male/Female		24,029		98,867		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Traverse County - Population Estimates by Age and Sex, 2007

Age Group	TRAVERSE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	84	87	828	794	181,165	172,736
05-09	97	80	782	707	171,069	163,453
10-14	115	126	861	827	177,922	168,808
15-17	79	88	615	605	115,581	109,548
18-19	54	33	513	653	74,212	72,342
20-24	117	115	1,347	1,371	183,401	177,442
25-29	82	63	962	776	188,522	173,136
30-34	77	45	713	585	165,838	159,597
35-39	76	78	700	676	180,434	174,293
40-44	105	131	884	930	195,847	192,183
45-49	133	126	1,121	1,103	213,502	209,946
50-54	138	136	1,166	1,088	191,974	188,264
55-59	118	95	989	897	158,930	159,306
60-64	95	94	762	760	118,809	123,145
65-69	84	111	630	708	85,023	92,457
70-74	90	118	562	713	64,203	74,926
75-79	99	106	570	687	51,682	67,345
80-84	88	83	474	641	37,802	57,914
85&up	93	173	485	937	32,342	72,522
Total	1,824	1,888	14,964	15,458	2,588,258	2,609,363
Total Male/Female		3,712		30,422		5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Wabasha County - Population Estimates by Age and Sex, 2007

Age Group	WABASHA		Minnesota	
	Male	Female	Male	Female
00-04	652	665	181,165	172,736
05-09	608	613	171,069	163,453
10-14	755	716	177,922	168,808
15-17	513	490	115,581	109,548
18-19	315	246	74,212	72,342
20-24	686	674	183,401	177,442
25-29	768	635	188,522	173,136
30-34	527	491	165,838	159,597
35-39	649	670	180,434	174,293
40-44	778	749	195,847	192,183
45-49	918	947	213,502	209,946
50-54	829	788	191,974	188,264
55-59	781	713	158,930	159,306
60-64	558	567	118,809	123,145
65-69	443	511	85,023	92,457
70-74	384	343	64,203	74,926
75-79	286	335	51,682	67,345
80-84	231	327	37,802	57,914
85&up	231	391	32,342	72,522
Total	10,912	10,871	2,588,258	2,609,363
Total Male/Female				5,197,621

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Wadena County - Population Estimates by Age and Sex, 2007

Age Group	WADENA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	441	449	3,277	3,079	181,165	172,736
05-09	422	383	2,993	2,855	171,069	163,453
10-14	426	408	3,181	3,103	177,922	168,808
15-17	304	289	2,283	2,162	115,581	109,548
18-19	206	158	1,361	1,160	74,212	72,342
20-24	446	369	3,237	2,941	183,401	177,442
25-29	468	414	3,837	3,525	188,522	173,136
30-34	333	325	2,615	2,414	165,838	159,597
35-39	328	312	2,676	2,543	180,434	174,293
40-44	377	390	3,212	3,149	195,847	192,183
45-49	489	475	3,818	3,686	213,502	209,946
50-54	453	464	3,660	3,422	191,974	188,264
55-59	403	385	3,209	2,976	158,930	159,306
60-64	326	347	2,640	2,675	118,809	123,145
65-69	297	331	2,309	2,433	85,023	92,457
70-74	283	301	1,890	2,026	64,203	74,926
75-79	261	347	1,566	1,816	51,682	67,345
80-84	172	316	1,029	1,499	37,802	57,914
85&up	162	322	867	1,743	32,342	72,522
Total	6,597	6,785	49,660	49,207	2,588,258	2,609,363
Total Male/Female	13,382		98,867		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Waseca County - Population Estimates by Age and Sex, 2007

Age Group	WASECA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	662	660	1,585	1,551	181,165	172,736
05-09	640	602	1,527	1,462	171,069	163,453
10-14	623	627	1,563	1,575	177,922	168,808
15-17	410	392	1,068	998	115,581	109,548
18-19	264	179	613	534	74,212	72,342
20-24	728	562	1,637	1,454	183,401	177,442
25-29	863	640	2,052	1,690	188,522	173,136
30-34	742	468	1,525	1,183	165,838	159,597
35-39	745	524	1,616	1,405	180,434	174,293
40-44	760	613	1,793	1,616	195,847	192,183
45-49	871	720	2,024	1,794	213,502	209,946
50-54	739	729	1,784	1,683	191,974	188,264
55-59	629	593	1,570	1,424	158,930	159,306
60-64	460	410	1,158	1,122	118,809	123,145
65-69	308	347	852	900	85,023	92,457
70-74	244	287	639	735	64,203	74,926
75-79	194	310	493	709	51,682	67,345
80-84	190	274	443	616	37,802	57,914
85&up	176	343	386	783	32,342	72,522
Total	10,248	9,280	24,328	23,234	2,588,258	2,609,363
Total Male/Female	19,528		47,562		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties
2008 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Washington County - Population Estimates by Age and Sex, 2007

Age Group	WASHINGTON		Minnesota	
	Male	Female	Male	Female
00-04	7,886	7,546	181,165	172,736
05-09	8,155	7,879	171,069	163,453
10-14	8,970	8,714	177,922	168,808
15-17	5,465	5,302	115,581	109,548
18-19	2,847	2,587	74,212	72,342
20-24	7,587	7,007	183,401	177,442
25-29	7,989	7,391	188,522	173,136
30-34	6,735	6,321	165,838	159,597
35-39	7,821	8,207	180,434	174,293
40-44	9,193	9,717	195,847	192,183
45-49	10,292	10,175	213,502	209,946
50-54	8,535	8,789	191,974	188,264
55-59	7,365	7,293	158,930	159,306
60-64	5,587	5,538	118,809	123,145
65-69	3,525	3,591	85,023	92,457
70-74	2,229	2,530	64,203	74,926
75-79	1,533	1,927	51,682	67,345
80-84	926	1,407	37,802	57,914
85&up	564	1,350	32,342	72,522
Total	113,204	113,271	2,588,258	2,609,363
Total Male/Female	226,475			

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Watonwan County - Population Estimates by Age and Sex, 2007

Age Group	WATONWAN		Minnesota	
	Male	Female	Male	Female
00-04	359	356	181,165	172,736
05-09	411	360	171,069	163,453
10-14	403	425	177,922	168,808
15-17	226	269	115,581	109,548
18-19	149	124	74,212	72,342
20-24	298	318	183,401	177,442
25-29	273	286	188,522	173,136
30-34	273	241	165,838	159,597
35-39	277	286	180,434	174,293
40-44	307	309	195,847	192,183
45-49	431	416	213,502	209,946
50-54	424	427	191,974	188,264
55-59	356	310	158,930	159,306
60-64	283	286	118,809	123,145
65-69	264	240	85,023	92,457
70-74	217	228	64,203	74,926
75-79	165	245	51,682	67,345
80-84	138	214	37,802	57,914
85&up	133	295	32,342	72,522
Total	5,387	5,635	2,588,258	2,609,363
Total Male/Female	11,022		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Wilkin County - Population Estimates by Age and Sex, 2007

Age Group	WILKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	195	164	2,023	1,887	181,165	172,736
05-09	218	191	1,751	1,641	171,069	163,453
10-14	216	230	1,996	1,880	177,922	168,808
15-17	151	152	1,347	1,228	115,581	109,548
18-19	95	90	1,414	1,980	74,212	72,342
20-24	203	216	3,195	3,900	183,401	177,442
25-29	187	148	2,288	1,839	188,522	173,136
30-34	145	126	1,642	1,637	165,838	159,597
35-39	178	171	1,676	1,640	180,434	174,293
40-44	224	243	1,919	1,983	195,847	192,183
45-49	320	296	2,287	2,337	213,502	209,946
50-54	292	242	2,207	2,034	191,974	188,264
55-59	200	174	1,638	1,590	158,930	159,306
60-64	143	172	1,170	1,245	118,809	123,145
65-69	112	150	890	1,013	85,023	92,457
70-74	116	121	757	875	64,203	74,926
75-79	89	97	655	910	51,682	67,345
80-84	66	86	507	725	37,802	57,914
85&up	58	141	466	1,081	32,342	72,522
Total	3,208	3,210	29,828	31,425	2,588,258	2,609,363
Total Male/Female	6,418		61,253		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Winona County - Population Estimates by Age and Sex, 2007

Age Group	WINONA		Minnesota	
	Male	Female	Male	Female
00-04	1,358	1,260	181,165	172,736
05-09	1,314	1,263	171,069	163,453
10-14	1,358	1,311	177,922	168,808
15-17	964	872	115,581	109,548
18-19	1,324	1,894	74,212	72,342
20-24	3,425	3,273	183,401	177,442
25-29	1,754	1,717	188,522	173,136
30-34	1,234	1,269	165,838	159,597
35-39	1,311	1,226	180,434	174,293
40-44	1,468	1,453	195,847	192,183
45-49	1,700	1,716	213,502	209,946
50-54	1,686	1,692	191,974	188,264
55-59	1,514	1,403	158,930	159,306
60-64	1,125	1,062	118,809	123,145
65-69	828	877	85,023	92,457
70-74	672	782	64,203	74,926
75-79	545	697	51,682	67,345
80-84	420	703	37,802	57,914
85&up	419	913	32,342	72,522
Total	24,419	25,383	2,588,258	2,609,363
Total Male/Female	49,802		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2007

Wright County - Population Estimates by Age and Sex, 2007

Age Group	WRIGHT		Minnesota	
	Male	Female	Male	Female
00-04	5,443	5,138	181,165	172,736
05-09	4,564	4,439	171,069	163,453
10-14	4,548	4,275	177,922	168,808
15-17	2,771	2,653	115,581	109,548
18-19	1,314	1,181	74,212	72,342
20-24	3,692	3,785	183,401	177,442
25-29	5,392	5,390	188,522	173,136
30-34	4,119	4,022	165,838	159,597
35-39	4,448	4,334	180,434	174,293
40-44	4,710	4,608	195,847	192,183
45-49	4,788	4,404	213,502	209,946
50-54	3,728	3,349	191,974	188,264
55-59	2,876	2,970	158,930	159,306
60-64	2,224	2,235	118,809	123,145
65-69	1,648	1,601	85,023	92,457
70-74	1,120	1,153	64,203	74,926
75-79	788	990	51,682	67,345
80-84	545	816	37,802	57,914
85&up	418	893	32,342	72,522
Total	59,136	58,236	2,588,258	2,609,363
Total Male/Female	117,372		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Yellow Medicine County - Population Estimates by Age and Sex, 2007

Age Group	YELLOW MEDICINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	304	285	1,311	1,186	181,165	172,736
05-09	331	260	1,247	1,140	171,069	163,453
10-14	307	302	1,456	1,383	177,922	168,808
15-17	226	226	1,040	961	115,581	109,548
18-19	184	162	667	526	74,212	72,342
20-24	332	320	1,558	1,355	183,401	177,442
25-29	288	187	1,510	924	188,522	173,136
30-34	205	160	1,280	811	165,838	159,597
35-39	238	241	1,436	1,057	180,434	174,293
40-44	312	337	1,692	1,394	195,847	192,183
45-49	414	409	1,926	1,761	213,502	209,946
50-54	454	377	1,971	1,710	191,974	188,264
55-59	344	297	1,613	1,488	158,930	159,306
60-64	262	254	1,239	1,229	118,809	123,145
65-69	213	261	965	1,126	85,023	92,457
70-74	187	211	810	994	64,203	74,926
75-79	177	224	775	1,048	51,682	67,345
80-84	143	198	666	987	37,802	57,914
85&up	133	363	673	1,513	32,342	72,522
Total	5,054	5,074	23,835	22,593	2,588,258	2,609,363
Total Male/Female	10,128		46,428		5,197,621	

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2007**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,197,621	4,640,074	232,909	60,928	185,479	78,231	205,896
Aitkin	15,910	15,299	52	392	36	131	135
Anoka	326,252	294,504	11,576	2,433	12,075	5,664	8,589
Becker	31,964	28,676	137	2,384	153	614	330
Beltrami	43,609	33,942	283	8,267	393	724	654
Benton	39,504	37,581	556	223	671	473	526
Big Stone	5,385	5,296	13	35	24	17	24
Blue Earth	59,802	56,276	1,347	194	1,434	551	1,217
Brown	26,013	25,635	62	47	142	127	836
Carlton	33,893	31,014	407	1,831	161	480	374
Carver	88,459	84,080	1,278	241	2,088	772	3,202
Cass	28,723	25,180	102	2,982	110	349	278
Chippewa	12,465	12,101	30	161	45	128	491
Chisago	50,128	48,188	559	340	652	389	986
Clay	54,835	52,395	353	785	613	689	1,764
Clearwater	8,245	7,345	26	713	30	131	78
Cook	5,398	4,822	19	431	21	105	85
Cottonwood	11,349	10,796	134	36	306	77	454
Crow Wing	61,648	60,005	358	527	316	442	557
Dakota	390,478	349,203	16,027	1,924	16,048	7,276	17,059
Dodge	19,552	19,185	65	35	122	145	762
Douglas	36,075	35,450	124	121	151	229	305
Faribault	14,869	14,588	51	53	67	110	647
Fillmore	21,037	20,800	64	25	44	104	141
Freeborn	31,257	30,587	165	74	212	219	2,220
Goodhue	45,839	44,259	408	490	315	367	792
Grant	6,021	5,931	13	19	15	43	68
Hennepin	1,136,599	915,474	120,099	12,152	63,790	25,084	69,519
Houston	19,515	19,127	108	42	120	118	152
Hubbard	18,781	18,068	42	423	64	184	215
Isanti	38,921	37,836	183	235	292	375	558
Itasca	44,542	42,159	117	1,588	161	517	320
Jackson	10,883	10,621	16	13	179	54	262
Kanabec	16,090	15,589	35	180	88	198	185
Kandiyohi	40,784	39,801	372	192	217	202	3,805
Kittson	4,505	4,422	8	20	17	38	70
Koochiching	13,459	12,839	68	358	39	155	108
Lac Qui Parle	7,258	7,172	14	19	28	25	94
Lake	10,741	10,509	12	91	30	99	66
Lake of the Woods	4,095	3,925	16	96	14	44	30
Le Sueur	28,034	27,526	88	94	123	203	1,340
Lincoln	5,877	5,827	5	20	17	8	62
Lyon	24,695	23,543	401	93	473	185	1,273
McLeod	37,220	36,348	230	79	353	210	1,822
Mahnomen	5,129	3,154	10	1,577	11	377	90
Marshall	9,618	9,465	13	35	38	67	388
Martin	20,462	20,138	74	27	122	101	600
Meeker	23,211	22,853	62	62	133	101	684
Mille Lacs	26,354	24,665	114	1,191	87	297	335
Morrison	32,733	32,158	104	131	132	208	281
Mower	38,040	36,491	503	102	626	318	2,955
Murray	8,511	8,360	20	30	31	70	190

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2007**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,197,621	4,640,074	232,909	60,928	185,479	78,231	205,896
Nicollet	31,680	30,440	472	83	454	231	777
Nobles	20,128	18,555	359	126	879	209	3,314
Norman	6,685	6,407	19	147	26	86	274
Olmsted	139,747	125,216	5,271	412	7,211	1,637	4,085
Otter Tail	57,031	55,811	257	338	293	332	1,107
Pennington	13,756	13,218	90	199	127	122	284
Pine	28,164	26,529	410	805	123	297	556
Pipestone	9,305	8,929	23	165	68	120	122
Polk	30,708	29,582	166	481	165	314	1,517
Pope	11,065	10,913	33	27	31	61	84
Ramsey	499,891	392,062	47,829	4,273	44,132	11,595	31,407
Red Lake	4,118	3,995	10	95	2	16	59
Redwood	15,519	14,502	39	591	265	122	246
Renville	16,132	15,786	26	156	55	109	1,053
Rice	61,955	58,889	1,051	331	1,123	561	4,420
Rock	9,498	9,232	86	47	78	55	189
Roseau	15,946	15,194	28	267	317	140	105
St. Louis	196,694	186,064	2,256	4,213	1,604	2,557	1,747
Scott	126,642	114,678	2,767	916	6,550	1,731	4,866
Sherburne	86,287	82,719	1,314	367	1,091	796	1,560
Sibley	15,007	14,741	28	57	76	105	1,026
Stearns	146,051	139,299	2,253	438	2,706	1,355	2,671
Steele	36,378	34,692	1,059	46	355	226	1,927
Stevens	9,624	9,055	182	116	143	128	159
Swift	11,192	10,000	419	75	442	256	366
Todd	24,029	23,503	48	154	107	217	959
Traverse	3,712	3,558	1	125	14	14	64
Wabasha	21,783	21,385	101	70	137	90	491
Wadena	13,382	13,072	76	94	45	95	169
Waseca	19,528	18,569	557	118	155	129	672
Washington	226,475	204,532	6,967	1,077	10,510	3,389	6,092
Watonwan	11,022	10,710	71	42	123	76	2,094
Wilkin	6,418	6,239	15	86	17	61	146
Winona	49,802	47,620	544	132	1,172	334	724
Wright	117,372	113,412	1,139	389	1,437	995	2,332
Yellow Medicine	10,128	9,758	20	257	17	76	254

Source: July 2008, US Census

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2007**

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0 19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	636,216	12.2	18.0	47.4	1,406,836	29.4	1,058,541
Aitkin	3,937	24.7	41.4	67.1	3,338	25.8	2,451
Anoka	27,263	8.4	11.9	42.7	93,840	30.8	68,651
Becker	5,306	16.6	25.6	54.5	8,135	28.8	5,845
Beltrami	5,490	12.6	18.8	49.3	12,697	30.5	9,743
Benton	4,039	10.2	14.8	45.2	10,715	30.3	9,210
Big Stone	1,370	25.4	43.2	69.9	1,226	26.7	793
Blue Earth	6,886	11.5	16.0	39.1	15,399	23.1	14,335
Brown	4,729	18.2	28.0	54.2	6,395	26.2	4,660
Carlton	5,000	14.8	21.9	48.6	8,359	26.7	6,328
Carver	6,879	7.8	11.4	46.2	27,308	34.8	19,202
Cass	5,403	18.8	29.5	56.9	6,922	27.4	5,189
Chippewa	2,393	19.2	30.5	59.0	3,078	28.5	2,082
Chisago	4,949	9.9	14.5	47.0	14,592	32.5	10,534
Clay	6,843	12.5	18.0	44.2	15,445	26.2	13,061
Clearwater	1,516	18.4	29.2	58.8	2,085	29.6	1,444
Cook	939	17.4	25.2	44.6	1,027	19.5	904
Cottonwood	2,336	20.6	34.0	65.1	2,918	31.1	1,846
Crow Wing	10,807	17.5	27.5	56.6	15,437	29.2	11,917
Dakota	32,489	8.3	12.0	43.6	114,140	31.7	83,435
Dodge	2,315	11.8	18.0	51.9	5,767	33.9	3,931
Douglas	6,725	18.6	29.0	55.8	8,455	26.7	6,805
Faribault	3,177	21.4	34.5	61.6	3,555	27.1	2,306
Fillmore	3,844	18.3	29.0	58.6	5,416	29.6	3,692
Freeborn	5,993	19.2	30.3	57.9	7,494	27.6	5,398
Goodhue	6,995	15.3	23.0	50.9	11,672	27.9	8,582
Grant	1,405	23.3	38.7	65.8	1,358	27.1	1,000
Hennepin	123,283	10.8	15.6	43.7	296,872	28.1	233,240
Houston	3,212	16.5	25.0	52.2	4,932	27.1	3,574
Hubbard	3,802	20.2	32.3	59.4	4,373	27.2	3,280
Isanti	4,010	10.3	14.7	42.9	10,283	28.2	8,575
Itasca	7,904	17.7	27.1	52.5	10,525	25.5	7,805
Jackson	2,186	20.1	31.6	57.3	2,563	25.7	1,821
Kanabec	2,368	14.7	22.0	49.6	4,035	27.6	3,202
Kandiyohi	6,280	15.4	23.7	53.7	11,063	30.0	7,502
Kittson	1,053	23.4	38.6	65.3	1,022	26.6	603
Koochiching	2,649	19.7	30.5	55.1	3,047	24.6	2,219
Lac Qui Parle	1,637	22.6	36.5	62.0	1,631	25.5	1,043
Lake	2,206	20.5	31.9	55.3	2,266	23.4	1,852
Lake of the Woods	845	20.6	32.1	55.8	903	23.6	642
Le Sueur	3,883	13.9	20.8	49.9	7,417	29.1	5,502
Lincoln	1,465	24.9	42.8	71.7	1,362	28.9	911
Lyon	3,637	14.7	22.2	51.1	6,743	28.8	5,088
McLeod	5,179	13.9	21.4	53.6	10,413	32.2	7,278
Mahnomen	898	17.5	28.3	61.9	1,442	33.6	876
Marshall	1,924	20.0	31.8	58.9	2,279	27.1	1,513
Martin	4,323	21.1	34.2	61.8	4,874	27.6	3,180
Meeker	3,690	15.9	24.8	55.9	6,134	31.1	4,111
Mille Lacs	4,167	15.8	24.4	54.1	6,883	29.7	5,306
Morrison	5,036	15.4	23.7	54.3	8,768	30.5	6,156
Mower	6,987	18.4	29.8	62.2	10,304	32.4	6,670
Murray	1,837	21.6	35.1	62.4	2,007	27.4	1,321
Nicollet	3,864	12.2	17.4	42.8	8,573	25.4	7,003

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2007**

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0 19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	636,216	12.2	18.0	47.4	1,406,836	29.4	1,058,541
Nobles	3,403	16.9	27.5	62.5	5,734	35.0	3,314
Norman	1,413	21.1	34.3	62.5	1,609	28.1	1,024
Olmsted	16,396	11.7	17.5	49.4	38,921	31.9	28,633
Otter Tail	11,371	19.9	31.5	57.8	13,559	26.4	9,747
Pennington	2,094	15.2	23.1	51.9	3,589	28.8	2,646
Pine	4,396	15.6	23.3	49.4	6,801	26.1	5,271
Pipestone	2,007	21.6	36.0	66.8	2,356	30.8	1,543
Polk	5,216	17.0	26.2	54.0	7,917	27.8	5,682
Pope	2,325	21.0	33.3	58.6	2,518	25.3	1,883
Ramsey	63,534	12.7	18.9	48.5	137,140	29.6	104,066
Red Lake	709	17.2	26.3	52.5	988	26.3	727
Redwood	3,022	19.5	31.4	61.4	3,958	30.0	2,493
Renville	2,962	18.4	29.2	58.9	4,204	29.7	2,647
Rice	7,211	11.6	16.7	43.1	17,066	26.5	13,754
Rock	1,812	19.1	31.0	62.7	2,470	31.7	1,635
Roseau	1,977	12.4	18.6	50.3	4,558	31.7	2,979
St. Louis	30,762	15.6	22.8	45.8	46,914	23.0	38,467
Scott	8,151	6.4	9.5	46.9	40,502	37.5	29,088
Sherburne	6,313	7.3	10.6	44.4	26,213	33.9	19,763
Sibley	2,331	15.5	24.1	55.4	4,130	31.2	2,763
Stearns	17,291	11.8	17.1	44.2	39,902	27.2	32,716
Steele	4,854	13.3	20.4	52.9	10,234	32.5	7,190
Stevens	1,632	17.0	25.0	47.4	2,466	22.4	2,160
Swift	2,047	18.3	27.5	50.6	2,395	23.1	1,477
Todd	3,947	16.4	25.3	53.9	6,278	28.6	4,292
Traverse	1,045	28.2	50.3	78.6	843	28.3	553
Wabasha	3,482	16.0	24.4	52.4	5,573	28.1	3,955
Wadena	2,792	20.9	34.6	66.0	3,486	31.4	2,257
Waseca	2,673	13.7	20.5	49.7	5,059	29.2	3,378
Washington	19,582	8.6	12.4	43.6	65,351	31.2	46,532
Watsonwan	2,139	19.4	32.6	67.8	3,082	35.2	1,833
Wilkin	1,036	16.1	24.9	54.0	1,702	29.1	1,146
Winona	6,856	13.8	19.5	42.0	12,918	22.4	11,704
Wright	9,972	8.5	12.6	48.6	36,326	36.0	25,973
Yellow Medicine	2,110	20.8	33.9	62.6	2,587	28.7	1,633

Source: U.S. Census Bureau: 2007 Census Estimates, www.census.gov

Elderly Age Dependency Ratio: The number of persons aged 65 or over per 100 persons in the population aged 15 through 64 years.

Percent Elderly: The percent of total population comprised of persons aged 65 and over.

Total Age Dependency Ratio: The number of children under 15 years of age plus the number of persons aged 65 and over per 100 persons in the population aged 15 through 64 years.

Child Age Dependency Ratio: The number of children under 15 years of age per 100 persons in the population aged 15 through 64 years.

**Demographics Table 4: Selected Minnesota Demographics
By State and County, 2007**

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2005-2006
State of Minnesota	5,197,621	79,617	65.3	2,080,877	0.9
Aitkin	15,910	1,819	8.7	7,203	-0.2
Anoka	326,252	424	769.5	119,973	0.7
Becker	31,964	1,311	24.4	13,107	0.2
Beltrami	43,609	2,505	17.4	16,193	1.2
Benton	39,504	408	96.8	15,489	1.9
Big Stone	5,385	497	10.8	2,259	-1.1
Blue Earth	59,802	752	79.5	23,699	1.7
Brown	26,013	611	42.6	10,863	0.3
Carlton	33,893	860	39.4	13,435	0.4
Carver	88,459	357	247.8	31,729	2.5
Cass	28,723	2,018	14.2	11,990	0.0
Chippewa	12,465	583	21.4	5,383	-0.4
Chisago	50,128	418	119.9	17,856	0.6
Clay	54,835	1,045	52.5	21,234	2.0
Clearwater	8,245	995	8.3	3,419	-0.6
Cook	5,398	1,451	3.7	2,528	0.5
Cottonwood	11,349	640	17.7	4,869	-0.3
Crow Wing	61,648	997	61.8	25,563	1.2
Dakota	390,478	570	685.0	150,295	1.7
Dodge	19,552	440	44.4	7,403	0.7
Douglas	36,075	634	56.9	15,274	1.7
Faribault	14,869	714	20.8	6,451	-0.6
Fillmore	21,037	861	24.4	8,549	-0.1
Freeborn	31,257	708	44.1	13,444	0.0
Goodhue	45,839	759	60.4	18,298	0.5
Grant	6,021	547	11.0	2,517	0.2
Hennepin	1,136,599	557	2,040.6	482,300	0.6
Houston	19,515	558	35.0	7,938	0.2
Hubbard	18,781	923	20.3	7,924	0.5
Isanti	38,921	439	88.7	14,416	1.8
Itasca	44,542	2,665	16.7	18,774	0.8
Jackson	10,883	702	15.5	4,627	-0.2
Kanabec	16,090	525	30.6	6,491	1.2
Kandiyohi	40,784	796	51.2	16,826	0.6
Kittson	4,505	1,097	4.1	1,999	-0.3
Koochiching	13,459	3,102	4.3	6,026	0.4
Lac Qui Parle	7,258	765	9.5	3,186	-0.2
Lake	10,741	2,099	5.1	4,816	0.6
Lake of the Woods	4,095	1,297	3.2	1,892	-0.8
Le Sueur	28,034	449	62.4	10,991	0.4
Lincoln	5,877	537	10.9	2,581	-0.2
Lyon	24,695	714	34.6	9,933	0.4
McLeod	37,220	492	75.7	14,784	0.8
Mahnomen	5,129	556	9.2	2,002	0.3
Marshall	9,618	1,772	5.4	4,153	-0.4
Martin	20,462	709	28.9	9,004	0.0
Meeker	23,211	609	38.1	9,185	0.6
Mille Lacs	26,354	575	45.8	10,405	0.9
Morrison	32,733	1,125	29.1	12,912	0.7
Mower	38,040	712	53.4	16,014	-0.3
Murray	8,511	705	12.1	3,711	-0.2
Nicollet	31,680	452	70.1	11,948	0.9

**Demographics Table 4: Selected Minnesota Demographics
By State and County, 2007**

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2005-2006
State of Minnesota	5,197,621	79,617	65.3	2,080,877	0.9
Nobles	20,128	716	28.1	7,949	0.1
Norman	6,685	876	7.6	2,891	-0.3
Olmsted	139,747	653	214.0	55,612	1.4
Otter Tail	57,031	1,980	28.8	23,953	0.5
Pennington	13,756	617	22.3	5,786	0.8
Pine	28,164	1,411	20.0	11,073	0.4
Pipestone	9,305	466	20.0	4,027	-0.1
Polk	30,708	1,971	15.6	12,500	0.1
Pope	11,065	670	16.5	4,697	0.0
Ramsey	499,891	156	3,204.4	207,678	0.7
Red Lake	4,118	432	9.5	1,755	-0.2
Redwood	15,519	880	17.6	6,564	0.1
Renville	16,132	983	16.4	6,827	0.0
Rice	61,955	498	124.4	21,831	1.6
Rock	9,498	483	19.7	3,918	0.3
Roseau	15,946	1,663	9.6	6,404	-0.3
St. Louis	196,694	6,226	31.6	84,311	0.5
Scott	126,642	357	354.7	43,963	3.4
Sherburne	86,287	437	197.5	29,543	1.9
Sibley	15,007	589	25.5	5,973	0.7
Stearns	146,051	1,345	108.6	54,642	1.5
Steele	36,378	430	84.6	14,349	1.3
Stevens	9,624	562	17.1	3,873	1.1
Swift	11,192	744	15.0	4,304	0.1
Todd	24,029	942	25.5	9,728	0.2
Traverse	3,712	574	6.5	1,635	0.0
Wabasha	21,783	525	41.5	8,898	0.4
Wadena	13,382	536	25.0	5,618	0.5
Waseca	19,528	423	46.2	7,281	0.0
Washington	226,475	392	577.7	85,632	2.2
Watonwan	11,022	435	25.3	4,594	0.1
Wilkin	6,418	752	8.5	2,716	-0.2
Winona	49,802	626	79.6	19,332	0.3
Wright	117,372	661	177.6	42,836	2.2
Yellow Medicine	10,128	758	13.4	4,323	-0.1

Sources: Population - U.S. Census Bureau: 2007 Census Estimates, www.census.gov; Number of Households - Minnesota State Demographer: <http://www.gda.state.mn.us/resource.html?Id=19244>

Number of Households: The number of occupied houses, apartments, or other separate living quarters, in which the occupants live and eat separately from other persons in the building and to which they have direct access from outside the building or through a common hall.

Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2006	Unemployed Annual Average, 2007		Food Stamp Utilization - Avg Monthly 2007	WIC Participants - Unduplicated 2007	Percent - All Ages in Poverty 2006
		Number	Percent			
State of Minnesota	\$38,859	133,816	4.6	126,086	234,855	9.7
Aitkin	\$25,176	534	6.9	477	760	14.8
Anoka	\$35,640	8,708	4.5	5,776	10,863	6.0
Becker	\$29,556	978	5.8	1,172	2,598	11.8
Beltrami	\$26,244	1,285	6.1	3,015	4,599	18.8
Benton	\$28,364	1,150	5.0	752	1,863	7.4
Big Stone	\$30,091	136	4.9	109	336	12.8
Blue Earth	\$31,380	1,366	3.7	1,187	2,571	16.8
Brown	\$31,315	723	4.9	395	1,349	7.3
Carlton	\$26,541	992	5.7	821	1,995	10.0
Carver	\$47,443	1,981	4.0	500	1,824	4.3
Cass	\$29,507	1,032	7.1	1,143	2,438	12.8
Chippewa	\$30,168	309	4.4	218	1,011	9.6
Chisago	\$32,177	1,617	5.8	689	1,665	6.4
Clay	\$28,312	1,095	3.4	1,494	2,427	11.8
Clearwater	\$23,559	403	10.4	359	615	16.7
Cook	\$32,732	152	4.9	73	259	9.6
Cottonwood	\$31,629	258	4.1	268	877	12.4
Crow Wing	\$28,262	1,844	5.7	1,423	3,173	9.6
Dakota	\$43,095	9,390	4.0	4,824	12,366	5.0
Dodge	\$32,575	485	4.3	273	842	6.1
Douglas	\$30,443	892	4.5	702	1,774	9.6
Faribault	\$32,328	416	5.3	301	682	10.9
Fillmore	\$28,441	574	5.1	355	911	10.7
Freeborn	\$29,181	820	5.0	719	1,821	9.3
Goodhue	\$33,827	1,251	5.0	654	1,701	7.4
Grant	\$26,277	181	6.0	129	362	10.6
Hennepin	\$52,905	26,735	4.0	36,811	48,872	11.3
Houston	\$31,338	565	4.9	302	647	7.5
Hubbard	\$27,417	594	6.4	526	1,041	12.4
Isanti	\$29,935	1,307	6.0	611	2,091	7.1
Itasca	\$26,984	1,631	7.3	1,444	2,354	12.8
Jackson	\$29,911	259	3.9	151	311	8.8
Kanabec	\$25,559	664	8.5	472	1,143	14.9
Kandiyohi	\$32,856	1,019	4.3	1,205	3,090	10.6
Kittson	\$28,798	145	5.8	63	307	9.3
Koochiching	\$29,351	459	7.1	501	693	13.8
Lac Qui Parle	\$30,050	173	4.3	88	356	9.4
Lake	\$34,221	282	4.6	189	438	9.1
Lake of the Woods	\$25,304	119	5.3	60	243	10.9
Le Sueur	\$30,118	884	6.2	377	1,136	5.9
Lincoln	\$29,190	148	4.6	82	148	9.7
Lyon	\$32,162	556	3.8	502	1,679	10.4
McLeod	\$30,277	1,037	5.0	476	1,827	6.1
Mahnomen	\$24,474	163	6.7	407	560	17.9
Marshall	\$28,447	422	8.2	153	596	10.4
Martin	\$32,716	505	4.5	536	1,138	10.4
Meeker	\$29,045	747	6.0	406	1,292	8.1
Mille Lacs	\$24,132	952	7.7	571	1,614	10.2
Morrison	\$25,532	1,083	6.2	603	1,888	10.2
Mower	\$31,898	841	4.1	1,055	2,558	11.0
Murray	\$30,015	236	4.4	114	386	8.2
Nicollet	\$32,601	703	3.6	560	1,378	9.1

Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2006	Unemployed Annual Average, 2007		Food Stamp Utilization - Avg Monthly 2007	WIC Participants - Unduplicated 2007	Percent - All Ages in Poverty 2006
		Number	Percent			
State of Minnesota	\$38,859	133,816	4.6	126,086	234,855	9.7
Nobles	\$30,347	393	3.5	484	1,936	11.7
Norman	\$29,149	185	5.1	177	381	12.5
Olmsted	\$40,195	3,038	3.8	2,958	6,524	7.2
Otter Tail	\$27,984	1,579	5.4	1,171	2,654	12.0
Pennington	\$33,250	596	6.9	362	1,395	10.7
Pine	\$24,501	1,064	7.8	834	1,432	11.9
Pipestone	\$31,478	202	3.8	223	611	10.7
Polk	\$28,277	778	4.5	1,046	1,756	12.3
Pope	\$30,176	276	4.5	190	639	9.2
Ramsey	\$42,798	11,895	4.4	20,745	29,649	14.3
Red Lake	\$24,243	188	8.4	116	202	10.8
Redwood	\$28,368	397	4.8	286	1,046	10.2
Renville	\$26,972	454	5.3	353	842	10.5
Rice	\$27,833	1,615	5.0	896	2,920	8.5
Rock	\$29,755	159	3.2	119	418	9.0
Roseau	\$32,742	626	6.4	154	915	8.0
St. Louis	\$33,004	5,793	5.6	7,162	7,809	13.2
Scott	\$36,874	2,987	4.1	1,035	3,336	3.9
Sherburne	\$28,067	2,467	5.0	850	3,265	5.4
Sibley	\$28,448	444	5.1	203	1,019	7.6
Stearns	\$30,269	3,824	4.5	2,665	5,239	12.4
Steele	\$33,415	888	4.4	719	2,111	7.2
Stevens	\$29,831	217	3.9	137	548	13.7
Swift	\$24,017	268	5.1	205	1,176	10.7
Todd	\$23,834	676	5.5	613	1,505	14.0
Traverse	\$26,360	97	5.3	83	235	13.9
Wabasha	\$31,822	556	4.4	290	876	7.7
Wadena	\$25,023	472	7.4	519	827	16.5
Waseca	\$28,399	493	4.8	423	1,162	8.6
Washington	\$44,618	5,153	4.0	2,149	5,188	4.5
Watonwan	\$28,695	280	5.1	172	894	11.5
Wilkin	\$28,738	137	4.5	148	362	9.9
Winona	\$30,376	1,200	4.2	915	1,714	13.0
Wright	\$31,488	3,372	5.1	1,285	4,091	6.1
Yellow Medicine	\$30,059	250	4.3	160	710	12.5

Sources: Total Per Capita Income - US Department of Commerce, Bureau of Economic Analysis, www.bea.gov/bea/regional/reis/; Unemployment Annual Average - Minnesota Department of Employment and Economic Development, <http://www.deed.state.mn.us/lmi/tools/laus.htm>; Food Stamps - Minnesota Department of Human Services; WIC - Minnesota Department of Health All Ages in Poverty - US Census <http://www.census.gov/cgi-bin/saipe/saipe.cgi>

Total Per Capital Income: Per capita personal income was computed using Census Bureau midyear population estimates. 2006 Estimates for 2006 reflect county population estimates available as of April 2008.

Food Stamps: A Federal program which supplements the food-purchasing ability of low-income households through the distribution of coupons which can be used to purchase food for human consumption.

WIC Participants - Unduplicated Counts: The total number of pregnant, post-partum and nursing women, infants and children less than 5 years of age who received WIC vouchers. County level data are determined by combining unduplicated participants of all clinics within a county's boundaries. State total does not equal the sum of the counties because participants may move counties during the year.

Demographics Table 6: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2007

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	7,687	29,454	40,171	18,168	10,012	28,205	10,497
Aitkin	28	91	88	49	25	92	45
Anoka	338	1,357	1,972	874	489	1,514	485
Becker	64	259	279	124	70	236	127
Beltrami	301	1,064	1,250	576	335	897	251
Benton	50	140	196	68	39	173	74
Big Stone	3	10	18	4	2	12	7
Blue Earth	75	282	341	134	71	297	127
Brown	25	72	77	39	17	93	26
Carlton	35	145	189	87	39	158	92
Carver	24	83	139	66	36	102	52
Cass	81	326	426	179	109	272	104
Chippewa	8	40	55	18	10	37	13
Chisago	31	138	193	83	44	200	75
Clay	67	273	385	171	109	302	96
Clearwater	22	61	85	46	32	71	21
Cook	5	7	5	3	1	7	13
Cottonwood	13	53	48	17	10	39	22
Crow Wing	88	284	322	131	74	328	109
Dakota	281	1,074	1,325	556	316	1,089	305
Dodge	12	38	72	31	21	28	13
Douglas	26	90	123	61	34	81	69
Faribault	13	48	61	19	12	48	20
Fillmore	17	46	37	18	9	40	24
Freeborn	41	141	156	77	49	125	56
Goodhue	32	160	195	74	41	179	61
Grant	5	15	25	9	5	14	11
Hennepin	2,315	8,753	11,799	5,595	3,084	7,493	3,737
Houston	13	79	86	31	18	81	27
Hubbard	16	92	127	44	23	64	35
Isanti	44	124	172	79	46	155	61
Itasca	52	207	312	112	61	170	134
Jackson	8	33	43	12	6	37	11
Kanabec	30	72	130	47	27	105	33
Kandiyohi	83	302	416	178	87	322	97
Kittson	2	6	19	9	3	10	3
Koochiching	17	66	107	47	27	86	39
Lac Qui Parle	2	14	21	7	3	19	9
Lake	8	12	33	16	11	22	21
Lake of the Woods	2	12	19	8	4	14	9
Le Sueur	23	77	106	42	23	97	33
Lincoln	2	9	14	5	2	8	7
Lyon	29	102	145	79	41	110	41
McLeod	27	107	116	38	24	99	41
Mahnomen	38	131	166	78	40	104	38
Marshall	5	25	43	15	7	26	9
Martin	30	88	101	43	27	94	54
Meeker	18	72	107	35	25	89	35
Mille Lacs	38	150	180	92	51	141	50
Morrison	26	106	131	50	25	124	56
Mower	65	186	214	73	44	183	72

Demographics Table 6: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2007

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	7,687	29,454	40,171	18,168	10,012	28,205	10,497
Murray	7	14	32	10	7	19	11
Nicollet	48	176	169	62	32	195	53
Nobles	39	128	130	52	35	104	32
Norman	8	26	43	14	8	37	10
Olmsted	171	557	701	352	200	581	261
Otter Tail	46	194	272	119	69	225	93
Pennington	14	54	63	34	19	52	27
Pine	46	183	208	97	55	157	62
Pipestone	12	42	46	17	12	47	11
Polk	36	164	237	104	57	149	73
Pope	7	39	53	18	7	35	18
Ramsey	1,620	6,716	10,072	4,756	2,502	6,233	1,089
Red Lake	3	17	24	7	3	19	5
Redwood	13	61	123	51	29	53	18
Renville	17	65	117	34	25	57	32
Rice	81	243	299	104	56	199	74
Rock	9	35	49	22	14	35	4
Roseau	5	28	39	15	9	30	13
St. Louis	310	1,207	1,471	606	352	1,202	619
Scott	58	235	394	132	76	243	67
Sherburne	34	209	255	114	60	218	85
Sibley	16	44	47	26	14	35	25
Stearns	144	473	692	298	174	571	247
Steele	39	185	286	105	59	194	66
Stevens	2	6	11	5	3	10	12
Swift	5	28	31	13	8	29	17
Todd	15	77	110	42	21	86	40
Traverse	2	8	11	4	3	7	5
Wabasha	10	43	76	18	9	51	26
Wadena	23	95	123	66	35	105	33
Waseca	34	88	102	51	27	100	43
Washington	115	491	674	316	191	611	127
Watonwan	8	25	45	16	8	28	14
Wilkin	8	15	18	10	5	22	18
Winona	40	152	198	112	64	129	68
Wright	62	193	257	108	58	229	138
Yellow Medicine	4	20	24	10	3	18	11

Source: Minnesota Department of Human Services

MFIP-MA (Minnesota Family Investment Program - Medical Assistance): Medical Assistance eligibility coincides with receipt of cash assistance from MFIP, is extended MA eligibility following MFIP, or is based on pregnancy. Counts include both fee-for-service and HMO enrollees.

GAMC (General Assistance Medical Care): Most enrollees are eligible on a medical-only basis; fewer than one-third are eligible based on receipt of cash assistance from General Assistance. Counts include both fee-for-service and HMO enrollees.

**Demographics Table 7:
Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment
By State and County, 2007**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	21,558	55,678	69,444	34,888	77,532	1,869	10,051	19,864	11,543	27,378
Aitkin	74	221	312	158	293	5	44	116	88	179
Anoka	1,225	3,113	4,306	2,001	4,460	86	482	1,007	547	1,445
Becker	203	623	714	369	708	24	99	253	156	290
Beltrami	197	568	767	508	890	39	149	318	213	388
Benton	171	458	471	226	636	16	75	143	86	227
Big Stone	26	64	93	43	99	5	19	50	38	47
Blue Earth	236	598	707	357	884	15	88	162	90	294
Brown	110	259	366	165	359	4	31	56	43	113
Carlton	168	459	592	318	646	6	52	133	108	234
Carver	185	443	584	239	589	15	85	202	92	222
Cass	126	418	580	334	549	20	148	270	182	335
Chippewa	98	178	248	104	237	2	30	64	41	83
Chisago	166	449	597	300	673	24	110	259	174	328
Clay	240	724	922	429	1,016	14	86	167	124	274
Clearwater	52	160	237	110	180	8	34	86	42	103
Cook	11	25	36	18	51	5	22	30	20	60
Cottonwood	65	217	292	119	238	4	25	54	37	82
Crow Wing	282	709	956	473	1,038	45	229	465	298	634
Dakota	1,345	3,276	4,022	1,673	4,038	110	545	985	524	1,483
Dodge	69	239	280	119	291	9	28	45	28	89
Douglas	156	481	558	253	631	11	87	184	108	291
Faribault	82	193	298	122	266	4	24	58	40	97
Fillmore	105	250	301	157	325	6	40	131	68	142
Freeborn	161	412	508	223	544	8	59	117	80	211
Goodhue	166	421	465	221	592	12	58	125	63	173
Grant	24	84	114	40	106	8	32	63	27	85
Hennepin	4,848	12,076	13,934	7,730	16,868	280	1,646	2,941	1,685	4,188
Houston	69	189	217	142	276	5	29	60	56	90
Hubbard	104	295	351	193	409	23	85	204	139	240
Isanti	172	443	519	257	599	24	121	238	99	313
Itasca	226	698	881	497	1,043	27	132	326	199	454
Jackson	49	124	162	70	161	2	15	55	43	56
Kanabec	95	242	369	154	357	15	53	122	67	152
Kandiyohi	308	754	825	417	860	16	131	251	132	303
Kittson	11	40	66	25	59	7	27	65	33	50
Koochiching	62	150	241	140	279	6	34	109	56	146
Lac Qui Parle	46	72	129	57	112	1	21	56	38	59
Lake	49	129	163	93	190	3	31	67	31	99
Lake of the Woods	18	51	61	33	67	1	17	45	29	63
Le Sueur	120	317	387	183	365	10	56	85	58	117
Lincoln	32	60	94	33	87	3	15	30	30	46
Lyon	150	350	436	184	435	2	37	82	46	132
McLeod	172	416	509	201	481	14	68	148	74	173
Mahnomen	40	163	192	107	179	1	13	33	17	30
Marshall	28	92	163	77	130	3	34	68	31	71
Martin	131	326	423	234	455	3	41	95	67	112
Meeker	116	276	350	166	335	9	78	133	56	137
Mille Lacs	115	321	470	226	483	18	98	216	105	245
Morrison	159	403	521	262	594	22	136	276	177	309
Mower	291	760	869	406	858	12	72	109	71	216

**Demographics Table 7:
Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment
By State and County, 2007**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	21,558	55,678	69,444	34,888	77,532	1,869	10,051	19,864	11,543	27,378
Murray	50	115	146	59	145	2	24	39	25	60
Nicollet	126	330	353	152	431	5	32	63	27	107
Nobles	222	557	502	214	467	2	38	84	60	91
Norman	32	131	189	80	145	3	25	60	39	63
Olmsted	644	1,818	1,979	866	2,182	23	127	265	161	485
Otter Tail	290	646	902	439	921	39	205	389	247	471
Pennington	71	201	205	100	272	5	41	79	32	106
Pine	117	334	511	264	543	18	98	234	134	274
Pipestone	56	155	205	84	179	4	16	32	22	59
Polk	154	490	516	301	692	21	112	206	121	266
Pope	46	98	119	90	159	6	52	116	80	106
Ramsey	2,103	5,074	6,836	4,033	8,635	231	1,054	1,978	1,149	2,595
Red Lake	16	65	97	45	71	2	17	33	18	43
Redwood	77	196	302	128	274	6	44	103	55	122
Renville	76	231	303	156	319	9	40	99	72	121
Rice	276	667	719	324	804	19	116	162	75	211
Rock	51	113	145	63	127	3	28	60	23	66
Roseau	46	108	177	85	160	6	37	79	38	82
St. Louis	727	2,192	3,016	1,601	4,099	72	409	789	524	1,436
Scott	316	762	983	405	891	46	200	359	168	458
Sherburne	325	794	963	401	1,000	36	165	354	190	441
Sibley	82	221	251	118	217	12	39	58	52	85
Stearns	541	1,563	1,977	886	2,073	59	288	515	283	855
Steele	224	603	601	278	646	11	53	89	50	149
Stevens	40	80	92	43	119	10	16	39	23	59
Swift	65	130	210	95	188	2	23	46	47	71
Todd	142	394	518	294	504	21	117	260	158	284
Traverse	25	65	80	50	69	1	9	21	12	35
Wabasha	69	194	215	121	284	11	52	106	58	124
Wadena	82	237	327	164	327	8	72	187	91	166
Waseca	100	258	293	120	320	6	34	75	38	89
Washington	462	1,211	1,641	768	1,796	66	301	587	327	783
Watonwan	80	198	240	93	190	6	14	37	20	50
Wilkin	35	94	134	66	123	1	16	44	17	46
Winona	185	456	576	287	721	10	69	129	102	244
Wright	387	968	1,260	570	1,268	51	272	540	264	630
Yellow Medicine	65	135	199	86	156	3	31	82	41	77

Source: Minnesota Department of Human Services

Medical Assistance: This category excludes MFIP-MA enrollees. Enrollees over age 21 may be eligible as parents or based on disability. Those eligible as disabled may be SSI recipients. Counts include both fee-for-service and HMO enrollees and non-citizen Medical Assistance recipients.

MinnesotaCare: MinnesotaCare children and pregnant women are Medicaid eligible under a waiver. MinnesotaCare coverage is provided under HMO arrangements.

**Demographics Table 8: Selected Education Statistics by State and County
2007-08 School Year, October 1, 2007**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:		
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education
State of Minnesota	837,578	31.6	7.5	14.3
Aitkin	2,078	45.4	0.1	15.6
Anoka	64,824	25.9	7.3	13.2
Becker	4,395	38.6	0.3	19.6
Beltrami	7,575	54.3	2.1	16.9
Benton	5,440	25.3	0.3	16.6
Big Stone	917	42.2	0.3	14.5
Blue Earth	9,931	31.4	3.3	17.2
Brown	3,486	27.9	4.7	13.4
Carlton	6,232	30.0	0.0	14.9
Carver	15,113	13.7	4.4	12.8
Cass	4,343	58.7	0.1	21.0
Chippewa	2,249	35.1	2.5	17.7
Chisago	8,466	20.7	1.1	10.6
Clay	8,738	27.8	5.0	14.9
Clearwater	1,513	50.5	0.1	16.4
Cook	671	34.0	0.6	13.7
Cottonwood	2,506	43.0	8.5	16.8
Crow Wing	10,120	36.8	0.0	16.8
Dakota	74,452	18.3	5.9	14.6
Dodge	4,028	20.9	4.0	8.9
Douglas	5,352	28.0	0.2	17.2
Faribault	2,061	42.7	2.4	15.8
Fillmore	2,709	33.0	0.0	12.3
Freeborn	4,144	38.5	4.3	19.2
Goodhue	7,018	21.7	1.9	12.2
Grant	1,182	38.2	0.3	15.8
Hennepin	154,624	36.5	12.7	13.3
Houston	3,897	22.0	0.0	10.3
Hubbard	2,419	47.9	0.2	22.8
Isanti	6,343	28.1	1.3	10.8
Itasca	6,728	43.3	0.1	15.8
Jackson	1,546	32.6	3.6	14.8
Kanabec	2,574	40.2	0.0	13.6
Kandiyohi	5,777	40.3	10.0	12.6
Kittson	755	39.5	0.0	18.1
Koochiching	2,036	37.6	0.4	14.6
Lac Qui Parle	1,515	36.8	2.3	15.6
Lake	1,469	30.6	0.0	15.1
Lake of the Woods	550	38.5	0.0	13.6
Le Sueur	4,557	28.4	6.0	17.1
Lincoln	1,071	36.5	0.5	13.7
Lyon	4,374	35.1	9.8	13.6
McLeod	5,700	28.7	3.5	12.7
Mahnomen	1,410	60.8	0.0	17.0
Marshall	1,408	43.3	3.6	15.3
Martin	3,332	38.1	2.8	17.9
Meeker	5,856	31.6	0.8	12.2
Mille Lacs	6,856	31.5	0.4	14.9
Morrison	5,117	37.9	0.5	14.6

**Demographics Table 8: Selected Education Statistics by State and County
2007-08 School Year, October 1, 2007**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:		
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education
State of Minnesota	837,578	31.6	7.5	14.3
Mower	5,821	43.6	7.0	14.7
Murray	1,156	30.7	2.5	16.4
Nicollet	2,312	31.3	3.3	19.5
Nobles	3,483	49.1	8.6	16.4
Norman	1,192	45.1	2.1	16.2
Olmsted	22,152	26.0	10.5	11.7
Otter Tail	7,912	35.4	3.4	14.2
Pennington	2,174	34.9	1.2	16.2
Pine	3,943	43.6	0.4	11.8
Pipestone	1,467	37.8	3.4	15.5
Polk	5,176	36.7	2.1	15.6
Pope	1,348	35.2	0.1	23.0
Ramsey	83,815	50.5	22.0	15.1
Red Lake	710	52.0	0.0	15.9
Redwood	2,209	35.4	1.1	15.1
Renville	2,052	36.5	10.5	14.6
Rice	8,581	29.8	9.6	16.1
Rock	1,557	31.0	1.8	15.1
Roseau	3,236	32.9	0.8	14.8
St. Louis	26,209	36.8	0.2	15.2
Scott	20,006	15.5	5.7	13.0
Sherburne	18,983	15.9	2.7	14.2
Sibley	2,344	36.2	9.2	15.1
Stearns	23,142	30.8	5.2	15.8
Steele	6,472	28.6	6.5	11.8
Stevens	1,370	26.6	1.7	19.1
Swift	1,540	31.0	1.5	15.9
Todd	4,140	55.3	5.1	18.1
Traverse	549	37.9	0.7	16.4
Wabasha	4,601	21.2	1.4	11.7
Wadena	2,800	52.5	0.1	13.7
Waseca	3,564	27.8	2.9	16.3
Washington	38,757	14.0	2.7	13.2
Watonwan	1,966	46.8	16.3	14.9
Wilkin	1,086	37.2	1.9	17.6
Winona	5,974	33.1	2.5	15.5
Wright	22,594	17.8	1.9	13.4
Yellow Medicine	1,728	44.8	3.4	19.1

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2007-08 School Year, October 1, 2007

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	640,312	78,359	17,759	50,427	50,721	837,578
Aitkin	1,892	20	136	13	17	2,078
Anoka	51,594	5,684	962	3,816	2,768	64,824
Becker	3,751	32	511	37	64	4,395
Beltrami	4,931	92	2,422	53	77	7,575
Benton	5,154	110	25	96	55	5,440
Big Stone	891	4	12	4	6	917
Blue Earth	8,740	561	42	227	361	9,931
Brown	3,129	16	6	33	302	3,486
Carlton	5,514	40	563	64	51	6,232
Carver	13,369	338	67	507	832	15,113
Cass	2,891	154	1,246	22	30	4,343
Chippewa	2,045	27	19	11	147	2,249
Chisago	8,035	94	54	155	128	8,466
Clay	7,648	193	206	94	597	8,738
Clearwater	1,162	11	312	12	16	1,513
Cook	539	1	115	8	8	671
Cottonwood	2,016	22	20	268	180	2,506
Crow Wing	9,714	118	141	65	82	10,120
Dakota	59,011	5,926	460	4,176	4,879	74,452
Dodge	3,692	26	13	23	274	4,028
Douglas	5,150	81	31	49	41	5,352
Faribault	1,841	16	9	20	175	2,061
Fillmore	2,652	17	3	15	22	2,709
Freeborn	3,458	78	9	56	543	4,144
Goodhue	6,362	163	149	100	244	7,018
Grant	1,121	19	4	6	32	1,182
Hennepin	87,196	36,682	2,732	13,882	14,132	154,624
Houston	3,736	81	11	37	32	3,897
Hubbard	2,177	36	148	11	47	2,419
Isanti	5,959	93	70	116	105	6,343
Itasca	5,893	92	651	48	44	6,728
Jackson	1,427	11	4	30	74	1,546
Kanabec	2,445	34	37	20	38	2,574
Kandiyohi	4,250	208	34	39	1,246	5,777
Kittson	728	2	5	7	13	755
Koochiching	1,780	21	220	6	9	2,036
Lac Qui Parle	1,403	25	9	28	50	1,515
Lake	1,426	7	14	9	13	1,469
Lake of the Woods	514	12	15	6	3	550
Le Sueur	4,002	43	33	37	442	4,557
Lincoln	1,034	7	1	7	22	1,071
Lyon	3,624	119	12	216	403	4,374
McLeod	5,136	61	14	55	434	5,700
Mahnomen	461	2	940	5	2	1,410
Marshall	1,278	10	8	7	105	1,408
Martin	3,072	36	7	20	197	3,332
Meeker	5,561	33	15	41	206	5,856
Mille Lacs	6,288	69	373	54	72	6,856
Morrison	4,921	53	25	49	69	5,117
Mower	4,628	213	30	126	824	5,821
Murray	1,086	7	6	10	47	1,156
Nicollet	2,060	59	7	26	160	2,312
Nobles	2,185	109	13	222	954	3,483

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2007-08 School Year, October 1, 2007

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	640,312	78,359	17,759	50,427	50,721	837,578
Norman	1,033	19	44	9	87	1,192
Olmsted	17,328	2,012	96	1,563	1,153	22,152
Otter Tail	7,283	137	79	72	341	7,912
Pennington	1,948	47	71	22	86	2,174
Pine	3,586	67	210	25	55	3,943
Pipestone	1,341	24	37	13	52	1,467
Polk	4,459	46	130	23	518	5,176
Pope	1,308	16	10	8	6	1,348
Ramsey	40,081	17,218	1,211	17,414	7,891	83,815
Red Lake	654	15	18	2	21	710
Redwood	1,801	18	301	24	65	2,209
Renville	1,678	20	9	18	327	2,052
Rice	6,956	306	19	166	1,134	8,581
Rock	1,473	17	11	21	35	1,557
Roseau	2,975	26	125	94	16	3,236
St. Louis	23,352	993	1,227	358	279	26,209
Scott	17,029	595	212	1,123	1,047	20,006
Sherburne	17,543	464	161	446	369	18,983
Sibley	1,878	19	5	29	413	2,344
Stearns	20,256	1,391	156	504	835	23,142
Steele	5,442	317	7	95	611	6,472
Stevens	1,278	13	21	24	34	1,370
Swift	1,451	8	8	5	68	1,540
Todd	3,712	34	28	29	337	4,140
Traverse	482	9	44	2	12	549
Wabasha	4,328	69	25	43	136	4,601
Wadena	2,697	37	24	8	34	2,800
Waseca	3,292	47	8	21	196	3,564
Washington	32,979	1,715	220	2,559	1,284	38,757
Watonwan	1,224	24	6	20	692	1,966
Wilkin	1,017	15	7	1	46	1,086
Winona	5,324	200	40	208	202	5,974
Wright	21,084	436	104	417	553	22,594
Yellow Medicine	1,468	17	114	17	112	1,728

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

revised 01/07/10

Section B: Natality

Tables

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Cesarean Births

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Natality Table 1: Selected Minnesota Natality Statistics
By State and County, 2007**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	73,675	69.4	14.2	37,086	7.1	7.0
Aitkin	157	64.1	9.9	175	11.0	-1.1
Anoka	4,543	66.0	13.9	1,429	4.4	9.5
Becker	429	73.1	13.4	310	9.7	3.7
Beltrami	734	75.0	16.8	365	8.4	8.5
Benton	615	66.7	15.6	331	8.4	7.2
Big Stone	68	85.8	12.6	73	13.6	-0.9
Blue Earth	800	55.7	13.4	422	7.1	6.3
Brown	281	60.1	10.8	303	11.6	-0.8
Carlton	413	65.1	12.2	332	9.8	2.4
Carver	1,269	65.9	14.3	385	4.4	10.0
Cass	354	67.8	12.3	310	10.8	1.5
Chippewa	166	79.7	13.3	142	11.4	1.9
Chisago	681	64.5	13.6	347	6.9	6.7
Clay	782	59.5	14.3	386	7.0	7.2
Clearwater	118	81.7	14.3	86	10.4	3.9
Cook	53	58.6	9.8	59	10.9	-1.1
Cottonwood	136	73.7	12.0	157	13.8	-1.9
Crow Wing	809	67.8	13.1	546	8.9	4.3
Dakota	5,592	66.9	14.3	1,900	4.9	9.5
Dodge	270	68.7	13.8	125	6.4	7.4
Douglas	413	60.5	11.4	338	9.4	2.1
Faribault	160	69.4	10.8	173	11.6	-0.9
Fillmore	309	83.2	14.7	208	9.9	4.8
Freeborn	361	66.5	11.5	322	10.3	1.2
Goodhue	589	68.5	12.8	427	9.3	3.5
Grant	73	73.0	12.1	77	12.8	-0.7
Hennepin	16,848	72.0	14.8	7,615	6.7	8.1
Houston	233	65.2	11.9	177	9.1	2.9
Hubbard	215	65.5	11.4	160	8.5	2.9
Isanti	514	59.9	13.2	252	6.5	6.7
Itasca	528	67.6	11.9	441	9.9	2.0
Jackson	131	71.9	12.0	92	8.5	3.6
Kanabec	212	65.9	13.2	124	7.7	5.5
Kandiyohi	625	82.9	15.3	343	8.4	6.9
Kittson	43	71.3	9.5	73	16.2	-6.7
Koochiching	122	55.0	9.1	162	12.0	-3.0
Lac Qui Parle	75	71.9	10.3	86	11.8	-1.5
Lake	110	59.4	10.2	144	13.4	-3.2
Lake of the Woods	47	73.2	11.5	46	11.2	0.2
Le Sueur	367	66.5	13.1	204	7.3	5.8
Lincoln	75	82.3	12.8	85	14.5	-1.7
Lyon	366	71.9	14.8	236	9.6	5.3
McLeod	505	69.4	13.6	268	7.2	6.4
Mahnomen	92	105.0	17.9	63	12.3	5.7

**Nativity Table 1: Selected Minnesota Natality Statistics
By State and County, 2007**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	73,675	69.4	14.2	37,086	7.1	7.0
Marshall	123	81.3	12.8	80	8.3	4.5
Martin	287	90.3	14.0	254	12.4	1.6
Meeker	326	79.3	14.0	213	9.2	4.9
Mille Lacs	372	70.1	14.1	239	9.1	5.0
Morrison	442	71.6	13.5	329	10.1	3.5
Mower	549	81.6	14.4	381	10.0	4.4
Murray	103	78.0	12.1	100	11.7	0.4
Nicollet	419	59.8	13.2	206	6.5	6.7
Nobles	366	110.4	18.2	196	9.7	8.4
Norman	74	72.3	11.1	107	16.0	-4.9
Olmsted	2,347	81.8	16.8	831	5.9	10.8
Otter Tail	666	68.1	11.7	603	10.6	1.1
Pennington	195	73.7	14.2	120	8.7	5.5
Pine	322	61.1	11.4	239	8.5	2.9
Pipestone	132	85.5	14.2	119	12.8	1.4
Polk	389	68.3	12.7	355	11.6	1.1
Pope	137	72.8	12.4	129	11.7	0.7
Ramsey	7,693	73.6	15.4	3,754	7.5	7.9
Red Lake	55	75.7	13.4	44	10.7	2.7
Redwood	212	85.0	13.7	204	13.1	0.5
Renville	160	60.4	9.9	167	10.4	-0.4
Rice	796	57.6	12.8	412	6.6	6.2
Rock	147	89.9	15.5	128	13.5	2.0
Roseau	206	69.2	12.9	128	8.0	4.9
St. Louis	2,107	54.6	10.7	2,035	10.3	0.4
Scott	2,179	74.7	17.2	462	3.6	13.6
Sherburne	1,388	70.1	16.1	396	4.6	11.5
Sibley	203	73.1	13.5	115	7.7	5.9
Stearns	1,998	60.9	13.7	776	5.3	8.4
Steele	549	76.4	15.1	249	6.8	8.2
Stevens	123	56.9	12.8	77	8.0	4.8
Swift	100	67.7	8.9	120	10.7	-1.8
Todd	356	82.5	14.8	210	8.7	6.1
Traverse	37	66.9	10.0	62	16.7	-6.7
Wabasha	290	73.1	13.3	190	8.7	4.6
Wadena	187	82.9	14.0	172	12.9	1.1
Waseca	260	77.0	13.3	163	8.3	5.0
Washington	2,943	63.1	13.0	1,141	5.0	8.0
Watonwan	183	99.3	16.6	116	10.5	6.1
Wilkin	88	76.8	13.7	58	9.0	4.7
Winona	562	47.9	11.3	373	7.5	3.8
Wright	2,183	84.0	18.6	604	5.1	13.5
Yellow Medicine	137	83.9	13.5	125	12.3	1.2

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State and County, 2007**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2005-2007	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
State of Minnesota	5,132	8.3	3,543	5.0	0.9	3.1
Aitkin	10	7.4	9	5.7	1.5	1.5
Anoka	318	8.5	233	5.3	0.8	3.3
Becker	18	4.9	14	3.4	0.7	2.2
Beltrami	57	9.5	36	5.0	1.0	3.0
Benton	61	10.2	27	4.5	0.9	1.8
Big Stone	5	7.6	0	0.0	0.0	0.0
Blue Earth	63	8.5	38	4.9	0.8	3.3
Brown	30	11.3	11	4.0	0.9	3.4
Carlton	30	8.4	14	3.5	0.7	3.1
Carver	71	6.6	42	3.5	0.6	1.9
Cass	31	10.2	13	3.8	0.9	3.9
Chippewa	7	5.5	6	3.8	0.2	0.8
Chisago	39	7.0	30	4.6	1.1	2.9
Clay	52	8.1	39	5.2	1.1	3.0
Clearwater	2	2.2	2	1.8	0.6	1.1
Cook	2	4.2	1	2.0	0.0	0.0
Cottonwood	12	9.2	5	3.8	0.5	4.6
Crow Wing	80	10.6	44	5.6	0.8	3.4
Dakota	358	7.8	258	4.8	0.8	2.8
Dodge	14	5.7	13	5.1	0.6	2.9
Douglas	32	8.2	14	3.5	0.9	2.8
Faribault	11	7.7	4	2.5	0.6	2.8
Fillmore	12	4.1	6	2.0	0.7	2.8
Freeborn	23	8.2	18	5.1	1.1	2.9
Goodhue	41	7.4	23	4.0	0.7	2.3
Grant	4	5.8	4	5.8	0.0	5.8
Hennepin	1,184	8.8	898	5.5	1.0	3.5
Houston	19	8.6	9	4.0	0.9	1.8
Hubbard	21	11.6	17	8.1	1.4	4.4
Isanti	30	6.7	21	4.3	0.9	1.3
Itasca	42	9.9	26	5.0	0.8	3.3
Jackson	20	16.7	12	9.2	1.2	1.7
Kanabec	6	4.6	7	3.4	0.9	1.5
Kandiyohi	44	7.8	34	5.6	0.8	3.9
Kittson	3	7.7	2	4.7	0.0	0.0
Koochiching	10	8.9	4	3.4	0.9	5.4
Lac Qui Parle	5	7.7	2	2.7	1.4	0.0
Lake	15	14.7	4	3.8	1.0	1.0
Lake of the Woods	2	5.4	2	4.3	0.0	0.0
Le Sueur	28	8.4	18	5.0	0.4	3.3
Lincoln	7	11.1	3	4.2	0.9	1.6
Lyon	28	9.7	25	7.1	0.7	2.8
McLeod	36	8.1	20	4.1	0.7	2.5
Mahnomen	6	8.5	2	2.3	0.0	0.0
Marshall	10	9.0	7	6.0	0.3	3.6
Martin	25	11.5	16	5.8	1.1	2.8
Meeker	22	7.2	14	4.3	1.2	1.6
Mille Lacs	39	11.9	26	7.0	0.6	2.8
Morrison	37	9.2	19	4.5	0.5	1.7
Mower	42	9.2	29	5.5	0.9	3.5
Murray	8	9.3	5	5.0	0.7	1.2

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State and County, 2007**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2005-2007	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
State of Minnesota	5,132	8.3	3,543	5.0	0.9	3.1
Nicollet	25	6.3	18	4.4	0.8	2.5
Nobles	33	10.7	17	4.8	1.0	3.9
Norman	3	4.9	5	7.1	0.9	1.6
Olmsted	196	8.9	133	5.9	0.8	4.0
Otter Tail	22	3.5	29	4.4	1.0	3.4
Pennington	12	6.9	9	4.7	0.9	3.5
Pine	26	11.3	8	2.5	0.9	2.2
Pipestone	9	7.8	3	2.4	0.8	2.6
Polk	27	8.0	17	4.6	0.9	3.0
Pope	13	11.0	6	5.0	0.0	4.3
Ramsey	481	8.4	423	5.7	1.2	4.1
Red Lake	5	9.8	4	7.3	1.5	2.0
Redwood	12	6.8	6	2.9	0.3	2.3
Renville	7	5.1	9	5.8	0.5	5.8
Rice	45	6.2	41	5.3	1.0	4.3
Rock	14	10.6	8	5.6	0.2	3.0
Roseau	12	6.5	8	4.1	1.0	3.3
St. Louis	189	9.6	92	4.5	0.7	2.9
Scott	137	7.2	89	4.3	0.9	2.5
Sherburne	85	7.9	58	4.4	0.9	2.2
Sibley	19	11.7	11	5.7	0.5	4.3
Stearns	176	9.2	102	5.3	1.0	2.7
Steele	42	8.2	16	3.0	0.7	2.3
Stevens	5	4.3	3	2.5	0.6	3.4
Swift	3	3.2	4	4.0	0.9	2.2
Todd	29	9.3	14	4.0	0.5	2.6
Traverse	2	5.6	3	8.1	0.9	8.3
Wabasha	16	5.9	9	3.2	0.5	3.7
Wadena	12	7.1	9	5.0	1.4	3.0
Waseca	14	5.9	9	3.6	0.5	3.4
Washington	205	8.5	124	4.4	0.6	2.6
Watsonwan	18	12.1	10	5.7	0.8	3.4
Wilkin	4	5.2	6	7.1	0.9	6.5
Winona	28	5.8	17	3.1	0.7	2.9
Wright	121	7.4	89	4.3	0.8	2.2
Yellow Medicine	12	12.0	7	5.7	0.8	4.0

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

**Nativity Table 3: Minnesota Infant Mortality by State and County,
By State and County, 2003-2007**

	Number of Infant Deaths 2007	Infant Mortality Rate 2003-2007	Neonatal Mortality 2003-2007	Post-neonatal Mortality Rate 2003-2007	Fetal Death Rate 2003-2007	Perinatal Death Rate 2003-2007
State of Minnesota	407	5.0	3.3	1.7	4.8	6.2
Aitkin	0	*	*	0.0	*	*
Anoka	19	4.7	3.3	1.4	4.9	6.6
Becker	6	*	*	*	*	9.4
Beltrami	7	7.4	*	*	*	6.8
Benton	2	7.4	*	*	*	7.7
Big Stone	0	*	*	0.0	*	*
Blue Earth	4	*	*	*	*	*
Brown	1	*	*	*	*	*
Carlton	2	*	*	*	*	*
Carver	4	*	*	*	5.4	5.4
Cass	1	*	*	*	*	*
Chippewa	0	*	*	0.0	*	*
Chisago	3	*	*	*	5.7	6.5
Clay	7	8.9	5.8	*	*	*
Clearwater	0	*	*	0.0	*	*
Cook	0	0.0	0.0	0.0	*	*
Cottonwood	0	*	*	0.0	*	*
Crow Wing	1	5.7	*	*	*	*
Dakota	18	4.9	3.5	1.4	4.9	6.8
Dodge	1	*	*	*	*	*
Douglas	1	*	*	*	*	*
Faribault	0	*	*	*	*	*
Fillmore	0	*	*	*	*	*
Freeborn	3	*	*	*	*	*
Goodhue	2	*	*	*	*	*
Grant	0	0.0	0.0	0.0	*	*
Hennepin	110	5.2	3.3	1.8	5.4	6.2
Houston	2	*	*	0.0	*	*
Hubbard	2	*	*	*	*	*
Isanti	2	*	*	*	*	*
Itasca	2	*	*	*	*	*
Jackson	1	*	*	*	*	*
Kanabec	0	*	*	*	*	*
Kandiyohi	3	*	*	*	*	*
Kittson	0	0.0	0.0	0.0	*	*
Koochiching	0	*	*	0.0	*	*
Lac Qui Parle	0	*	*	*	*	*
Lake	0	*	*	0.0	*	*
Lake of the Woods	0	*	*	0.0	*	*
Le Sueur	0	*	*	0.0	*	*
Lincoln	0	*	*	0.0	*	*
Lyon	3	*	*	*	*	*
McLeod	2	*	*	*	*	*
Mahnomen	1	*	*	*	*	*
Marshall	1	*	*	*	*	*
Martin	1	*	*	0.0	*	*
Meeker	2	*	*	*	*	*
Mille Lacs	5	*	*	*	*	*
Morrison	2	*	*	*	*	9.2

**Nativity Table 3: Minnesota Infant Mortality by State and County,
By State and County, 2003-2007**

	Number of Infant Deaths 2007	Infant Mortality Rate 2003-2007	Neonatal Mortality 2003-2007	Post-neonatal Mortality Rate 2003-2007	Fetal Death Rate 2003-2007	Perinatal Death Rate 2003-2007
State of Minnesota	407	5.0	3.3	1.7	4.8	6.2
Mower	5	*	*	*	9.5	10.2
Murray	0	*	*	0.0	*	*
Nicollet	4	*	*	*	*	9.9
Nobles	2	*	*	*	*	*
Norman	0	0.0	0.0	0.0	*	*
Olmsted	15	4.3	2.4	1.9	3.9	4.8
Otter Tail	1	*	*	*	*	*
Pennington	1	*	*	*	*	*
Pine	2	*	*	*	*	*
Pipestone	1	*	*	0.0	*	*
Polk	4	*	*	*	*	*
Pope	0	0.0	0.0	0.0	*	*
Ramsey	61	6.4	4.2	2.2	5.0	6.4
Red Lake	0	*	*	0.0	*	*
Redwood	0	0.0	0.0	0.0	*	*
Renville	0	*	0.0	*	*	*
Rice	2	*	*	*	8.1	8.3
Rock	0	*	*	0.0	*	*
Roseau	1	*	*	*	*	*
St. Louis	8	4.7	3.2	*	3.9	5.8
Scott	17	4.0	3.1	*	4.1	5.6
Sherburne	5	4.7	3.2	*	4.3	4.9
Sibley	0	*	*	0.0	*	*
Stearns	13	5.3	4.0	*	5.1	7.6
Steele	1	*	*	*	*	*
Stevens	0	*	0.0	*	*	*
Swift	1	*	*	0.0	*	*
Todd	3	*	*	*	*	*
Traverse	1	*	0.0	*	*	*
Wabasha	0	*	*	*	*	*
Wadena	1	*	*	*	*	*
Waseca	0	*	*	*	*	*
Washington	14	4.4	3.1	*	3.8	5.5
Watsonwan	1	*	*	*	*	*
Wilkin	0	*	*	0.0	*	*
Winona	6	7.8	*	*	7.4	9.6
Wright	15	4.6	3.2	*	5.3	6.2
Yellow Medicine	1	*	*	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

**Nativity Table 4: Prenatal Care in Minnesota
By State and County, 2007**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	85.8	79.9	16.8	3.3
Aitkin	80.5	67.2	25.4	7.5
Anoka	86.5	80.4	16.2	3.3
Becker	84.7	80.5	16.2	3.3
Beltrami	71.2	59.0	33.3	7.7
Benton	91.5	88.9	9.1	2.0
Big Stone	76.5	60.0	36.9	3.1
Blue Earth	89.9	88.4	9.8	1.8
Brown	88.3	82.8	16.4	0.8
Carlton	89.6	79.0	17.4	3.6
Carver	92.6	90.8	7.9	1.3
Cass	65.6	48.9	37.7	13.4
Chippewa	84.5	79.2	17.5	3.3
Chisago	90.0	88.2	10.5	1.3
Clay	67.0	66.5	28.4	5.1
Clearwater	69.5	54.9	33.0	12.1
Cook	90.4	72.9	20.8	6.3
Cottonwood	91.1	76.6	23.4	0.0
Crow Wing	82.7	68.4	28.9	2.7
Dakota	87.5	79.9	17.6	2.5
Dodge	94.3	88.9	9.9	1.2
Douglas	89.3	80.5	16.9	2.6
Faribault	91.8	91.5	5.7	2.8
Fillmore	80.5	76.7	10.6	12.7
Freeborn	87.0	85.7	12.2	2.2
Goodhue	91.3	85.5	12.0	2.5
Grant	93.2	85.5	14.5	0.0
Hennepin	84.9	78.1	17.4	4.5
Houston	85.8	78.1	20.1	1.8
Hubbard	71.4	54.2	35.0	10.7
Isanti	83.4	81.1	17.5	1.3
Itasca	83.1	74.8	20.9	4.3
Jackson	85.4	75.9	22.4	1.7
Kanabec	82.3	75.0	21.1	3.9
Kandiyohi	85.6	79.7	16.4	3.9
Kittson	80.0	75.7	24.3	0.0
Koochiching	68.6	60.9	36.4	2.7
Lac Qui Parle	87.3	80.3	18.0	1.6
Lake	85.5	70.6	20.6	8.8
Lake of the Woods	72.3	59.5	35.1	5.4
Le Sueur	87.0	83.7	15.4	0.9
Lincoln	74.3	46.4	50.0	3.6
Lyon	80.2	64.7	32.2	3.2
McLeod	88.4	83.2	15.6	1.1
Mahnomen	76.1	59.4	37.7	2.9
Marshall	79.1	79.2	17.8	3.0
Martin	85.2	85.5	12.6	1.9
Meeker	83.4	79.7	18.7	1.6
Mille Lacs	83.3	74.8	20.2	4.9
Morrison	86.8	80.0	16.3	3.8
Mower	65.9	62.7	34.5	2.8
Murray	88.3	80.7	18.1	1.2
Nicollet	91.8	91.3	8.4	0.3

**Nativity Table 4: Prenatal Care in Minnesota
By State and County, 2007**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	85.8	79.9	16.8	3.3
Nobles	79.9	76.7	18.7	4.7
Norman	68.7	72.7	21.8	5.5
Olmsted	94.4	89.9	8.6	1.5
Otter Tail	88.8	86.5	10.9	2.6
Pennington	82.2	85.8	11.8	2.4
Pine	77.6	68.7	25.1	6.2
Pipestone	89.1	71.7	26.4	1.9
Polk	71.6	56.3	38.2	5.5
Pope	83.7	72.9	26.3	0.8
Ramsey	82.2	80.1	15.9	4.0
Red Lake	75.0	62.5	33.3	4.2
Redwood	83.3	75.6	21.0	3.4
Renville	88.7	81.8	14.4	3.8
Rice	79.5	73.5	22.5	4.0
Rock	80.1	59.2	33.3	7.5
Roseau	82.4	74.2	22.5	3.3
St. Louis	88.8	78.2	18.4	3.5
Scott	89.5	81.0	16.4	2.6
Sherburne	90.9	85.5	13.0	1.5
Sibley	86.6	79.1	19.6	1.2
Stearns	90.2	86.0	12.3	1.7
Steele	86.0	84.2	14.2	1.6
Stevens	89.3	84.6	13.7	1.7
Swift	92.9	87.8	10.0	2.2
Todd	71.0	58.3	25.8	15.9
Traverse	77.8	60.0	31.4	8.6
Wabasha	90.0	89.6	8.5	1.9
Wadena	79.7	68.7	24.1	7.2
Waseca	87.6	83.2	16.0	0.8
Washington	92.9	90.3	8.7	1.0
Watonwan	85.0	80.3	18.4	1.4
Wilkin	82.4	73.0	20.3	6.8
Winona	86.8	85.1	11.4	3.6
Wright	89.4	82.3	16.1	1.5
Yellow Medicine	86.0	71.7	23.2	5.1

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

**Natality Table 5: Cesarean Births in Minnesota
By State and County, 2007**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	26.4	15.2	90.9
Aitkin	22.9	11.5	100.0
Anoka	25.5	14.5	92.3
Becker	21.7	11.7	87.8
Beltrami	30.1	16.9	93.3
Benton	26.8	15.4	90.9
Big Stone	35.3	10.3	94.4
Blue Earth	27.6	14.9	91.9
Brown	31.0	17.4	95.0
Carlton	32.0	18.6	91.7
Carver	27.9	15.2	89.4
Cass	27.1	12.4	91.2
Chippewa	30.1	16.3	100.0
Chisago	26.6	15.6	94.9
Clay	23.7	15.5	88.9
Clearwater	28.8	13.6	100.0
Cook	26.4	13.2	87.5
Cottonwood	34.6	13.2	93.5
Crow Wing	25.5	13.6	85.7
Dakota	27.5	15.7	92.6
Dodge	24.8	14.1	100.0
Douglas	24.5	13.1	94.0
Faribault	34.4	16.3	96.7
Fillmore	21.7	11.7	88.6
Freeborn	25.2	14.4	100.0
Goodhue	26.5	16.1	88.4
Grant	32.9	15.1	100.0
Hennepin	25.5	16.1	88.5
Houston	21.5	9.9	87.1
Hubbard	28.8	15.3	96.7
Isanti	24.9	13.2	87.0
Itasca	28.6	14.2	93.8
Jackson	32.1	16.0	91.3
Kanabec	28.3	14.2	90.9
Kandiyohi	26.4	14.6	92.5
Kittson	18.6	9.3	80.0
Koochiching	36.9	18.9	100.0
Lac Qui Parle	34.7	16.0	93.3
Lake	32.7	15.5	95.0
Lake of the Woods	42.6	23.4	100.0
Le Sueur	29.2	18.3	85.1
Lincoln	34.7	17.3	92.9
Lyon	32.8	18.3	89.8
McLeod	28.9	16.6	89.9
Mahnomen	27.2	15.2	100.0
Marshall	33.3	23.6	100.0
Martin	28.6	17.1	91.7
Meeker	27.6	15.0	89.1
Mille Lacs	28.0	13.2	87.3
Morrison	25.3	14.3	87.5
Mower	32.1	17.3	95.3
Murray	33.0	19.4	93.3

**Natality Table 5: Cesarean Births in Minnesota
By State and County, 2007**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	26.4	15.2	90.9
Nicollet	30.3	16.7	96.6
Nobles	28.7	16.7	93.6
Norman	20.3	12.2	100.0
Olmsted	25.6	13.8	92.4
Otter Tail	20.7	9.5	98.7
Pennington	43.1	25.6	100.0
Pine	25.8	12.7	95.5
Pipestone	31.8	18.2	94.7
Polk	29.0	17.0	97.9
Pope	38.7	24.8	86.4
Ramsey	21.2	13.6	82.8
Red Lake	40.0	18.2	100.0
Redwood	33.5	18.9	88.6
Renville	28.1	13.8	100.0
Rice	29.0	15.2	93.2
Rock	32.0	21.1	100.0
Roseau	33.0	19.4	96.6
St. Louis	31.9	17.8	94.6
Scott	26.8	14.8	91.9
Sherburne	27.0	14.0	95.2
Sibley	28.1	12.8	93.9
Stearns	27.5	14.9	91.0
Steele	35.9	16.8	96.3
Stevens	24.4	11.4	94.1
Swift	31.0	15.0	100.0
Todd	23.6	12.6	76.5
Traverse	24.3	5.4	100.0
Wabasha	29.0	15.5	90.7
Wadena	24.1	12.8	87.5
Waseca	29.2	15.4	94.7
Washington	25.5	14.2	91.7
Watsonwan	31.7	15.3	96.8
Wilkin	30.7	17.0	100.0
Winona	19.9	11.4	87.3
Wright	28.7	16.7	92.0
Yellow Medicine	38.7	14.6	100.0

Source: Minnesota Department of Health, Center for Health Statistics

**Nativity Table 6: Fertility and Family Planning in Minnesota
By State and County, 2007**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
State of Minnesota	86,832	81.8	12,770	12.0	4.6	3.8
Aitkin	172	69.8	15	*	4.5	2.4
Anoka	5,397	78.4	834	12.1	3.8	4.3
Becker	438	74.6	6	*	7.0	3.8
Beltrami	780	79.7	42	4.3	5.7	5.6
Benton	669	72.5	53	5.8	2.8	2.6
Big Stone	69	87.0	0	0.0	16.2	2.0
Blue Earth	957	66.7	154	10.7	3.5	3.8
Brown	300	64.2	18	*	5.3	1.7
Carlton	476	74.9	60	9.5	3.9	3.7
Carver	1,397	72.5	120	6.2	2.9	3.5
Cass	378	72.3	23	4.2	10.8	1.7
Chippewa	184	88.4	17	*	3.0	4.4
Chisago	759	71.9	73	6.9	2.5	4.2
Clay	789	60.0	7	*	4.5	1.4
Clearwater	122	84.5	**	*	10.2	4.5
Cook	60	66.4	7	*	0.0	3.1
Cottonwood	146	79.1	10	*	3.0	1.0
Crow Wing	908	76.0	97	8.1	3.7	4.2
Dakota	6,608	79.0	988	11.8	3.0	3.6
Dodge	300	76.1	27	6.9	5.6	4.2
Douglas	438	64.1	23	3.2	2.4	3.9
Faribault	169	72.9	8	*	5.0	2.0
Fillmore	326	87.8	17	*	8.1	3.1
Freeborn	404	74.5	42	7.8	3.6	3.6
Goodhue	655	76.1	63	7.2	2.9	3.8
Grant	77	77.0	**	*	5.5	4.9
Hennepin	21,815	93.1	4,857	20.7	4.9	4.3
Houston	239	66.9	6	*	2.1	3.5
Hubbard	223	68.0	8	*	2.8	2.9
Isanti	567	66.1	52	6.1	3.1	3.1
Itasca	578	74.1	47	6.0	7.1	2.2
Jackson	140	76.9	9	*	4.6	2.2
Kanabec	239	74.3	25	7.8	2.8	2.5
Kandiyohi	681	90.4	49	6.5	4.6	3.3
Kittson	45	74.6	**	*	4.7	3.4
Koochiching	135	60.8	13	*	6.6	1.5
Lac Qui Parle	80	76.7	**	*	9.5	2.0
Lake	121	65.3	10	*	0.9	4.8
Lake of the Woods	49	76.3	**	*	0.0	0.0
Le Sueur	399	72.3	31	5.6	4.9	0.9
Lincoln	76	83.4	**	*	9.3	2.1
Lyon	382	75.1	16	*	5.5	3.2
McLeod	545	74.9	35	4.8	5.1	3.6
Mahnomen	95	108.4	**	*	6.5	7.0
Marshall	123	81.3	0	0.0	3.3	1.4
Martin	306	96.2	18	*	2.8	3.7
Meeker	345	83.9	19	*	8.0	2.0
Mille Lacs	405	76.1	30	5.7	4.6	2.2
Morrison	466	75.5	23	3.7	4.1	3.5
Mower	590	87.7	37	5.5	5.1	4.0
Murray	106	80.2	**	*	1.0	4.2

**Nativity Table 6: Fertility and Family Planning in Minnesota
By State and County, 2007**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
State of Minnesota	86,832	81.8	12,770	12.0	4.6	3.8
Nicollet	468	66.7	47	6.6	2.9	2.6
Nobles	371	111.9	**	*	7.1	3.5
Norman	74	72.3	**	0.0	9.5	0.0
Olmsted	2,629	91.6	273	9.5	4.2	4.1
Otter Tail	687	70.3	19	*	5.6	3.4
Pennington	202	76.3	**	*	1.5	1.9
Pine	356	67.5	31	5.9	5.0	3.1
Pipestone	135	87.5	**	*	3.0	1.4
Polk	397	69.7	6	*	6.2	2.1
Pope	142	75.4	**	*	5.8	10.9
Ramsey	9,958	95.3	2,218	21.2	6.0	4.2
Red Lake	57	78.4	**	*	5.5	0.0
Redwood	223	89.5	11	*	6.6	1.4
Renville	175	66.1	14	*	3.1	6.4
Rice	900	65.1	96	7.0	4.1	2.7
Rock	148	90.5	**	*	3.4	5.6
Roseau	210	70.5	**	*	5.3	3.8
St. Louis	2,503	64.8	391	10.0	3.4	3.7
Scott	2,484	85.1	300	10.2	3.3	4.0
Sherburne	1,539	77.7	141	7.1	4.9	4.9
Sibley	213	76.7	10	*	7.9	2.2
Stearns	2,268	69.1	256	7.8	4.7	2.7
Steele	602	83.7	53	7.4	3.8	2.9
Stevens	128	59.3	**	*	1.6	2.5
Swift	108	73.1	7	*	3.0	3.0
Todd	374	86.4	**	*	13.1	1.7
Traverse	38	68.7	**	*	5.4	4.2
Wabasha	322	81.2	30	7.6	4.5	3.4
Wadena	192	85.1	**	*	10.7	2.6
Waseca	277	82.0	17	*	3.5	4.0
Washington	3,464	74.3	509	10.9	3.6	4.2
Watonwan	194	105.3	10	*	5.5	5.1
Wilkin	88	76.8	0	0.0	4.5	3.6
Winona	649	55.4	80	6.8	5.0	3.6
Wright	2,380	91.5	186	7.1	6.0	4.6
Yellow Medicine	146	89.4	9	*	5.8	7.0

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number not reported if number of events is less than 6.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Four or More Births: Births to women with four or more previous live births

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State and County, 2005-2007**

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
State of Minnesota	13.4	48.7	27.5	19.2	66.1	37.9
Aitkin	*	61.4	30.2	*	72.0	34.9
Anoka	8.5	50.4	22.0	14.9	75.7	34.5
Becker	13.9	72.5	33.7	15.2	75.1	35.5
Beltrami	32.7	85.9	57.6	36.6	92.6	62.8
Benton	14.6	70.5	35.4	16.4	83.6	41.4
Big Stone	*	*	*	*	*	*
Blue Earth	14.9	16.2	15.8	22.3	26.1	24.9
Brown	*	44.4	22.8	*	50.3	27.6
Carlton	11.5	68.3	31.8	18.2	82.1	41.0
Carver	5.6	26.3	12.2	9.2	36.1	17.8
Cass	25.9	126.1	56.9	32.6	139.8	65.7
Chippewa	*	90.7	41.0	*	93.1	45.0
Chisago	9.0	47.5	20.7	14.6	65.6	30.1
Clay	13.8	18.5	16.8	14.4	19.0	17.3
Clearwater	*	122.5	49.0	*	126.5	55.1
Cook	*	*	*	*	*	*
Cottonwood	*	*	23.8	*	*	25.5
Crow Wing	13.9	82.5	37.5	17.8	98.5	45.6
Dakota	8.2	45.5	20.2	14.3	65.1	30.7
Dodge	*	49.3	24.5	14.8	65.3	32.3
Douglas	*	48.7	22.2	*	56.6	25.9
Faribault	*	62.0	29.9	*	76.4	36.0
Fillmore	*	53.0	22.7	*	72.0	31.6
Freeborn	21.8	92.9	44.7	23.8	106.1	50.3
Goodhue	9.0	58.5	26.1	12.3	75.4	34.2
Grant	*	*	*	*	*	*
Hennepin	17.1	53.0	31.3	26.9	83.3	49.2
Houston	*	35.0	18.2	*	37.5	20.0
Hubbard	*	79.4	34.4	*	82.8	35.5
Isanti	10.8	72.9	31.7	14.7	86.7	38.9
Itasca	13.6	58.4	30.1	16.8	68.3	35.7
Jackson	*	*	20.2	*	*	21.1
Kanabec	*	96.1	36.6	*	113.7	44.7
Kandiyohi	20.2	83.0	44.7	22.3	95.2	50.8
Kittson	*	*	*	*	*	*
Koochiching	*	47.0	23.7	*	51.5	26.0
Lac Qui Parle	*	*	*	*	*	*
Lake	*	73.2	27.7	*	86.0	36.0
Lake of the Woods	*	*	*	*	*	*
Le Sueur	*	49.3	24.5	14.5	62.3	31.9
Lincoln	*	*	*	*	*	*
Lyon	*	37.0	22.0	*	45.7	26.8
McLeod	19.0	64.9	34.1	23.0	82.1	42.5
Mahnomen	*	221.5	93.6	*	234.9	99.3
Marshall	*	56.0	23.0	*	56.0	23.0
Martin	15.1	81.0	37.5	18.1	88.4	42.0
Meeker	*	89.1	36.9	*	91.8	38.7
Mille Lacs	15.3	97.6	42.9	24.3	113.4	54.1
Morrison	11.7	71.4	32.4	16.2	79.9	38.3
Mower	19.9	93.5	45.9	23.5	109.6	53.9
Murray	*	*	30.1	*	69.2	32.5
Nicollet	*	20.6	16.6	15.8	30.3	24.5

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State and County, 2005-2007**

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
State of Minnesota	13.4	48.7	27.5	19.2	66.1	37.9
Nobles	26.4	126.2	63.1	26.4	130.1	64.6
Norman	*	*	*	*	*	*
Olmsted	14.3	49.1	26.7	18.9	69.5	36.9
Otter Tail	6.3	48.7	22.1	7.4	51.0	23.6
Pennington	*	51.0	28.4	*	52.6	30.5
Pine	12.5	94.7	37.7	19.3	113.6	48.2
Pipestone	*	75.1	36.9	*	75.1	38.0
Polk	15.0	53.5	30.6	15.0	53.5	30.6
Pope	*	*	*	*	*	*
Ramsey	23.9	57.4	38.8	33.0	83.0	55.2
Red Lake	*	*	*	*	*	*
Redwood	*	57.3	27.4	*	61.0	30.0
Renville	*	68.4	30.6	*	75.1	33.4
Rice	14.9	25.1	20.5	18.5	32.0	26.0
Rock	*	*	22.9	*	*	22.9
Roseau	*	71.6	26.7	*	79.1	29.6
St. Louis	13.2	30.5	22.4	19.2	42.4	31.6
Scott	8.4	43.4	18.8	14.9	62.9	29.2
Sherburne	10.1	46.2	22.3	14.4	59.1	29.5
Sibley	19.5	71.7	37.0	21.3	77.2	40.1
Stearns	10.8	23.4	17.5	14.0	32.1	23.7
Steele	12.4	86.0	37.1	17.5	94.6	43.4
Stevens	*	*	*	*	*	*
Swift	*	*	25.3	*	66.4	26.4
Todd	14.0	79.3	37.3	15.7	84.4	40.2
Traverse	*	*	*	*	*	*
Wabasha	*	60.8	24.2	*	80.2	32.4
Wadena	*	94.8	44.2	*	101.3	46.4
Waseca	*	82.5	32.0	*	91.1	35.4
Washington	6.0	35.7	15.9	10.5	57.6	26.1
Watonwan	*	133.9	56.8	*	142.1	62.0
Wilkin	*	*	*	*	*	*
Winona	9.9	15.3	13.6	11.8	19.2	16.8
Wright	8.6	57.0	23.7	13.4	72.4	31.8
Yellow Medicine	*	42.6	21.9	*	51.2	27.8

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State and County, 2007**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
State of Minnesota	32.7	9.4	9.8	10.0	26.8	63.2
Aitkin	45.2	7.0	26.8	10.3	35.5	54.2
Anoka	29.0	8.1	8.3	6.8	28.9	64.3
Becker	37.1	10.7	20.3	11.0	34.7	54.2
Beltrami	54.0	19.2	24.3	15.3	35.6	49.0
Benton	35.3	5.7	17.4	6.0	25.4	68.5
Big Stone	22.1	2.9	17.6	17.5	24.6	57.9
Blue Earth	32.6	6.9	7.1	7.5	19.6	72.9
Brown	32.4	6.0	9.0	9.0	30.5	60.6
Carlton	37.3	7.5	24.0	9.4	26.4	64.2
Carver	15.1	3.7	4.2	3.2	18.8	78.0
Cass	57.3	18.9	33.5	15.7	36.2	48.1
Chippewa	42.2	13.3	15.2	7.5	35.8	56.6
Chisago	24.7	6.5	12.7	2.7	29.9	67.5
Clay	29.5	9.0	9.5	8.5	18.1	73.5
Clearwater	35.6	5.9	22.9	18.6	34.7	46.6
Cook	39.6	5.7	18.9	13.2	30.2	56.6
Cottonwood	28.7	8.8	13.2	12.1	37.1	50.8
Crow Wing	34.6	8.4	21.3	6.1	30.3	63.5
Dakota	26.0	7.7	5.3	6.4	21.9	71.7
Dodge	24.4	7.0	8.9	6.0	32.5	61.6
Douglas	28.1	4.8	13.3	6.1	25.4	68.5
Faribault	41.3	4.4	13.8	13.1	32.5	54.4
Fillmore	26.5	11.0	9.8	18.9	24.8	56.4
Freeborn	47.9	11.1	15.0	13.6	34.4	51.9
Goodhue	33.6	7.1	13.2	7.5	31.9	60.6
Grant	26.0	9.6	12.3	6.8	30.1	63.0
Hennepin	35.5	12.3	4.8	13.3	24.8	61.9
Houston	22.3	21.0	11.2	1.7	23.0	75.2
Hubbard	37.2	8.4	23.0	10.3	34.7	54.9
Isanti	34.4	8.2	17.6	5.3	37.8	56.9
Itasca	46.0	17.0	25.3	9.6	37.7	52.8
Jackson	28.2	3.8	16.0	8.3	33.1	58.7
Kanabec	40.1	7.1	22.3	9.5	39.5	51.0
Kandiyohi	41.0	10.6	10.3	20.4	28.9	50.7
Kittson	18.6	2.3	7.0	0.0	25.6	74.4
Koochiching	44.3	3.3	21.3	4.1	39.7	56.2
Lac Qui Parle	33.3	5.3	12.0	5.8	42.0	52.2
Lake	37.3	7.3	17.4	8.3	38.5	53.2
Lake of the Woods	25.5	6.4	10.9	6.5	17.4	76.1
Le Sueur	32.2	8.4	9.8	8.6	27.1	64.4
Lincoln	25.3	9.3	17.3	2.1	23.4	74.5
Lyon	31.7	8.2	11.0	9.1	26.7	64.1
McLeod	30.3	7.7	11.1	9.2	31.5	59.4
Mahnomen	62.0	12.0	30.2	21.7	51.1	27.2
Marshall	25.2	3.3	13.0	4.9	29.3	65.9
Martin	39.7	5.6	16.4	12.9	32.4	54.7
Meeker	25.5	4.6	12.3	5.9	35.3	58.8
Mille Lacs	40.3	8.6	18.6	11.9	36.8	51.4
Morrison	35.5	4.1	22.9	8.2	33.4	58.4

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State and County, 2007**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
State of Minnesota	32.7	9.4	9.8	10.0	26.8	63.2
Mower	44.4	11.8	17.3	23.5	30.6	45.9
Murray	29.1	3.9	14.6	8.7	28.3	63.0
Nicollet	30.8	7.4	8.1	4.8	19.7	75.5
Nobles	49.7	10.9	8.5	41.2	26.2	32.6
Norman	32.4	5.4	16.4	11.1	22.2	66.7
Olmsted	26.7	7.8	7.1	9.5	22.0	68.5
Otter Tail	29.4	5.9	8.6	9.1	26.9	63.9
Pennington	40.0	5.6	27.7	7.8	30.7	61.5
Pine	41.9	9.6	28.3	11.6	40.8	47.6
Pipestone	37.1	11.4	16.7	10.6	31.8	57.6
Polk	35.7	5.4	14.5	9.3	30.5	60.2
Pope	24.8	2.2	11.8	2.2	29.4	68.4
Ramsey	43.0	14.9	8.5	13.3	32.1	54.6
Red Lake	23.6	3.6	16.4	3.6	40.0	56.4
Redwood	36.3	4.2	19.3	9.3	42.0	48.8
Renville	33.8	8.8	14.4	14.5	32.7	52.8
Rice	37.8	10.9	12.0	16.8	29.5	53.7
Rock	23.1	4.8	4.8	12.8	21.8	65.4
Roseau	29.6	6.8	16.5	4.9	35.6	59.5
St. Louis	41.8	8.5	22.8	9.3	26.2	64.5
Scott	19.6	5.5	4.1	5.0	19.5	75.4
Sherburne	23.0	5.5	9.5	4.0	25.9	70.1
Sibley	29.6	13.3	11.9	18.3	32.7	49.0
Stearns	28.3	5.0	12.5	9.0	23.2	67.8
Steele	33.0	10.9	13.9	16.5	27.4	56.1
Stevens	18.7	1.6	7.3	2.5	29.5	68.0
Swift	25.0	5.0	18.0	4.1	31.6	64.3
Todd	31.2	2.5	15.3	24.3	31.7	44.0
Traverse	35.1	8.1	29.7	7.1	39.3	53.6
Wabasha	31.7	10.0	12.2	7.6	30.8	61.6
Wadena	37.4	9.6	27.7	11.9	37.8	50.3
Waseca	33.5	6.2	15.0	10.0	23.5	66.5
Washington	22.0	6.0	5.8	3.4	21.5	75.2
Watonwan	37.7	8.2	10.9	23.1	27.5	49.5
Wilkin	29.5	6.8	13.6	5.8	23.3	70.9
Winona	32.0	10.9	12.9	6.5	30.1	63.4
Wright	18.9	4.6	7.6	3.4	25.1	71.5
Yellow Medicine	32.8	7.3	17.8	10.9	22.7	66.4

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By State and County, 2007**

	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
State of Minnesota	75.1	9.0	2.1	6.7	7.1	8.1	91.9
Aitkin	89.8	0.6	8.9	0.6	0.0	1.3	98.7
Anoka	79.9	7.6	0.6	6.5	5.4	5.6	94.4
Becker	85.5	0.5	13.5	0.2	0.2	0.7	99.3
Beltrami	61.0	0.3	37.5	0.4	0.8	1.1	98.9
Benton	95.6	2.9	0.5	0.8	0.2	1.1	98.9
Big Stone	94.1	0.0	5.9	0.0	0.0	0.0	100.0
Blue Earth	88.9	4.4	0.5	2.8	3.5	3.5	96.5
Brown	92.2	0.0	0.0	0.4	7.5	10.8	89.2
Carlton	86.0	0.2	12.3	1.2	0.2	1.7	98.3
Carver	87.6	1.4	0.3	5.3	5.4	5.2	94.8
Cass	65.8	0.0	34.2	0.0	0.0	1.1	98.9
Chippewa	81.3	1.2	3.6	0.6	13.3	15.1	84.9
Chisago	95.3	0.4	0.7	1.6	1.9	2.5	97.5
Clay	88.0	1.4	3.1	1.4	6.1	5.8	94.2
Clearwater	88.1	0.8	11.0	0.0	0.0	0.0	100.0
Cook	83.0	0.0	11.3	1.9	3.8	3.8	96.2
Cottonwood	88.2	0.7	0.7	1.5	8.8	11.0	89.0
Crow Wing	95.7	0.6	2.2	1.0	0.5	1.1	98.9
Dakota	76.0	8.1	0.5	6.6	8.8	9.2	90.8
Dodge	95.6	0.0	0.0	1.9	2.6	5.9	94.1
Douglas	96.9	0.5	0.5	1.2	1.0	1.0	99.0
Faribault	90.0	0.0	0.0	0.6	9.4	9.4	90.6
Fillmore	99.4	0.0	0.3	0.0	0.3	0.0	100.0
Freeborn	83.4	1.1	0.0	0.6	15.0	17.5	82.5
Goodhue	91.9	1.0	2.4	0.7	4.1	5.3	94.7
Grant	95.9	0.0	1.4	1.4	1.4	1.4	98.6
Hennepin	55.4	20.9	1.8	9.8	12.2	12.5	87.5
Houston	98.3	0.9	0.0	0.9	0.0	0.9	99.1
Hubbard	93.5	0.0	4.2	0.5	1.9	1.9	98.1
Isanti	95.9	0.4	0.4	1.9	1.4	1.4	98.6
Itasca	88.3	0.2	10.2	0.4	0.9	1.9	98.1
Jackson	89.3	0.0	0.8	4.6	5.3	5.3	94.7
Kanabec	96.7	0.5	0.9	0.9	0.9	1.4	98.6
Kandiyohi	94.4	3.8	0.0	1.0	0.8	22.8	77.2
Kittson	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Koochiching	95.9	0.0	1.6	0.8	1.6	2.5	97.5
Lac Qui Parle	100.0	0.0	0.0	0.0	0.0	4.0	96.0
Lake	97.3	0.0	0.9	1.8	0.0	0.0	100.0
Lake of the Woods	91.5	0.0	2.1	4.3	2.1	0.0	100.0
Le Sueur	89.6	0.0	0.0	1.1	9.3	9.8	90.2
Lincoln	97.3	0.0	0.0	1.3	1.3	0.0	100.0
Lyon	84.4	3.3	0.3	5.5	6.6	8.3	91.7
McLeod	87.7	0.6	0.0	2.0	9.7	10.9	89.1
Mahnomen	42.4	0.0	52.2	1.1	4.3	1.1	98.9
Marshall	89.4	0.8	0.0	0.8	8.9	9.1	90.9
Martin	94.1	0.7	0.7	0.7	3.8	7.7	92.3
Meeker	98.2	0.0	0.3	0.0	1.5	6.7	93.3
Mille Lacs	90.3	0.0	8.1	0.8	0.8	1.9	98.1
Morrison	97.1	1.1	0.5	0.9	0.5	0.9	99.1
Mower	74.7	2.9	0.5	1.8	20.0	22.3	77.7
Murray	91.3	0.0	1.0	1.0	6.8	6.8	93.2

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By State and County, 2007**

	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
State of Minnesota	75.1	9.0	2.1	6.7	7.1	8.1	91.9
Nicollet	87.8	3.6	1.0	1.9	5.7	6.4	93.6
Nobles	49.2	1.9	1.6	4.4	42.9	46.7	53.3
Norman	89.2	0.0	1.4	0.0	9.5	6.8	93.2
Olmsted	81.5	7.4	0.1	8.1	3.0	5.9	94.1
Otter Tail	92.2	3.0	0.3	1.1	3.5	4.1	95.9
Pennington	94.4	2.1	3.6	0.0	0.0	3.1	96.9
Pine	88.2	1.6	7.5	1.6	1.2	1.9	98.1
Pipestone	92.4	0.8	0.8	0.8	5.3	6.8	93.2
Polk	86.9	0.5	2.6	0.5	9.5	10.1	89.9
Pope	99.3	0.0	0.0	0.0	0.7	1.5	98.5
Ramsey	52.5	17.9	1.5	19.1	9.0	10.8	89.2
Red Lake	85.5	0.0	9.1	1.8	3.6	7.3	92.7
Redwood	82.1	0.5	11.8	3.8	1.9	1.9	98.1
Renville	95.0	0.6	1.3	0.6	2.5	18.8	81.2
Rice	76.6	4.3	0.1	2.3	16.7	17.0	83.0
Rock	96.6	0.7	0.7	1.4	0.7	4.8	95.2
Roseau	92.2	0.0	2.9	4.4	0.5	1.0	99.0
St. Louis	91.4	2.4	3.8	1.1	1.3	1.8	98.2
Scott	81.1	3.7	1.1	7.7	6.4	6.1	93.9
Sherburne	93.7	2.3	0.3	1.7	2.0	2.3	97.7
Sibley	86.2	0.0	0.0	1.0	12.8	14.8	85.2
Stearns	88.2	5.7	0.6	2.4	3.2	5.2	94.8
Steele	80.3	7.3	0.2	1.8	10.4	11.9	88.1
Stevens	91.1	1.6	1.6	3.3	2.4	2.4	97.6
Swift	93.0	2.0	0.0	1.0	4.0	8.0	92.0
Todd	94.9	0.3	0.8	0.0	3.9	13.8	86.2
Traverse	75.7	5.4	16.2	0.0	2.7	2.7	97.3
Wabasha	94.1	1.0	0.0	0.7	4.1	5.9	94.1
Wadena	98.9	0.5	0.0	0.0	0.5	0.0	100.0
Waseca	90.8	1.5	0.8	1.5	5.4	6.2	93.8
Washington	80.3	4.9	0.4	11.2	3.1	3.5	96.5
Watonwan	68.3	1.1	0.5	0.0	30.1	38.3	61.7
Wilkin	96.6	0.0	0.0	0.0	3.4	4.6	95.4
Winona	91.8	2.3	0.0	2.8	3.0	2.9	97.1
Wright	93.7	1.6	0.5	2.0	2.3	2.6	97.4
Yellow Medicine	88.3	0.7	4.4	0.0	6.6	8.0	92.0

Source: Minnesota Department of Health, Center for Health Statistics

Section CHS: Natality by CHS Agency

Tables

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Cesarean Births

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Natality Table 1: Selected Minnesota Natality Statistics
By CHS Agency, 2007**

CHS Agency	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
Aitkin, Itasca, Koochiching	807	64.7	10.9	778	10.5	0.4
Mahnomen, Norman	166	87.4	14.1	170	14.4	-0.3
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,114	73.5	14.9	657	8.8	6.1
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	546	77.7	11.8	546	11.8	0.0
Brown, Nicollet	700	59.9	12.1	509	8.8	3.3
Carlton, Cook, Lake, St. Louis	2,683	56.3	10.9	2,570	10.4	0.5
Cass, Morrison, Todd, Wadena	1,339	74.6	13.5	1,021	10.3	3.2
Clay, Wilkin	870	60.9	14.2	444	7.3	7.0
Cottonwood, Jackson	267	72.8	12.0	249	11.2	0.8
Dodge, Steele	819	73.6	14.6	374	6.7	8.0
Grant, Pope, Traverse, Stevens	370	66.1	12.2	345	11.3	0.8
Faribault, Martin	447	81.5	12.7	427	12.1	0.6
Houston, Fillmore	542	74.3	13.4	385	9.5	3.9
Isanti, Mille Lacs	886	63.8	13.6	491	7.5	6.1
Kanabec, Pine	534	62.9	12.1	363	8.2	3.9
Kittson, Marshall, Pennington, Red Lake, Roseau	622	73.5	13.0	445	9.3	3.7
Le Sueur, Waseca	627	70.5	13.2	367	7.7	5.5
Lincoln, Lyon, Murray, Pipestone	676	76.3	14.0	540	11.2	2.8
Meeker, McLeod, Sibley	1,034	73.0	13.7	596	7.9	5.8
Nobles, Rock	513	103.7	17.3	324	10.9	6.4
Redwood, Renville	372	72.4	11.8	371	11.7	0.0

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By CHS Agency, 2007**

CHS Agency	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2005-2007	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
Aitkin, Itasca, Koochiching	62	9.2	39	4.9	1.0	3.3
Mahnomen, Norman	9	6.8	7	4.5	0.4	0.8
Beltrami, Clearwater, Hubbard, Lake of the Woods	82	9.1	57	5.3	1.0	3.0
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	32	7.1	19	3.6	0.6	1.6
Brown, Nicollet	55	8.3	29	4.2	0.8	2.9
Carlton, Cook, Lake, St. Louis	236	9.5	111	4.3	0.7	2.8
Cass, Morrison, Todd, Wadena	109	9.2	55	4.2	0.8	2.7
Clay, Wilkin	56	7.8	45	5.4	1.1	3.4
Cottonwood, Jackson	32	12.8	17	6.5	0.8	3.2
Dodge, Steele	56	7.4	29	3.7	0.7	2.5
Grant, Pope, Traverse, Stevens	24	7.1	16	4.6	0.3	4.7
Faribault, Martin	36	10.0	20	4.6	0.9	2.8
Houston, Fillmore	31	6.1	15	2.8	0.8	2.3
Isanti, Mille Lacs	69	8.9	47	5.4	0.8	1.9
Kanabec, Pine	32	8.9	15	2.9	0.9	1.9
Kittson, Marshall, Pennington, Red Lake, Roseau	42	7.5	30	5.0	0.8	3.1
Le Sueur, Waseca	42	7.3	27	4.4	0.4	3.3
Lincoln, Lyon, Murray, Pipestone	52	9.4	36	5.5	0.7	2.4
Meeker, McLeod, Sibley	77	8.4	45	4.5	0.8	2.5
Nobles, Rock	47	10.7	25	5.0	0.8	3.6
Redwood, Renville	19	6.1	15	4.1	0.4	3.8

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

**Nativity Table 3: Minnesota Infant Mortality
By CHS Agency, 2003-2007**

CHS Agency	Number of Infant Deaths 2007	Infant Mortality Rate 2003-2007	Neonatal Mortality Rate 2003-2007	Post-neonatal Mortality Rate 2003-2007	Fetal Death Rate 2003-2007	Perinatal Death Rate 2003-2007
Aitkin, Itasca, Koochiching	2	5.4	*	*	5.1	6.9
Mahnomen, Norman	1	*	*	*	*	*
Beltrami, Clearwater, Hubbard, Lake of the Woods	9	6.6	*	*	5.1	7.1
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	2	*	*	*	*	*
Brown, Nicollet	5	5.8	*	*	6.3	8.9
Carlton, Cook, Lake, St. Louis	10	4.7	3.1	1.6	4.3	6.0
Cass, Morrison, Todd, Wadena	7	5.9	3.9	*	5.5	8.3
Clay, Wilkin	7	8.3	5.5	*	*	5.3
Cottonwood, Jackson	1	*	*	*	*	*
Dodge, Steele	2	*	*	*	*	*
Grant, Pope, Traverse, Stevens	1	*	*	*	*	*
Faribault, Martin	1	*	*	*	*	*
Houston, Fillmore	2	*	*	*	*	*
Isanti, Mille Lacs	7	7.1	5.4	*	5.6	7.7
Kanabec, Pine	2	*	*	*	8.8	8.1
Kittson, Marshall, Pennington, Red Lake, Roseau	3	*	*	*	*	*
Le Sueur, Waseca		*	*	*	*	*
Lincoln, Lyon, Murray, Pipestone	4	*	*	*	*	*
Meeker, McLeod, Sibley	4	*	*	*	*	*
Nobles, Rock	2	*	*	*	*	*
Redwood, Renville	0	*	*	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics.

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

**Natality Table 4: Prenatal Care in Minnesota
By CHS Agency, 2007**

CHS Agency	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
Aitkin, Itasca, Koochiching	80.4	71.0	24.4	4.7
Mahnomen, Norman	72.9	65.3	30.7	4.0
Beltrami, Clearwater, Hubbard, Lake of the Woods	71.1	57.7	33.7	8.7
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	85.8	76.6	20.2	3.2
Brown, Nicollet	90.4	87.9	11.6	0.5
Carlton, Cook, Lake, St. Louis	88.8	77.9	18.4	3.8
Cass, Morrison, Todd, Wadena	76.1	64.8	25.4	9.9
Clay, Wilkin	68.7	67.3	27.4	5.3
Cottonwood, Jackson	88.3	76.2	23.0	0.8
Dodge, Steele	88.8	85.7	12.8	1.5
Grant, Pope, Traverse, Stevens	86.9	78.2	20.1	1.8
Faribault, Martin	87.6	87.9	9.9	2.3
Houston, Fillmore	82.8	77.3	14.7	8.0
Isanti, Mille Lacs	83.4	78.5	18.7	2.9
Kanabec, Pine	79.5	71.0	23.7	5.4
Kittson, Marshall, Pennington, Red Lake, Roseau	80.9	77.8	19.4	2.8
Le Sueur, Waseca	87.3	83.5	15.6	0.9
Lincoln, Lyon, Murray, Pipestone	82.5	66.7	30.7	2.7
Meeker, McLeod, Sibley	86.5	81.3	17.4	1.3
Nobles, Rock	80.0	71.7	22.9	5.5
Redwood, Renville	85.6	78.3	18.2	3.6

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

**Natality Table 5: Cesarean Births in Minnesota
By CHS Agency, 2007**

CHS Agency	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
Aitkin, Itasca, Koochiching	28.8	14.4	95.9
Mahnomen, Norman	24.1	13.9	100.0
Beltrami, Clearwater, Hubbard, Lake of the Woods	30.3	16.5	95.0
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	33.7	14.8	98.1
Brown, Nicollet	30.6	17.0	96.0
Carlton, Cook, Lake, St. Louis	31.8	17.7	94.0
Cass, Morrison, Todd, Wadena	25.2	13.1	85.6
Clay, Wilkin	24.4	15.6	90.5
Cottonwood, Jackson	33.3	14.6	92.6
Dodge, Steele	32.2	15.9	97.1
Grant, Pope, Traverse, Stevens	31.4	16.5	93.2
Faribault, Martin	30.7	16.8	93.9
Houston, Fillmore	21.6	10.9	87.9
Isanti, Mille Lacs	26.2	13.2	87.1
Kanabec, Pine	26.8	13.3	93.5
Kittson, Marshall, Pennington, Red Lake, Roseau	35.9	21.4	97.8
Le Sueur, Waseca	29.2	17.1	89.4
Lincoln, Lyon, Murray, Pipestone	32.8	18.3	91.6
Meeker, McLeod, Sibley	28.3	15.4	90.5
Nobles, Rock	29.6	17.9	95.2
Redwood, Renville	31.2	16.7	93.1

Source: Minnesota Department of Health, Center for Health Statistics

**Nativity Table 6: Fertility and Family Planning in Minnesota
By CHS Agency, 2007**

	Pregnancies		Abortions		Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate		
Aitkin, Itasca, Koochiching	885	70.9	75	5.9	6.5	2.1
Mahnomen, Norman	169	89.0	**	*	7.8	4.1
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,174	77.5	55	3.6	5.4	4.8
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	587	83.5	36	5.1	6.3	4.1
Brown, Nicollet	768	65.7	65	5.5	3.9	2.2
Carlton, Cook, Lake, St. Louis	3,160	66.2	468	9.7	3.3	3.7
Cass, Morrison, Todd, Wadena	1,410	78.4	64	3.5	9.2	2.4
Clay, Wilkin	877	61.4	7	*	4.5	1.8
Cottonwood, Jackson	286	78.0	19	*	3.8	1.6
Dodge, Steele	902	81.0	80	7.2	4.4	3.3
Grant, Pope, Traverse, Stevens	385	68.8	14	*	4.3	6.4
Faribault, Martin	475	86.4	26	4.6	3.6	3.1
Houston, Fillmore	565	77.5	23	3.2	5.5	3.3
Isanti, Mille Lacs	972	70.0	82	5.9	3.7	2.7
Kanabec, Pine	595	70.1	56	6.6	4.1	2.9
Kittson, Marshall, Pennington, Red Lake, Roseau	637	75.2	12	*	3.7	2.5
Le Sueur, Waseca	676	76.0	48	5.4	4.3	2.2
Lincoln, Lyon, Murray, Pipestone	699	78.9	22	2.5	4.7	3.0
Meeker, McLeod, Sibley	1,103	77.9	64	4.5	6.6	2.8
Nobles, Rock	519	104.9	**	*	6.0	4.1
Redwood, Renville	398	77.4	25	4.9	5.1	3.4

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number or rate not reported if number of events is less than 6 for one of the counties.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Four or More Births: Births to women with four or more previous live births

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By CHS Agency, 2005-2007**

CHS Agency	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
Aitkin, Itasca, Koochiching	12.8	57.0	28.9	15.3	66.0	33.8
Mahnomen, Norman	24.9	126.3	56.0	26.1	134.4	59.3
Beltrami, Clearwater, Hubbard, Lake of the Woods	24.1	86.0	49.8	27.2	91.8	54.0
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	11.2	57.3	27.1	13.9	61.1	30.1
Brown, Nicollet	8.5	28.6	19.2	13.0	37.1	25.8
Carlton, Cook, Lake, St. Louis	12.5	34.8	23.7	18.6	46.8	32.8
Cass, Morrison, Todd, Wadena	17.2	90.5	42.0	21.0	99.0	47.4
Clay, Wilkin	12.8	18.8	16.5	13.3	19.5	17.1
Cottonwood, Jackson	*	44.0	22.0	13.0	44.0	23.3
Dodge, Steele	12.0	72.4	32.5	16.6	83.8	39.4
Grant, Pope, Traverse, Stevens	*	17.6	12.5	*	19.5	13.7
Faribault, Martin	14.7	73.1	34.2	17.3	83.4	39.4
Houston, Fillmore	8.3	43.6	20.5	11.0	54.0	25.9
Isanti, Mille Lacs	12.6	82.9	36.2	18.6	97.5	45.1
Kanabec, Pine	11.3	95.2	37.3	16.9	113.7	46.9
Kittson, Marshall, Pennington, Red Lake, Roseau	7.4	53.4	24.0	8.7	56.7	26.0
Le Sueur, Waseca	9.1	60.9	27.3	12.1	72.4	33.2
Lincoln, Lyon, Murray, Pipestone	10.8	46.4	25.6	11.8	53.1	29.0
Meeker, McLeod, Sibley	16.5	73.6	35.6	19.3	83.9	40.9
Nobles, Rock	20.4	106.2	50.7	20.4	109.1	51.7
Redwood, Renville	11.7	63.2	29.1	13.0	68.4	31.8

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By CHS Agency, 2007**

CHS Agency	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
Aitkin, Itasca, Koochiching	45.6	13.0	25.0	8.9	37.6	53.6
Mahnomen, Norman	48.8	9.0	23.9	17.1	38.4	44.5
Beltrami, Clearwater, Hubbard, Lake of the Woods	47.6	15.2	23.4	14.4	34.6	51.0
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	33.0	7.9	16.2	8.6	31.3	60.1
Brown, Nicollet	31.4	6.9	8.5	6.5	24.0	69.5
Carlton, Cook, Lake, St. Louis	40.9	8.2	22.7	9.4	26.8	63.8
Cass, Morrison, Todd, Wadena	40.4	8.4	24.4	14.9	34.3	50.8
Clay, Wilkin	29.5	8.7	9.9	8.2	18.6	73.2
Cottonwood, Jackson	28.5	6.4	14.6	10.2	35.1	54.7
Dodge, Steele	30.2	9.7	12.3	13.1	29.1	57.9
Grant, Pope, Traverse, Stevens	24.1	4.1	12.2	3.6	30.4	66.0
Faribault, Martin	40.3	5.2	15.5	13.0	32.4	54.6
Houston, Fillmore	24.7	15.3	10.4	11.6	24.0	64.4
Isanti, Mille Lacs	36.9	8.4	18.0	8.1	37.3	54.6
Kanabec, Pine	41.2	8.6	25.9	10.8	40.3	49.0
Kittson, Marshall, Pennington, Red Lake, Roseau	30.7	5.1	18.7	5.3	32.5	62.1
Le Sueur, Waseca	32.7	7.5	12.0	9.2	25.6	65.3
Lincoln, Lyon, Murray, Pipestone	31.7	8.3	13.4	8.7	27.5	63.8
Meeker, McLeod, Sibley	28.6	7.8	11.7	9.9	32.9	57.2
Nobles, Rock	42.1	9.1	7.4	35.7	25.4	38.9
Redwood, Renville	35.2	6.2	17.2	11.5	37.9	50.6

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By CHS Agency, 2007**

CHS Agency	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
Aitkin, Itasca, Koochiching	89.7	0.3	8.7	0.5	0.9	1.9	98.2
Mahnomen, Norman	63.3	0.0	29.5	0.6	6.6	3.6	96.4
Beltrami, Clearwater, Hubbard, Lake of the Woods	71.5	0.3	26.8	0.5	1.0	1.1	98.9
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	89.4	0.9	2.9	0.4	6.4	8.6	91.4
Brown, Nicollet	89.6	2.1	0.6	1.3	6.4	8.2	91.8
Carlton, Cook, Lake, St. Louis	90.6	1.9	5.2	1.2	1.1	1.8	98.2
Cass, Morrison, Todd, Wadena	88.5	0.5	9.4	0.3	1.3	4.3	95.7
Clay, Wilkin	88.9	1.3	2.8	1.3	5.9	5.7	94.3
Cottonwood, Jackson	88.8	0.4	0.8	3.0	7.1	8.2	91.8
Dodge, Steele	85.4	4.9	0.1	1.8	7.8	9.9	90.1
Grant, Pope, Traverse, Stevens	93.5	1.1	2.4	1.4	1.6	1.9	98.1
Faribault, Martin	92.6	0.5	0.5	0.7	5.8	8.3	91.7
Houston, Fillmore	98.9	0.4	0.2	0.4	0.2	0.4	99.6
Isanti, Mille Lacs	93.6	0.2	3.6	1.5	1.1	1.6	98.4
Kanabec, Pine	91.6	1.1	4.9	1.3	1.1	1.7	98.3
Kittson, Marshall, Pennington, Red Lake, Roseau	92.3	0.8	2.9	1.8	2.3	3.7	96.3
Le Sueur, Waseca	90.1	0.6	0.3	1.3	7.7	8.3	91.7
Lincoln, Lyon, Murray, Pipestone	88.5	1.9	0.4	3.4	5.8	6.9	93.2
Meeker, McLeod, Sibley	90.7	0.3	0.1	1.2	7.7	10.4	89.6
Nobles, Rock	62.8	1.6	1.4	3.5	30.8	34.8	65.2
Redwood, Renville	87.6	0.5	7.3	2.4	2.2	9.1	90.9

Section C: Mortality

Tables

Table 1: Leading Causes of Death

Table 2: Years of Potential Life Lost

Table 3a: Unintentional Injuries, Suicides and Homicides

Table 3b: Falls, Motor Vehicle and Pedestrian Deaths

Table 4: Number of Cases of Cancer Deaths by Major Site & Sex

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

State of Minnesota - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	25	21	3	0	49
Alzheimer's Disease	0	0	1	0	10	42	1,128	1,181
Atherosclerosis	0	0	0	0	6	2	65	73
Cancer	7	16	31	218	2,272	2,138	4,486	9,168
Cirrhosis	1	0	1	48	196	60	74	380
Congenital Anomalies	108	7	5	13	30	7	16	186
Chronic Lower Respiratory Disease	0	1	1	16	148	352	1,237	1,755
Diabetes	0	0	1	35	212	177	658	1,083
Heart Disease	13	3	11	147	1,008	860	5,523	7,565
Homicide	6	3	36	43	23	2	5	118
Hypertension	0	0	0	1	45	45	317	408
Nephritis	2	1	1	12	66	90	606	778
Perinatal Conditions	190	0	0	0	0	0	0	190
Pneumonia and Influenza	10	3	0	8	45	39	495	600
Septicemia	2	0	3	9	66	57	199	336
SIDS	27	0	0	0	0	0	0	27
Stroke	4	2	5	25	195	227	1,623	2,081
Suicide	0	3	82	207	205	34	40	571
Unintentional Injury	43	29	203	349	454	141	844	2,063
Other	58	15	50	210	1,019	914	6,208	8,474
Total	471	83	431	1,366	6,021	5,190	23,524	37,086

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	14	16
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	15	23	45
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	2	4
Diabetes	0	0	0	1	0	2	5	8
Heart Disease	0	0	0	0	3	9	32	44
Homicide	0	0	0	0	0	1	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	2	7	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	3	1	5	10
Other	0	0	0	0	3	6	20	29
Total	0	0	0	3	19	39	114	175

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Anoka County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	2	2	15	130	125	165	439
Cirrhosis	0	0	0	1	9	0	2	12
Congenital Anomalies	4	0	0	2	2	0	1	9
Chronic Lower Respiratory Disease	0	0	0	2	13	24	41	80
Diabetes	0	0	0	1	9	7	19	36
Heart Disease	2	0	0	7	49	29	147	234
Homicide	0	0	4	2	3	0	0	9
Hypertension	0	0	0	0	7	2	14	23
Nephritis	0	0	0	2	5	3	24	34
Perinatal Conditions	13	0	0	0	0	0	0	13
Pneumonia and Influenza	0	0	0	0	4	2	10	16
Septicemia	0	0	0	0	6	3	3	12
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	1	1	12	14	43	71
Suicide	0	0	9	13	13	0	2	37
Unintentional Injury	0	2	11	25	17	6	29	90
Other	1	2	2	11	44	47	190	297
Total	21	6	29	83	323	262	705	1,429

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	16	16
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	19	8	37	64
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	4	3	11	18
Diabetes	0	0	0	0	1	2	11	14
Heart Disease	0	0	0	0	13	10	45	68
Homicide	0	0	1	1	0	0	0	2
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	2	4	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	6	11	20
Suicide	0	0	0	2	1	0	2	5
Unintentional Injury	2	1	2	4	4	1	6	20
Other	1	0	0	0	7	7	44	59
Total	6	1	3	7	55	41	197	310

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Beltrami County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	1	0	16	17
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	23	23	38	87
Cirrhosis	0	0	0	2	6	1	2	11
Congenital Anomalies	2	0	0	0	0	0	1	3
Chronic Lower Respiratory Disease	0	0	0	0	1	7	11	19
Diabetes	0	0	0	0	1	2	6	9
Heart Disease	0	0	0	2	8	6	43	59
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	2	5	8
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	1	1	6	8
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	4	14	18
Suicide	0	1	4	0	1	1	1	8
Unintentional Injury	2	0	1	11	10	4	4	32
Other	1	0	1	1	15	8	47	73
Total	9	1	6	20	68	60	201	365

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	1	3	19	18	44	85
Cirrhosis	0	0	0	1	0	1	1	3
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	2	11	14
Diabetes	0	0	0	0	2	1	4	7
Heart Disease	0	0	0	0	10	16	62	88
Homicide	0	0	0	2	0	0	0	2
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	1	17	19
Suicide	0	0	1	2	1	0	0	4
Unintentional Injury	0	0	1	2	3	0	3	9
Other	0	0	0	0	11	4	55	70
Total	2	0	3	11	48	45	222	331

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Big Stone County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	0	5	13
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	2	4
Diabetes	0	0	0	0	1	0	3	4
Heart Disease	0	0	0	0	2	2	14	18
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	1	0	0	2
Other	0	0	0	0	1	2	7	10
Total	0	0	1	0	8	10	54	73

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	12	12
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	1	0	4	16	24	50	95
Cirrhosis	0	0	0	0	2	1	1	4
Congenital Anomalies	1	0	0	0	0	1	1	3
Chronic Lower Respiratory Disease	0	0	0	1	1	4	10	16
Diabetes	0	0	0	0	1	3	9	13
Heart Disease	0	0	0	2	9	2	57	70
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	1	2	0	5	8
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	1	0	0	1	3	5
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	1	21	23
Suicide	0	0	3	1	7	0	0	11
Unintentional Injury	0	0	1	4	5	1	8	19
Other	1	0	0	5	16	9	95	126
Total	5	1	5	18	61	48	284	422

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Brown County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	9	48	66
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	9	12
Diabetes	0	0	0	0	1	3	12	16
Heart Disease	0	0	0	0	4	8	63	75
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	23	26
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	1	1	3	2	8	15
Other	1	0	0	0	3	8	53	65
Total	2	0	1	2	24	35	239	303

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	1	4	5
Cancer	0	0	0	1	18	24	47	90
Cirrhosis	0	0	0	1	1	1	2	5
Congenital Anomalies	0	0	0	0	2	1	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	0	6	6
Diabetes	0	0	0	0	3	1	8	12
Heart Disease	0	0	0	0	6	13	59	78
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	1	0	0	1	1	5	8
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	2	14	17
Suicide	0	0	2	1	1	1	0	5
Unintentional Injury	1	0	4	4	2	1	6	18
Other	1	0	0	1	7	7	57	73
Total	3	1	6	10	42	54	216	332

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

ICD-10 Codes on Page C-45

Carver County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	1	31	24	39	96
Cirrhosis	0	0	0	0	4	0	1	5
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	1	0	3	13	17
Diabetes	0	0	0	1	1	1	4	7
Heart Disease	0	0	0	3	11	8	68	90
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	3	3	6
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	2	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	1	15	19
Suicide	0	0	0	6	3	1	0	10
Unintentional Injury	1	0	4	3	5	2	11	26
Other	1	0	1	2	16	9	49	78
Total	4	0	7	18	74	56	226	385

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	5	11	27	37	80
Cirrhosis	0	0	0	1	2	2	0	5
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	6	11	18
Diabetes	0	0	0	1	4	2	5	12
Heart Disease	0	0	0	2	17	11	33	63
Homicide	0	0	1	0	0	1	0	2
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	1	0	2	0	1	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	11	17
Suicide	0	0	0	3	1	1	1	6
Unintentional Injury	0	0	2	6	5	2	2	17
Other	0	0	1	2	13	12	41	69
Total	2	0	5	20	60	70	153	310

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Chippewa County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	9	13	28
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	1	6	33	40
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	9	11
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	3	0	0	5	8
Other	0	0	1	0	3	2	28	34
Total	0	0	1	3	15	19	104	142

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	11	12
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	28	20	37	87
Cirrhosis	0	0	0	1	3	0	0	4
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	1	2	6	12	21
Diabetes	0	0	0	0	1	1	7	9
Heart Disease	0	0	0	1	12	7	49	69
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	0	0	3	4
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	4	6	13
Suicide	0	0	1	3	2	0	2	8
Unintentional Injury	1	1	2	2	3	2	12	23
Other	1	0	1	3	13	14	52	84
Total	4	1	4	15	67	55	201	347

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Clay County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	4	18	16	38	77
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	1	1	7	9	18
Diabetes	0	0	0	1	0	3	5	9
Heart Disease	0	0	0	3	6	7	64	80
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	1	0	0	0	0	0	11	12
Septicemia	0	0	0	0	0	1	7	8
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	1	0	1	16	19
Suicide	0	0	2	5	3	1	1	12
Unintentional Injury	0	1	3	5	10	1	7	27
Other	2	0	0	2	11	9	73	97
Total	8	1	7	23	51	46	250	386

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	4	9	19
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	3	3
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	3	3	20	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	1	2	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	0	2	2	17	21
Total	0	0	0	1	13	12	60	86

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Cook County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	4	14	24
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	0	2
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	1	2	8	11
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	1	0	1	3
Other	0	0	0	0	1	0	11	12
Total	0	0	1	0	10	9	39	59

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	5	9	11	26
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	4	7
Diabetes	0	0	0	0	2	1	5	8
Heart Disease	0	0	0	0	7	2	48	57
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	7	10
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	1	0	1	4	6
Other	0	0	0	0	2	2	25	29
Total	0	0	1	2	17	22	115	157

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Crow Wing County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	7
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	2	5	39	50	69	165
Cirrhosis	0	0	0	1	4	1	1	7
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	1	3	25	30
Diabetes	0	0	0	0	6	2	7	15
Heart Disease	0	0	0	1	15	17	83	116
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	2	1	3
Nephritis	0	0	0	0	1	5	8	14
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	25	29
Suicide	0	0	0	5	3	0	1	9
Unintentional Injury	0	0	2	4	3	0	15	24
Other	0	0	0	0	14	16	86	116
Total	1	0	4	17	88	101	335	546

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	0	0	0	2
Alzheimer's Disease	0	0	0	0	0	0	1	54
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	2	2	16	167	129	210	526
Cirrhosis	0	0	0	4	10	3	6	23
Congenital Anomalies	3	0	1	1	2	0	2	9
Chronic Lower Respiratory Disease	0	0	0	0	5	18	60	83
Diabetes	0	0	0	2	16	13	39	70
Heart Disease	0	1	1	5	55	40	213	315
Homicide	0	0	2	0	0	0	0	2
Hypertension	0	0	0	0	0	2	15	17
Nephritis	0	0	1	1	4	5	28	39
Perinatal Conditions	12	0	0	0	0	0	0	12
Pneumonia and Influenza	1	0	0	0	4	0	19	24
Septicemia	0	0	0	1	3	7	8	19
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	4	13	13	82	112
Suicide	0	0	2	10	20	2	1	35
Unintentional Injury	0	2	10	14	21	7	39	93
Other	5	0	3	19	66	56	315	464
Total	21	5	22	79	386	296	1,091	1,900

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

Dodge County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	14	8	19	43
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	6	8
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	6	1	20	27
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	1	0	0	0	0	0	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	1	1	0	1	0	3
Unintentional Injury	0	1	0	1	2	0	2	6
Other	0	0	0	1	2	6	11	20
Total	1	2	1	4	26	19	72	125

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	17	18
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	19	14	49	84
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	15	16
Diabetes	0	0	0	0	0	0	8	8
Heart Disease	0	0	0	0	4	11	71	86
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	0	0	2	7	9
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	14	14
Septicemia	0	0	0	0	0	2	2	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	1	21	22
Suicide	0	0	0	1	1	1	0	3
Unintentional Injury	0	0	0	1	4	1	5	11
Other	0	0	2	2	3	3	46	56
Total	1	0	3	6	32	38	258	338

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

Faribault County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	10	29	46
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	8	9
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	0	0	0	1	6	2	39	48
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	2	3	5
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	7	10
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	2	1	1	0	5	9
Other	0	0	0	0	3	8	22	33
Total	0	0	2	3	19	26	123	173

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	8	34	52
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	9	10
Diabetes	0	0	0	0	0	0	6	6
Heart Disease	0	0	0	0	3	8	45	56
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	2	0	7	10
Other	0	0	0	0	3	3	38	44
Total	0	0	1	0	18	21	168	208

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Freeborn County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	11
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	4	23	13	41	81
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	3	5	8
Diabetes	0	0	0	0	0	0	0	5
Heart Disease	0	0	0	2	4	9	56	71
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	2	3	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	8	10
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	3	16	20
Suicide	0	0	1	2	1	0	0	4
Unintentional Injury	0	0	3	1	2	1	2	9
Other	1	0	0	0	9	11	68	89
Total	4	0	4	9	41	45	219	322

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	1	0	2	18	22	57	100
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	2	0	0	0	0	1	2	5
Chronic Lower Respiratory Disease	0	0	0	0	3	3	14	20
Diabetes	0	0	0	0	2	1	13	16
Heart Disease	0	0	0	1	6	9	65	81
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	6	7
Nephritis	0	0	0	0	0	3	11	14
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	3	6	10
Septicemia	0	0	0	0	0	0	5	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	3	21	27
Suicide	0	0	0	1	1	3	0	5
Unintentional Injury	0	0	2	2	7	1	20	32
Other	1	0	3	2	9	7	71	93
Total	3	1	5	8	52	57	301	427

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

Grant County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	6	14	25
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	1	3
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	2	5	12	19
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	1	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	3	4
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	0	2	1	1	5
Other	0	0	0	0	2	1	9	12
Total	0	0	1	0	13	18	45	77

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	12	10	2	0	24
Alzheimer's Disease	0	0	0	0	3	10	222	235
Atherosclerosis	0	0	0	0	0	0	7	7
Cancer	2	2	7	53	470	418	890	1,842
Cirrhosis	0	0	0	7	51	14	12	84
Congenital Anomalies	29	1	0	3	9	0	1	43
Chronic Lower Respiratory Disease	0	0	0	2	24	72	222	320
Diabetes	0	0	1	12	52	25	98	188
Heart Disease	3	2	3	41	183	130	911	1,273
Homicide	2	1	15	24	5	0	2	49
Hypertension	0	0	0	1	18	17	85	121
Nephritis	0	0	0	2	17	15	129	163
Perinatal Conditions	56	0	0	0	0	0	0	56
Pneumonia and Influenza	1	1	0	4	12	9	85	112
Septicemia	0	0	0	3	20	16	50	89
SIDS	4	0	0	0	0	0	0	4
Stroke	2	0	2	6	48	36	312	406
Suicide	0	0	17	38	38	4	9	106
Unintentional Injury	16	5	32	63	99	29	232	476
Other	10	5	9	48	253	172	1,520	2,017
Total	125	17	86	319	1,312	969	4,787	7,615

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Houston County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	8	16	21	46
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	0	6	4	30	40
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	1	0	0	0	0	0	2	3
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	8	9
Suicide	0	0	0	1	3	0	1	5
Unintentional Injury	0	0	2	1	2	1	5	11
Other	0	0	0	1	3	6	30	40
Total	3	0	2	4	24	29	115	177

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	15	27	52
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	8	11
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	1	0	6	7	14	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	0	1
Septicemia	0	0	0	0	1	0	0	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	1	9	10
Suicide	0	0	0	0	1	1	1	3
Unintentional Injury	0	1	1	1	6	0	5	14
Other	0	0	0	0	5	9	18	32
Total	2	1	2	1	32	36	86	160

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Isanti County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	3	15	13	23	54
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	1	1	3	6	11
Diabetes	0	0	0	0	4	0	4	8
Heart Disease	0	0	0	2	3	9	41	55
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	3	3	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	1	0	0	0	1	0	9	11
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	1	3	11	16
Suicide	0	0	0	1	2	1	1	5
Unintentional Injury	1	0	2	3	2	0	3	11
Other	0	0	0	1	3	2	45	51
Total	3	0	3	12	34	35	165	252

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	17	18
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	32	23	45	103
Cirrhosis	0	0	0	2	2	1	0	5
Congenital Anomalies	1	0	0	0	2	0	1	4
Chronic Lower Respiratory Disease	0	0	0	0	4	3	11	18
Diabetes	0	0	0	1	3	3	4	11
Heart Disease	0	0	0	1	16	16	80	113
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	2	16	18
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	1	0	0	0	0	0	5	6
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	23	25
Suicide	0	0	0	2	3	0	0	5
Unintentional Injury	0	0	1	7	6	2	12	28
Other	1	0	0	3	5	13	61	83
Total	3	0	1	20	73	66	278	441

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

Jackson County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	4	16	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	1	0	2	3
Heart Disease	0	0	0	0	3	1	14	18
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	2	2	0	0	1	3	8
Other	1	0	0	1	1	1	14	18
Total	1	2	2	2	7	8	70	92

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	1	2	4	11	15	34
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	3	3	8
Diabetes	0	0	0	0	2	0	0	2
Heart Disease	0	0	0	1	2	6	15	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	1	0	5	7
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	1	1	0	1	4
Other	0	0	0	0	5	7	21	33
Total	0	1	3	5	19	28	68	124

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

Kandiyohi County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	5
Cancer	0	0	0	2	16	19	26	63
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	15	19
Diabetes	0	0	0	0	1	3	2	6
Heart Disease	0	0	0	1	11	10	63	85
Homicide	0	0	0	1	1	0	0	2
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	1	2	6	9
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	12	13
Septicemia	0	0	0	0	0	1	1	2
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	1	4	26	31
Suicide	0	0	2	0	1	0	0	3
Unintentional Injury	1	1	1	5	5	1	5	19
Other	1	0	0	3	4	5	54	67
Total	4	1	3	12	44	50	229	343

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	0	10	11
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	5	2	16	23
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	3	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	2	1	1	4
Other	0	0	0	1	1	1	17	20
Total	0	0	0	1	9	5	58	73

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Koochiching County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	13	15	19	48
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	2	7	11
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	0	2	6	4	23	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	2	2	0	0	4
Unintentional Injury	0	0	0	0	4	1	3	8
Other	0	0	0	0	7	2	27	36
Total	0	0	0	5	36	25	96	162

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	2	16	21
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	0	4	24	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	2	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	2	3
Other	0	0	0	1	0	0	18	19
Total	0	0	0	1	7	7	71	86

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Lake County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	13
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	5	6	20	32
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	7	8
Diabetes	0	0	0	0	1	1	2	4
Heart Disease	0	0	0	0	3	4	24	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	5	6
Suicide	0	0	0	0	1	1	1	3
Unintentional Injury	1	0	0	2	4	1	0	8
Other	0	0	0	0	4	3	28	35
Total	1	0	0	3	20	17	103	144

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	3	3	5	12
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	1	0	0	1	2
Heart Disease	0	0	0	0	2	0	13	15
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	2	0	2	4
Other	0	0	0	0	1	1	2	4
Total	0	0	0	2	10	4	30	46

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Le Sueur County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	13	14	27	55
Cirrhosis	0	0	0	1	2	0	1	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	7	9
Diabetes	0	0	0	0	2	1	3	6
Heart Disease	0	0	0	0	7	7	43	57
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	3	1	1	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	6	8
Suicide	0	0	1	0	2	0	0	3
Unintentional Injury	0	0	1	3	3	2	2	11
Other	1	0	0	0	5	4	28	38
Total	1	0	2	5	41	32	123	204

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	3	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	5	18	24
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	1	2	15	18
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	7	9
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	0	1	1	0	2	4
Other	0	0	0	0	2	0	13	15
Total	0	0	0	1	6	11	67	85

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Lyon County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	12	11	30	56
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	1	0	1	2	12	16
Diabetes	0	0	0	0	2	0	12	14
Heart Disease	1	0	0	1	7	8	36	53
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	14	16
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	1	4	1	1	5	12
Other	0	0	0	2	0	4	37	43
Total	4	0	2	10	31	26	163	236

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	14	11	32	57
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	4	7
Diabetes	0	0	0	2	0	2	8	12
Heart Disease	0	0	0	0	6	4	58	68
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	9	9
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	3	5
Septicemia	0	0	0	0	1	0	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	3	16	20
Suicide	0	0	0	1	2	0	0	3
Unintentional Injury	0	0	3	1	1	1	12	18
Other	1	0	0	3	2	6	41	53
Total	2	0	3	7	29	32	195	268

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Mahnomen County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	0	5	13
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	1	2	1	4
Heart Disease	0	0	0	0	5	5	5	15
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	0	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	1	1
Suicide	0	0	1	0	0	0	1	2
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	0	2	1	7	10
Total	1	0	1	0	20	10	31	63

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	3	18	23
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	1	0	0	1
Heart Disease	0	0	0	0	0	2	12	14
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	1	9	10
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	0	0	1	1	0	2
Other	0	0	0	0	1	1	12	14
Total	1	0	1	1	6	9	62	80

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

ICD-10 Codes on Page C-45

Martin County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	14	8	35	57
Cirrhosis	0	0	0	0	2	0	2	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	0	0	0	3	0	2	5
Heart Disease	0	0	0	2	4	0	71	77
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	2	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	11	11
Suicide	0	0	3	1	1	0	0	5
Unintentional Injury	0	0	0	1	1	3	10	15
Other	0	0	0	1	9	2	38	50
Total	1	0	3	6	34	15	195	254

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	9	12	34	57
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	1	10	13
Diabetes	0	0	0	0	1	2	3	6
Heart Disease	0	0	0	0	5	6	41	52
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	8	11
Suicide	0	1	0	1	0	0	0	2
Unintentional Injury	0	0	2	1	1	0	6	10
Other	1	0	1	0	6	5	33	46
Total	2	1	3	4	27	30	146	213

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Mille Lacs County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	1	17	14	22	54
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	9	13
Diabetes	0	0	0	0	2	5	6	13
Heart Disease	0	0	0	0	4	7	41	52
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	5	7
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	1	1	2	4	4	1	5	18
Other	0	0	0	0	3	8	43	54
Total	5	1	2	7	35	41	148	239

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	14	18	41	73
Cirrhosis	0	0	0	3	0	0	1	4
Congenital Anomalies	0	0	0	1	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	1	2	4	9	16
Diabetes	0	0	0	0	1	0	6	7
Heart Disease	0	0	0	1	11	15	60	87
Homicide	0	0	1	0	2	0	0	3
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	6	7
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	2	12	17
Suicide	0	0	3	1	1	0	1	6
Unintentional Injury	1	0	1	1	2	1	10	16
Other	1	0	0	1	9	8	51	70
Total	3	0	5	9	48	50	214	329

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Mower County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	8	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	0	11	24	45	81
Cirrhosis	0	0	0	0	0	0	2	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	4	24	28
Diabetes	0	0	0	0	2	2	8	12
Heart Disease	0	0	0	2	8	7	67	84
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	7	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	2	1	1	18	22
Suicide	0	0	0	4	2	0	1	7
Unintentional Injury	1	0	0	3	4	1	12	21
Other	3	0	0	1	11	7	70	92
Total	6	1	0	13	40	47	274	381

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	2	8	12	22
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	3	1	24	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	0	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	5	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	1	1	1	4
Other	0	0	0	1	1	2	24	28
Total	1	0	1	1	9	13	75	100

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Nicollet County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	5	7
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	0	11	14	32	57
Cirrhosis	0	0	0	0	0	2	0	2
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	1	9	11
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	7	7	26	40
Homicide	1	0	0	1	0	0	0	2
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	0	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	1	18	19
Suicide	0	0	1	3	2	0	0	6
Unintentional Injury	0	0	0	1	3	0	5	9
Other	0	0	1	1	3	6	21	32
Total	4	0	2	6	30	34	130	206

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	5	12	34	53
Cirrhosis	0	0	0	1	0	0	1	2
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	1	0	1	6	8
Diabetes	0	0	0	1	2	0	4	7
Heart Disease	1	0	0	1	8	2	37	49
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	1	7	11
Suicide	0	0	0	2	0	0	0	2
Unintentional Injury	0	0	1	3	2	2	2	10
Other	1	0	0	0	4	3	30	38
Total	2	0	2	10	26	22	134	196

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Norman County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	8	11	25
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	0	2	17	19
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	4	6
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	2	2	0	4	8
Other	0	1	0	1	0	2	14	18
Total	0	1	0	3	11	16	76	107

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	17	17
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	3	4	58	46	88	199
Cirrhosis	1	0	0	3	2	0	0	6
Congenital Anomalies	6	1	0	0	0	1	1	9
Chronic Lower Respiratory Disease	0	0	0	0	5	9	42	56
Diabetes	0	0	0	0	3	1	10	14
Heart Disease	0	0	0	6	27	23	131	187
Homicide	0	0	0	2	1	0	0	3
Hypertension	0	0	0	0	1	0	6	7
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	1	5	6
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	3	4	18	26
Suicide	0	0	2	9	3	1	0	15
Unintentional Injury	2	2	5	11	8	2	19	49
Other	0	1	2	5	35	15	158	216
Total	16	4	12	42	146	103	508	831

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Otter Tail County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	33
Atherosclerosis	0	0	0	0	1	0	3	4
Cancer	0	0	0	1	22	34	75	132
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	1	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	5	34	39
Diabetes	0	0	0	1	2	5	15	23
Heart Disease	0	0	0	2	27	15	103	147
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	9	10
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	2	0	9	11
Septicemia	0	0	1	0	1	1	4	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	7	24	33
Suicide	0	0	0	2	6	0	1	9
Unintentional Injury	1	0	2	3	1	4	12	23
Other	0	1	1	0	17	17	90	126
Total	1	2	4	9	85	91	411	603

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	4	16	26
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	4	1	19	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	1	0	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	2	0	0	0	2
Unintentional Injury	0	0	3	1	2	0	3	9
Other	1	0	1	0	5	4	25	36
Total	1	0	4	4	17	10	84	120

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Pine County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	2	11	19	33	66
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	6	9	16
Diabetes	0	0	0	0	1	3	3	7
Heart Disease	0	0	0	1	11	10	34	56
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	2	2	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	5	8	15
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	1	0	1	1	3	0	8	14
Other	0	0	0	0	4	6	37	47
Total	3	0	2	6	35	51	142	239

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	0	0	0	6	7	15	28
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	1	1	2	4
Heart Disease	0	0	0	2	3	2	22	29
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	8	11
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	0	2	1	0	2	5
Other	0	0	0	0	0	2	17	19
Total	1	0	1	4	13	16	84	119

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Polk County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	31	31
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	1	0	0	1	8	12	35	57
Cirrhosis	0	0	0	0	1	2	2	5
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	4	12	17
Diabetes	0	0	0	0	3	1	14	18
Heart Disease	0	0	0	1	6	4	51	62
Homicide	0	1	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	5	7
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	3	0	4	7
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	29	30
Suicide	0	0	0	1	0	0	1	2
Unintentional Injury	0	0	2	2	6	3	8	21
Other	1	0	0	2	6	16	65	90
Total	5	1	2	7	36	43	261	355

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	5	20	29
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	0	5	29	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	4	13	19
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	2	1	0	1	5
Other	0	0	0	0	0	3	19	22
Total	0	0	1	3	8	19	98	129

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Ramsey County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	4	0	0	7
Alzheimer's Disease	0	0	0	0	0	10	114	124
Atherosclerosis	0	0	0	0	2	0	5	7
Cancer	2	1	2	16	233	189	453	896
Cirrhosis	0	0	0	4	22	5	6	37
Congenital Anomalies	16	1	0	2	2	1	3	25
Chronic Lower Respiratory Disease	0	0	0	3	22	29	139	193
Diabetes	0	0	0	4	19	16	53	92
Heart Disease	4	0	0	14	95	71	432	616
Homicide	1	0	7	6	2	0	0	16
Hypertension	0	0	0	0	5	2	26	33
Nephritis	0	0	0	3	7	14	70	94
Perinatal Conditions	34	0	0	0	0	0	0	34
Pneumonia and Influenza	2	1	0	2	2	3	49	59
Septicemia	0	0	0	0	12	3	22	37
SIDS	3	0	0	0	0	0	0	3
Stroke	1	1	0	1	32	22	177	234
Suicide	0	0	5	20	12	5	2	44
Unintentional Injury	3	6	17	41	55	10	70	202
Other	3	1	8	34	104	110	741	1,001
Total	69	11	39	153	630	490	2,362	3,754

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	1	4	4	10
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	1	0	0	1
Heart Disease	0	0	0	0	0	1	6	7
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	1	1
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	1	0	1	3
Other	0	0	0	1	1	1	9	12
Total	1	0	0	3	5	7	28	44

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Redwood County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	0	0	1	13	2	24	40
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	6	8
Diabetes	0	0	0	0	3	0	4	7
Heart Disease	0	0	0	1	4	4	48	57
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	8	9
Suicide	0	1	2	0	0	0	0	3
Unintentional Injury	0	0	3	0	2	0	6	11
Other	0	0	0	2	9	6	32	49
Total	0	1	5	5	35	14	144	204

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	9	25	38
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	9	10
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	0	2	2	33	37
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	1	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	2	0	1	3
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	2	2	0	0	0	4
Unintentional Injury	0	0	2	1	4	1	0	8
Other	0	0	0	1	6	4	30	41
Total	0	0	4	5	19	21	118	167

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

Rice County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	4	15	18	64	101
Cirrhosis	0	0	0	0	2	1	3	6
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	6	15	22
Diabetes	0	0	0	0	2	2	4	8
Heart Disease	0	0	0	1	10	10	68	89
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	1	0	0	0	1	7	9
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	0	1	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	26	31
Suicide	0	0	1	2	4	0	0	7
Unintentional Injury	1	0	3	4	2	4	5	19
Other	1	0	2	0	11	12	70	96
Total	2	1	6	11	50	59	283	412

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	6	20	31
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	8	9
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	1	3	29	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	8	11
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	1	0	1	0	1	3
Other	0	0	1	0	0	4	15	20
Total	0	0	2	2	9	16	99	128

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Roseau County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	8	6	14	30
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	3	5
Diabetes	0	0	0	0	1	3	4	8
Heart Disease	0	0	0	0	4	4	26	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	0	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	9	10
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	1	2	1	2	0	3	9
Other	0	0	0	0	4	1	12	17
Total	1	1	2	4	21	16	83	128

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	1	0	0	2
Alzheimer's Disease	0	0	1	0	0	1	87	89
Atherosclerosis	0	0	0	0	1	0	3	4
Cancer	1	1	1	8	117	117	243	488
Cirrhosis	0	0	0	4	14	4	4	26
Congenital Anomalies	2	1	1	0	1	0	0	5
Chronic Lower Respiratory Disease	0	0	0	1	15	16	87	119
Diabetes	0	0	0	1	7	15	47	70
Heart Disease	0	0	1	7	72	53	374	507
Homicide	0	0	1	1	1	0	0	3
Hypertension	0	0	0	0	1	1	14	16
Nephritis	0	0	0	1	1	2	41	45
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	3	24	28
Septicemia	0	0	0	2	4	1	8	15
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	0	4	11	8	85	108
Suicide	0	0	3	11	13	4	0	31
Unintentional Injury	0	1	10	15	29	5	34	94
Other	2	1	0	14	66	41	256	380
Total	10	4	18	70	355	271	1,307	2,035

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Scott County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	4	46	36	43	129
Cirrhosis	0	0	0	1	1	2	1	5
Congenital Anomalies	3	0	0	0	1	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	2	2	11	15
Diabetes	0	0	0	1	3	2	13	19
Heart Disease	0	0	0	4	11	10	59	84
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	3	0	5	8
Perinatal Conditions	9	0	0	0	0	0	0	9
Pneumonia and Influenza	1	0	0	1	0	0	6	8
Septicemia	0	0	0	1	0	1	4	6
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	4	4	25	33
Suicide	0	0	0	2	3	0	1	6
Unintentional Injury	0	0	3	7	6	5	12	33
Other	2	0	2	4	9	12	60	89
Total	17	0	5	25	90	74	251	462

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	18	18
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	24	16	40	80
Cirrhosis	0	0	0	0	3	0	1	4
Congenital Anomalies	2	2	1	0	1	0	0	6
Chronic Lower Respiratory Disease	0	0	0	0	3	3	16	22
Diabetes	0	0	0	0	3	1	10	14
Heart Disease	0	0	0	3	12	13	56	84
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	1	1	2	4
Nephritis	0	0	0	0	0	3	6	9
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	1	0	6	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	1	0	0	1	3	17	22
Suicide	0	0	1	2	4	1	0	8
Unintentional Injury	0	0	5	5	2	3	8	23
Other	1	1	2	2	12	7	59	84
Total	5	4	9	12	69	51	246	396

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

ICD-10 Codes on Page C-45

Sibley County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	1	7	6	7	21
Cirrhosis	0	0	0	1	0	0	1	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	2	4	6
Heart Disease	0	0	0	0	1	1	30	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	3	1	4
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	0	2	0	0	3	5
Other	0	0	0	0	3	5	15	23
Total	0	0	0	4	14	21	76	115

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	18	18
Atherosclerosis	0	0	0	0	1	0	4	5
Cancer	0	1	1	5	56	51	104	218
Cirrhosis	0	0	0	1	3	2	1	7
Congenital Anomalies	4	0	0	0	1	0	0	5
Chronic Lower Respiratory Disease	0	0	0	0	7	12	16	35
Diabetes	0	0	0	0	6	3	16	25
Heart Disease	1	0	1	4	29	19	128	182
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	11	11
Nephritis	0	0	0	0	2	4	11	17
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	1	0	0	0	1	0	13	15
Septicemia	0	0	0	0	1	0	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	5	4	29	38
Suicide	0	0	0	3	5	1	1	10
Unintentional Injury	2	0	3	7	12	2	19	45
Other	3	0	1	4	16	14	96	134
Total	17	1	6	24	145	112	471	776

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

Steele County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	10	17	27	57
Cirrhosis	0	0	0	1	0	0	2	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	7	9
Diabetes	0	0	0	0	4	4	5	13
Heart Disease	0	0	1	0	8	9	52	70
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	1	8	10
Suicide	0	0	2	2	0	0	0	4
Unintentional Injury	0	0	3	1	0	1	7	12
Other	0	0	0	1	5	0	40	46
Total	1	0	6	8	30	35	169	249

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	3	2	14	19
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	1	1	10	12
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	1	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	3	0	0	4	7
Other	0	0	0	0	2	3	16	21
Total	0	0	0	5	8	10	54	77

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

Swift County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	5	24	35
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	2	3	0	27	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	1	0	0	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	3	0	1	1	7
Other	1	0	0	2	3	2	13	21
Total	1	0	2	8	12	11	86	120

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	12	11	28	53
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	4	0	0	0	0	0	0	4
Chronic Lower Respiratory Disease	0	1	0	0	1	1	7	10
Diabetes	0	0	0	0	2	2	5	9
Heart Disease	0	0	1	0	7	4	29	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	5	6
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	2	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	4	6
Suicide	0	0	1	1	1	1	1	5
Unintentional Injury	0	0	4	1	1	1	5	12
Other	0	0	0	0	10	7	30	47
Total	4	1	6	4	36	30	129	210

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Traverse County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	1	3	6	10
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	0	2	1	16	19
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	2	2
Other	0	0	0	0	0	0	15	15
Total	1	0	0	0	4	6	51	62

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	13	9	28	50
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	12	15
Diabetes	0	0	0	1	0	0	3	4
Heart Disease	0	0	0	0	6	5	31	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	1	0	0	0	0	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	6	9
Suicide	0	0	0	3	1	0	0	4
Unintentional Injury	0	0	1	1	4	0	7	13
Other	0	0	0	2	1	5	29	37
Total	1	0	1	7	29	24	128	190

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Wadena County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	11	10	16	39
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	9	10
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	1	0	0	1	9	6	31	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	9	11
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	0	1	0	3	4
Other	0	0	0	1	1	2	21	25
Total	1	1	0	4	28	21	117	172

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	11	3	23	37
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	10	12
Diabetes	0	0	0	0	4	1	6	11
Heart Disease	0	0	0	1	2	3	31	37
Homicide	0	1	0	1	0	0	0	2
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	3	2	0	0	5
Unintentional Injury	0	0	2	2	1	2	0	7
Other	0	0	0	1	0	7	17	25
Total	0	1	2	8	21	20	111	163

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Washington County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	1	0	34	35
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	1	1	1	10	106	84	126	329
Cirrhosis	0	0	1	0	6	1	1	9
Congenital Anomalies	4	0	0	1	1	1	1	8
Chronic Lower Respiratory Disease	0	0	0	0	2	12	27	41
Diabetes	0	0	0	3	4	10	22	39
Heart Disease	0	0	2	9	34	23	142	210
Homicide	1	0	1	0	0	0	0	2
Hypertension	0	0	0	0	1	0	7	8
Nephritis	1	0	0	1	2	3	17	24
Perinatal Conditions	7	0	0	0	0	0	0	7
Pneumonia and Influenza	0	0	0	0	0	1	11	12
Septicemia	0	0	0	0	1	2	4	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	5	9	43	57
Suicide	0	0	3	8	9	2	2	24
Unintentional Injury	1	1	7	10	14	4	13	50
Other	1	2	3	8	38	41	184	277
Total	16	4	18	50	225	193	635	1,141

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	6	18	27
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	1	2	1	4
Heart Disease	0	0	0	0	5	6	24	35
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	1	0	0	0	0	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	1	0	1	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	0	1	0	0	0	4	5
Other	0	0	0	0	2	1	14	17
Total	1	0	2	3	14	17	79	116

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Wilkin County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	4	5	13
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	3	1	14	18
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	4	5
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	0	1	1	0	1	3
Other	0	0	0	0	2	0	4	6
Total	0	0	1	1	11	6	39	58

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	18	18
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	25	18	48	93
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	2	9	13
Diabetes	0	0	0	0	2	0	3	5
Heart Disease	0	0	0	1	12	9	77	99
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	18	20
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	1	0	3	7	6	3	4	24
Other	1	0	1	0	4	3	62	71
Total	7	0	4	12	55	38	257	373

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2007

Wright County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	27	28
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	4	44	44	71	164
Cirrhosis	0	0	0	1	2	1	1	5
Congenital Anomalies	6	0	2	0	1	0	0	9
Chronic Lower Respiratory Disease	0	0	0	0	2	7	20	29
Diabetes	0	0	0	0	3	3	7	13
Heart Disease	0	0	0	1	10	23	70	104
Homicide	0	0	0	0	2	0	0	2
Hypertension	0	0	0	0	4	0	0	4
Nephritis	0	0	0	0	3	2	10	15
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	0	1	12	13
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	15	20
Suicide	0	0	2	8	3	0	1	14
Unintentional Injury	2	0	5	10	8	3	17	45
Other	3	0	0	5	14	17	93	132
Total	16	0	10	29	100	104	345	604

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - Leading Causes of Death by Age Group, 2007

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	5	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	7	4	15	28
Cirrhosis	0	0	0	0	1	0	2	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	1	0	3	4
Heart Disease	0	0	0	0	2	3	21	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	2	2	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	10	12
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	2	0	1	1	2	6
Other	0	0	0	0	0	6	17	23
Total	1	0	4	1	13	19	87	125

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2007**

ICD-10 Codes on Page C-45

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 1: Minnesota YPLL to Age 65 and 75
by State and County, 2007**

State of Minnesota - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	930.0	1,429.5
Alzheimer's Disease	125.0	471.5
Atherosclerosis	50.0	124.0
Cancer	27,322.5	65,793.5
Cirrhosis	3,327.5	6,240.5
Congenital Anomalies	8,045.0	9,795.0
Chronic Lower Respiratory Disease	1,560.0	5,239.0
Diabetes	2,870.0	6,447.5
Heart Disease	14,357.5	31,498.5
Homicide	3,790.0	4,966.5
Hypertension	320.0	1,050.5
Nephritis	1,065.0	2,421.0
Perinatal Conditions	11,875.0	13,870.0
Pneumonia and Influenza	1,425.0	2,332.5
Septicemia	1,075.0	2,228.5
SIDS	1,687.5	1,971.0
Stroke	3,035.0	6,709.0
Suicide	12,195.0	17,600.5
Unintentional Injury	28,422.5	40,517.0
Other	21,605.0	40,828.0
Total	145,082.5	261,533.5

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	45.0	201.0
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	25.0	46.5
Heart Disease	25.0	106.0
Homicide	0.0	5.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	46.5
Suicide	0.0	0.0
Unintentional Injury	40.0	87.5
Other	15.0	79.5
Total	200.0	645.5

Source: Minnesota Department of Health, Center for Health Statistics

Anoka County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	1,715.0	3,967.0
Cirrhosis	110.0	215.0
Congenital Anomalies	330.0	414.0
Chronic Lower Respiratory Disease	175.0	464.5
Diabetes	100.0	243.5
Heart Disease	765.0	1,533.5
Homicide	275.0	369.5
Hypertension	35.0	119.5
Nephritis	85.0	175.0
Perinatal Conditions	812.5	949.0
Pneumonia and Influenza	30.0	83.0
Septicemia	70.0	149.5
SIDS	62.5	73.0
Stroke	200.0	424.0
Suicide	945.0	1,312.5
Unintentional Injury	1,545.0	2,155.5
Other	997.5	1,886.0
Total	8,277.5	14,569.5

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	165.0	408.5
Cirrhosis	20.0	46.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	20.0	78.5
Diabetes	15.0	36.5
Heart Disease	105.0	296.5
Homicide	80.0	101.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	5.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	25.0	89.5
Suicide	85.0	116.5
Unintentional Injury	410.0	552.0
Other	127.5	250.0
Total	1,255.0	2,236.5

Source: Minnesota Department of Health, Center for Health Statistics

Beltrami County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	260.0	659.5
Cirrhosis	130.0	219.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	54.0
Diabetes	5.0	26.5
Heart Disease	110.0	248.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	26.5
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	15.0	31.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	22.0
Suicide	250.0	318.5
Unintentional Injury	575.0	849.0
Other	277.5	510.5
Total	2,047.5	3,469.5

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	275.0	615.5
Cirrhosis	25.0	41.0
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	10.0	36.5
Heart Disease	80.0	273.0
Homicide	60.0	81.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	5.0	21.0
Suicide	110.0	152.0
Unintentional Injury	140.0	203.0
Other	85.0	222.5
Total	945.0	1,864.5

Source: Minnesota Department of Health, Center for Health Statistics

Big Stone County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	0.0	27.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	5.0	15.5
Heart Disease	10.0	42.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	50.0	71.0
Other	5.0	26.5
Total	85.0	234.5

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	265.0	617.5
Cirrhosis	30.0	56.5
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	30.0	73.0
Diabetes	5.0	32.0
Heart Disease	125.0	251.5
Homicide	15.0	25.5
Hypertension	0.0	5.5
Nephritis	45.0	76.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	45.0	61.0
SIDS	62.5	73.0
Stroke	15.0	31.0
Suicide	245.0	360.5
Unintentional Injury	230.0	340.5
Other	337.5	618.0
Total	1,637.5	2,846.5

Source: Minnesota Department of Health, Center for Health Statistics

Brown County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	65.0	209.0
Cirrhosis	30.0	56.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	5.0	32.0
Heart Disease	40.0	126.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	0.0	0.0
Unintentional Injury	95.0	158.5
Other	87.5	173.5
Total	410.0	907.0

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	185.0	516.5
Cirrhosis	30.0	56.5
Congenital Anomalies	10.0	36.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	25.0	62.0
Heart Disease	50.0	184.5
Homicide	35.0	45.5
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	60.0	86.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	25.0	46.5
Suicide	140.0	187.5
Unintentional Injury	382.5	503.5
Other	152.5	285.5
Total	1,162.5	2,110.5

Source: Minnesota Department of Health, Center for Health Statistics

Carver County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	335.0	813.5
Cirrhosis	30.0	72.0
Congenital Anomalies	97.5	118.5
Chronic Lower Respiratory Disease	25.0	52.0
Diabetes	30.0	56.5
Heart Disease	230.0	421.0
Homicide	45.0	55.5
Hypertension	0.0	16.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	11.0
SIDS	0.0	0.0
Stroke	35.0	72.0
Suicide	225.0	325.0
Unintentional Injury	362.5	510.0
Other	287.5	547.0
Total	1,765.0	3,154.5

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	190.0	506.5
Cirrhosis	35.0	77.5
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	5.0	48.5
Diabetes	65.0	128.5
Heart Disease	195.0	455.0
Homicide	45.0	61.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	25.5
Septicemia	55.0	86.5
SIDS	0.0	0.0
Stroke	20.0	63.0
Suicide	100.0	147.5
Unintentional Injury	305.0	452.5
Other	220.0	454.0
Total	1,380.0	2,678.5

Source: Minnesota Department of Health, Center for Health Statistics

Chippewa County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	182.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	15.0	58.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	10.0	31.0
Suicide	0.0	0.0
Unintentional Injury	95.0	126.5
Other	80.0	133.0
Total	295.0	599.0

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	280.0	705.0
Cirrhosis	50.0	92.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	65.0	129.5
Diabetes	15.0	31.0
Heart Disease	155.0	330.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	35.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	35.0	88.5
Suicide	160.0	223.0
Unintentional Injury	312.5	418.0
Other	287.5	553.5
Total	1,515.0	2,773.0

Source: Minnesota Department of Health, Center for Health Statistics

Clay County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	325.0	654.5
Cirrhosis	35.0	66.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	30.0	89.5
Diabetes	25.0	52.0
Heart Disease	135.0	268.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	62.5	73.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	87.5	114.0
Suicide	270.0	380.5
Unintentional Injury	455.0	660.0
Other	300.0	507.0
Total	2,020.0	3,218.0

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	50.0	135.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	15.0	63.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	25.0	41.0
Suicide	0.0	0.0
Unintentional Injury	5.0	15.5
Other	20.0	52.0
Total	120.0	333.0

Source: Minnesota Department of Health, Center for Health Statistics

Cook County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	135.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	31.0
Diabetes	0.0	0.0
Heart Disease	5.0	26.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	60.0	81.0
Other	5.0	15.5
Total	135.0	300.0

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	212.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	10.0	36.5
Heart Disease	35.0	119.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	35.0	45.5
Unintentional Injury	35.0	51.0
Other	10.0	42.0
Total	230.0	561.0

Source: Minnesota Department of Health, Center for Health Statistics

Crow Wing County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	510.0	1,268.0
Cirrhosis	55.0	113.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	40.0	77.5
Diabetes	40.0	114.0
Heart Disease	150.0	411.5
Homicide	5.0	15.5
Hypertension	0.0	11.0
Nephritis	5.0	43.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	42.0
Suicide	160.0	244.0
Unintentional Injury	255.0	349.5
Other	110.0	345.0
Total	1,407.5	3,118.0

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	50.0	71.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	2,065.0	4,738.0
Cirrhosis	180.0	343.5
Congenital Anomalies	287.5	361.0
Chronic Lower Respiratory Disease	35.0	186.5
Diabetes	170.0	430.5
Heart Disease	670.0	1,541.0
Homicide	90.0	111.0
Hypertension	0.0	11.0
Nephritis	90.0	180.5
Perinatal Conditions	750.0	876.0
Pneumonia and Influenza	102.5	155.0
Septicemia	50.0	130.5
SIDS	0.0	0.0
Stroke	235.0	485.0
Suicide	630.0	977.0
Unintentional Injury	1,185.0	1,717.0
Other	1,552.5	2,837.0
Total	8,142.5	15,157.0

Source: Minnesota Department of Health, Center for Health Statistics

Dodge County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	210.0	422.0
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	0.0
Heart Disease	40.0	108.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	62.5	73.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	80.0	106.5
Unintentional Injury	110.0	152.0
Other	45.0	109.5
Total	567.5	1,029.0

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	235.0	532.5
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	40.0	142.5
Homicide	15.0	25.5
Hypertension	0.0	5.5
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	11.0
SIDS	62.5	73.0
Stroke	0.0	5.5
Suicide	30.0	56.5
Unintentional Injury	65.0	123.0
Other	175.0	265.0
Total	647.5	1,297.5

Source: Minnesota Department of Health, Center for Health Statistics

Faribault County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	183.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	75.0	159.5
Homicide	35.0	45.5
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	15.0	25.5
Unintentional Injury	130.0	172.0
Other	15.0	90.5
Total	330.0	725.0

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	239.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	35.0	110.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	75.0	106.5
Other	35.0	83.0
Total	235.0	550.0

Source: Minnesota Department of Health, Center for Health Statistics

Freeborn County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	345.0	700.0
Cirrhosis	15.0	25.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	0.0	0.0
Heart Disease	110.0	222.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	15.0	42.0
Suicide	100.0	142.0
Unintentional Injury	200.0	268.5
Other	157.5	323.0
Total	1,130.0	1,986.5

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	235.0	576.5
Cirrhosis	15.0	25.5
Congenital Anomalies	125.0	151.5
Chronic Lower Respiratory Disease	25.0	73.0
Diabetes	10.0	36.5
Heart Disease	75.0	198.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	16.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	32.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	73.0
Suicide	30.0	67.5
Unintentional Injury	185.0	306.0
Other	332.5	528.5
Total	1,077.5	2,115.5

Source: Minnesota Department of Health, Center for Health Statistics

Grant County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	120.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	5.5
Heart Disease	10.0	58.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	31.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	25.5
Unintentional Injury	65.0	102.0
Other	10.0	36.5
Total	150.0	396.0

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	450.0	692.0
Alzheimer's Disease	25.0	111.5
Atherosclerosis	0.0	0.0
Cancer	5,665.0	13,571.0
Cirrhosis	750.0	1,436.0
Congenital Anomalies	2,067.5	2,508.5
Chronic Lower Respiratory Disease	210.0	879.0
Diabetes	845.0	1,665.0
Heart Disease	3,302.5	6,453.5
Homicide	1,670.0	2,163.5
Hypertension	135.0	428.0
Nephritis	205.0	487.0
Perinatal Conditions	3,500.0	4,088.0
Pneumonia and Influenza	327.5	566.0
Septicemia	235.0	564.5
SIDS	250.0	292.0
Stroke	835.0	1,642.0
Suicide	2,305.0	3,303.5
Unintentional Injury	5,625.0	8,042.0
Other	4,770.0	9,128.5
Total	33,172.5	58,021.5

Source: Minnesota Department of Health, Center for Health Statistics

Houston County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	267.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	70.0	155.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	62.5	73.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	80.0	122.0
Unintentional Injury	125.0	183.0
Other	40.0	115.0
Total	597.5	1,103.5

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	267.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	0.0	5.5
Heart Disease	95.0	207.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	15.0	25.5
SIDS	62.5	73.0
Stroke	0.0	5.5
Suicide	5.0	21.0
Unintentional Injury	175.0	269.5
Other	35.0	137.0
Total	545.0	1,142.0

Source: Minnesota Department of Health, Center for Health Statistics

Isanti County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	210.0	470.5
Cirrhosis	0.0	5.5
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	40.0	77.5
Diabetes	50.0	92.0
Heart Disease	65.0	167.0
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	16.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	77.5	98.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	50.0	87.5
Suicide	45.0	82.0
Unintentional Injury	247.5	331.5
Other	50.0	103.0
Total	952.5	1,691.0

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	285.0	779.0
Cirrhosis	60.0	107.5
Congenital Anomalies	92.5	124.0
Chronic Lower Respiratory Disease	20.0	78.5
Diabetes	60.0	118.5
Heart Disease	155.0	421.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	62.5	73.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	95.0	147.5
Unintentional Injury	300.0	458.0
Other	202.5	368.5
Total	1,357.5	2,739.0

Source: Minnesota Department of Health, Center for Health Statistics

Jackson County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	47.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	15.0	52.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	30.0	51.0
Unintentional Injury	200.0	247.5
Other	102.5	139.5
Total	367.5	558.5

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	170.0	314.5
Cirrhosis	40.0	66.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	47.5
Diabetes	10.0	31.0
Heart Disease	35.0	99.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	50.0	71.0
Suicide	15.0	25.5
Unintentional Injury	85.0	116.5
Other	55.0	146.0
Total	470.0	918.0

Source: Minnesota Department of Health, Center for Health Statistics

Kandiyohi County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	210.0	503.5
Cirrhosis	20.0	41.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	5.0	32.0
Heart Disease	120.0	301.0
Homicide	40.0	61.0
Hypertension	0.0	5.5
Nephritis	5.0	26.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	125.0	146.0
Stroke	5.0	37.5
Suicide	105.0	136.5
Unintentional Injury	352.5	494.5
Other	177.5	289.0
Total	1,170.0	2,117.0

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	5.0	15.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	55.0	118.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	30.0	56.5
Other	30.0	56.5
Total	120.0	252.5

Source: Minnesota Department of Health, Center for Health Statistics

Koochiching County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	339.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	52.0
Diabetes	15.0	25.5
Heart Disease	110.0	216.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	80.0	122.0
Unintentional Injury	30.0	77.5
Other	55.0	139.5
Total	435.0	1,003.0

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	77.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	0.0	22.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	15.0	25.5
Other	25.0	35.5
Total	90.0	212.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	118.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	35.0	45.5
Heart Disease	30.0	51.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	20.0	41.0
Other	5.0	21.0
Total	170.0	318.0

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	60.0	156.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	5.0	21.0
Heart Disease	25.0	78.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	5.0	21.0
Unintentional Injury	132.5	211.5
Other	20.0	78.5
Total	267.5	613.0

Source: Minnesota Department of Health, Center for Health Statistics

Le Sueur County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	120.0	344.0
Cirrhosis	35.0	66.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	20.0	46.5
Heart Disease	45.0	157.0
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	35.0	72.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	55.0	86.5
Unintentional Injury	155.0	239.5
Other	107.5	192.5
Total	622.5	1,313.0

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	31.0
Atherosclerosis	0.0	0.0
Cancer	15.0	53.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	15.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	0.0	0.0
Unintentional Injury	40.0	61.0
Other	20.0	41.0
Total	105.0	239.0

Source: Minnesota Department of Health, Center for Health Statistics

Lyon County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	195.0	413.0
Cirrhosis	20.0	41.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	50.0	82.0
Diabetes	10.0	31.0
Heart Disease	142.5	281.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	20.0	41.0
Unintentional Injury	170.0	238.5
Other	60.0	103.0
Total	905.0	1,541.5

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomen County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	134.0
Cirrhosis	45.0	76.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	26.5
Heart Disease	55.0	135.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	45.0	55.5
Unintentional Injury	0.0	0.0
Other	20.0	46.5
Total	287.5	573.5

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	47.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	15.0	25.5
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	5.5
Suicide	70.0	91.0
Unintentional Injury	15.0	31.0
Other	5.0	21.0
Total	192.5	336.5

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	301.0
Cirrhosis	30.0	51.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	25.0	56.5
Heart Disease	80.0	143.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	175.0	227.5
Unintentional Injury	40.0	77.5
Other	110.0	226.0
Total	657.5	1,202.0

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	120.0	327.5
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	60.0	92.0
Heart Disease	40.0	125.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	15.0	25.5
SIDS	62.5	73.0
Stroke	5.0	32.0
Suicide	45.0	76.5
Unintentional Injury	175.0	233.0
Other	157.5	253.5
Total	700.0	1,306.5

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	95.0	276.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	30.0	56.5
Diabetes	5.0	26.5
Heart Disease	45.0	130.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	90.0	111.0
Unintentional Injury	130.0	172.0
Other	157.5	269.0
Total	640.0	1,193.5

Source: Minnesota Department of Health, Center for Health Statistics

Mille Lacs County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	160.0	426.0
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	30.0	78.5
Heart Disease	30.0	110.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	10.0	31.0
Suicide	55.0	86.5
Unintentional Injury	377.5	509.0
Other	25.0	100.5
Total	957.5	1,708.0

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	120.0	366.0
Cirrhosis	85.0	116.5
Congenital Anomalies	50.0	71.0
Chronic Lower Respiratory Disease	35.0	88.5
Diabetes	5.0	15.5
Heart Disease	140.0	348.5
Homicide	55.0	86.5
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	57.5
Suicide	175.0	227.5
Unintentional Injury	172.5	230.5
Other	162.5	322.0
Total	1,097.5	2,055.0

Source: Minnesota Department of Health, Center for Health Statistics

Mower County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	150.0	408.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	20.0	52.0
Heart Disease	120.0	263.5
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	55.0	92.0
Suicide	140.0	203.0
Unintentional Injury	207.5	297.0
Other	317.5	513.5
Total	1,165.0	2,053.5

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	75.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	25.0	62.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	60.0	86.5
Other	40.0	72.0
Total	217.5	415.0

Source: Minnesota Department of Health, Center for Health Statistics

Nicollet County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	85.0	277.5
Cirrhosis	0.0	11.0
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	5.5
Heart Disease	85.0	197.0
Homicide	97.5	118.5
Hypertension	15.0	25.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	62.5	73.0
Stroke	0.0	5.5
Suicide	170.0	233.0
Unintentional Injury	50.0	92.0
Other	85.0	170.5
Total	790.0	1,418.0

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	244.5
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	35.0	51.0
Diabetes	55.0	86.5
Heart Disease	157.5	273.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	52.0
Suicide	60.0	81.0
Unintentional Injury	130.0	204.0
Other	92.5	161.5
Total	705.0	1,246.0

Source: Minnesota Department of Health, Center for Health Statistics

Norman County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	60.0	167.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	5.0	15.5
Unintentional Injury	80.0	122.0
Other	80.0	112.0
Total	235.0	480.5

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	805.0	1,740.5
Cirrhosis	147.5	210.5
Congenital Anomalies	430.0	509.0
Chronic Lower Respiratory Disease	45.0	147.0
Diabetes	45.0	82.0
Heart Disease	405.0	878.0
Homicide	85.0	116.5
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	125.0	146.0
Stroke	60.0	124.0
Suicide	350.0	502.5
Unintentional Injury	865.0	1,170.0
Other	665.0	1,199.0
Total	4,370.0	7,246.5

Source: Minnesota Department of Health, Center for Health Statistics

Otter Tail County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	16.5
Atherosclerosis	15.0	25.5
Cancer	225.0	653.5
Cirrhosis	20.0	41.0
Congenital Anomalies	70.0	91.0
Chronic Lower Respiratory Disease	0.0	27.5
Diabetes	45.0	104.0
Heart Disease	285.0	672.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	20.0	41.0
Septicemia	60.0	86.5
SIDS	0.0	0.0
Stroke	10.0	69.5
Suicide	110.0	194.0
Unintentional Injury	242.5	338.0
Other	245.0	538.0
Total	1,352.5	2,913.5

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	135.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	30.0	77.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	35.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	50.0	71.0
Unintentional Injury	200.0	263.0
Other	142.5	238.0
Total	497.5	825.5

Source: Minnesota Department of Health, Center for Health Statistics

Pine County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	200.0	451.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	58.5
Diabetes	5.0	32.0
Heart Disease	120.0	301.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	78.5
Suicide	40.0	61.0
Unintentional Injury	167.5	230.5
Other	40.0	115.0
Total	782.5	1,546.0

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	15.0	25.5
Cancer	50.0	151.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	21.0
Heart Disease	65.0	128.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	50.0	71.0
Unintentional Injury	65.0	96.5
Other	0.0	11.0
Total	312.5	600.0

Source: Minnesota Department of Health, Center for Health Statistics

Polk County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	147.5	318.5
Cirrhosis	5.0	26.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	37.5
Diabetes	45.0	82.0
Heart Disease	85.0	180.5
Homicide	55.0	65.5
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	35.0	66.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	25.0	35.5
Unintentional Injury	220.0	341.5
Other	182.5	365.0
Total	1,002.5	1,774.5

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	129.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	0.0	27.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	40.0	83.0
Suicide	0.0	0.0
Unintentional Injury	120.0	162.0
Other	0.0	16.5
Total	230.0	460.5

Source: Minnesota Department of Health, Center for Health Statistics

Ramsey County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	135.0	208.5
Alzheimer's Disease	0.0	55.0
Atherosclerosis	10.0	31.0
Cancer	2,715.0	6,421.5
Cirrhosis	330.0	630.5
Congenital Anomalies	1,125.0	1,351.0
Chronic Lower Respiratory Disease	205.0	627.0
Diabetes	265.0	594.5
Heart Disease	1,435.0	3,012.0
Homicide	597.5	765.5
Hypertension	35.0	98.5
Nephritis	120.0	302.0
Perinatal Conditions	2,125.0	2,482.0
Pneumonia and Influenza	250.0	340.0
Septicemia	90.0	232.5
SIDS	187.5	219.0
Stroke	432.5	921.0
Suicide	925.0	1,341.0
Unintentional Injury	3,092.5	4,428.5
Other	2,492.5	4,672.5
Total	16,567.5	28,733.5

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	83.0
Cirrhosis	0.0	5.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	15.0	25.5
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	40.0	61.0
Other	40.0	66.5
Total	212.5	345.5

Source: Minnesota Department of Health, Center for Health Statistics

Redwood County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	120.0	278.0
Cirrhosis	40.0	61.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	25.0	56.5
Heart Disease	55.0	129.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	145.0	176.5
Unintentional Injury	155.0	207.5
Other	145.0	293.5
Total	700.0	1,260.0

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	151.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	21.0
Heart Disease	20.0	52.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	20.0	41.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	150.0	192.0
Unintentional Injury	165.0	244.0
Other	75.0	170.5
Total	500.0	909.5

Source: Minnesota Department of Health, Center for Health Statistics

Rice County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	245.0	543.5
Cirrhosis	20.0	46.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	48.5
Diabetes	10.0	42.0
Heart Disease	115.0	285.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	55.0	71.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	20.0	57.5
Suicide	145.0	218.5
Unintentional Injury	367.5	494.5
Other	277.5	490.5
Total	1,265.0	2,324.5

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	75.0	160.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	40.0	77.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	0.0	0.0
Unintentional Injury	60.0	81.0
Other	45.0	77.5
Total	235.0	459.5

Source: Minnesota Department of Health, Center for Health Statistics

Roseau County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	238.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	5.0	32.0
Heart Disease	30.0	94.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	25.0	35.5
Unintentional Injury	190.0	253.0
Other	20.0	67.5
Total	452.5	845.0

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	530.0	1,253.0
Cirrhosis	30.0	62.0
Congenital Anomalies	192.5	234.5
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	70.0	123.0
Heart Disease	225.0	437.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	35.0	66.5
Perinatal Conditions	562.5	657.0
Pneumonia and Influenza	87.5	108.5
Septicemia	25.0	41.0
SIDS	125.0	146.0
Stroke	30.0	94.0
Suicide	105.0	157.5
Unintentional Injury	410.0	605.5
Other	410.0	654.5
Total	2,852.5	4,698.0

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	210.0	550.0
Cirrhosis	15.0	46.5
Congenital Anomalies	285.0	348.0
Chronic Lower Respiratory Disease	35.0	83.0
Diabetes	25.0	62.0
Heart Disease	205.0	434.0
Homicide	5.0	15.5
Hypertension	5.0	21.0
Nephritis	0.0	16.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	60.0	97.5
Suicide	155.0	234.0
Unintentional Injury	380.0	522.5
Other	367.5	595.0
Total	1,892.5	3,212.5

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	70.0	187.0
Cirrhosis	25.0	35.5
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	11.0
Heart Disease	5.0	21.0
Homicide	0.0	0.0
Hypertension	0.0	16.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	20.0	41.0
Unintentional Injury	70.0	91.0
Other	25.0	84.0
Total	230.0	534.5

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	40.0	61.0
Alzheimer's Disease	45.0	61.0
Atherosclerosis	5.0	15.5
Cancer	1,277.5	3,265.0
Cirrhosis	280.0	491.0
Congenital Anomalies	240.0	292.5
Chronic Lower Respiratory Disease	110.0	366.0
Diabetes	90.0	256.5
Heart Disease	840.0	1,971.5
Homicide	95.0	126.5
Hypertension	15.0	31.0
Nephritis	30.0	62.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	15.0	42.0
Septicemia	100.0	168.5
SIDS	187.5	219.0
Stroke	225.0	426.5
Suicide	635.0	940.5
Unintentional Injury	1,265.0	1,870.0
Other	1,190.0	2,287.0
Total	6,810.0	13,099.0

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	5.0	15.5
Cancer	745.0	1,687.0
Cirrhosis	50.0	103.0
Congenital Anomalies	255.0	307.5
Chronic Lower Respiratory Disease	45.0	184.5
Diabetes	70.0	149.5
Heart Disease	482.5	954.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	20.0	63.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	67.5	88.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	55.0	129.5
Suicide	140.0	229.5
Unintentional Injury	605.0	868.0
Other	512.5	841.5
Total	3,442.5	6,085.0

Source: Minnesota Department of Health, Center for Health Statistics

Steele County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	145.0	375.0
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	20.0	84.0
Heart Disease	125.0	269.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	21.0
Suicide	150.0	192.0
Unintentional Injury	170.0	217.5
Other	80.0	143.0
Total	792.5	1,457.5

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	15.0	57.5
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	15.0	31.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	50.0	71.0
Unintentional Injury	85.0	116.5
Other	20.0	57.5
Total	215.0	406.5

Source: Minnesota Department of Health, Center for Health Statistics

Swift County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	40.0	130.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	75.0	127.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	25.0	35.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	185.0	243.0
Other	147.5	221.5
Total	472.5	774.5

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	170.0	377.5
Cirrhosis	0.0	0.0
Congenital Anomalies	250.0	292.0
Chronic Lower Respiratory Disease	70.0	96.5
Diabetes	20.0	52.0
Heart Disease	90.0	196.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	85.0	122.0
Unintentional Injury	230.0	298.5
Other	90.0	233.5
Total	1,015.0	1,715.5

Source: Minnesota Department of Health, Center for Health Statistics

Traverse County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	42.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	10.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	0.0	0.0
Total	102.5	188.0

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	95.0	281.0
Cirrhosis	10.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	25.0	35.5
Heart Disease	40.0	130.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	62.5	73.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	90.0	132.0
Unintentional Injury	130.0	193.0
Other	55.0	114.0
Total	517.5	1,048.5

Source: Minnesota Department of Health, Center for Health Statistics

Wadena County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	336.5
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	152.5	301.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	40.0	61.0
Unintentional Injury	15.0	25.5
Other	40.0	72.0
Total	437.5	910.0

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	207.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	40.0	87.5
Heart Disease	45.0	93.0
Homicide	80.0	101.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	115.0	167.5
Unintentional Injury	145.0	208.5
Other	25.0	74.0
Total	530.0	976.0

Source: Minnesota Department of Health, Center for Health Statistics

Washington County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	1,272.5	2,984.0
Cirrhosis	115.0	194.0
Congenital Anomalies	280.0	348.5
Chronic Lower Respiratory Disease	10.0	97.0
Diabetes	135.0	263.5
Heart Disease	645.0	1,244.0
Homicide	107.5	128.5
Hypertension	15.0	25.5
Nephritis	117.5	176.0
Perinatal Conditions	437.5	511.0
Pneumonia and Influenza	0.0	5.5
Septicemia	15.0	36.5
SIDS	0.0	0.0
Stroke	45.0	147.0
Suicide	490.0	711.0
Unintentional Injury	862.5	1,231.0
Other	827.5	1,599.0
Total	5,395.0	9,743.0

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	99.5
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	26.5
Heart Disease	45.0	130.5
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	62.5	73.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	25.0	41.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	75.0	106.5
Unintentional Injury	45.0	55.5
Other	20.0	46.5
Total	367.5	671.0

Source: Minnesota Department of Health, Center for Health Statistics

Wilkin County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	124.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	25.0	62.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	60.0	81.0
Unintentional Injury	40.0	61.0
Other	30.0	51.0
Total	215.0	384.5

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	265.0	647.5
Cirrhosis	10.0	31.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	20.0	41.0
Heart Disease	135.0	321.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	75.0	106.5
Unintentional Injury	452.5	647.5
Other	157.5	237.0
Total	1,452.5	2,480.5

Source: Minnesota Department of Health, Center for Health Statistics

Wright County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	565.0	1,321.5
Cirrhosis	45.0	82.0
Congenital Anomalies	470.0	564.5
Chronic Lower Respiratory Disease	10.0	69.5
Diabetes	15.0	63.0
Heart Disease	135.0	377.0
Homicide	20.0	41.0
Hypertension	20.0	62.0
Nephritis	15.0	57.5
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	30.0	67.5
Suicide	335.0	471.5
Unintentional Injury	720.0	999.0
Other	502.5	827.0
Total	3,205.0	5,404.5

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - YPLL to Age 65 and 75, 2007

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	115.0	231.5
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	15.0	25.5
Heart Disease	20.0	57.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	45.0	55.5
Unintentional Injury	95.0	132.0
Other	0.0	33.0
Total	382.5	686.5

Source: Minnesota Department of Health, Center for Health Statistics

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2007

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	149	1,914	2,063	22	96	118	39	532	571
Aitkin	0	10	10	0	1	1	0	0	0
Anoka	8	82	90	2	7	9	3	34	37
Becker	3	17	20	1	1	2	0	5	5
Beltrami	3	29	32	0	0	0	1	7	8
Benton	1	8	9	0	2	2	1	3	4
Big Stone	1	1	2	0	0	0	0	0	0
Blue Earth	0	19	19	0	1	1	0	11	11
Brown	1	14	15	0	0	0	0	1	1
Carlton	2	16	18	0	1	1	2	3	5
Carver	4	22	26	0	1	1	0	10	10
Cass	1	16	17	1	1	2	0	6	6
Chippewa	0	8	8	0	0	0	0	0	0
Chisago	4	19	23	0	0	0	1	7	8
Clay	1	26	27	0	1	1	1	11	12
Clearwater	0	2	2	0	0	0	0	0	0
Cook	0	3	3	0	0	0	0	0	0
Cottonwood	0	6	6	0	0	0	0	1	1
Crow Wing	1	23	24	0	1	1	0	9	9
Dakota	6	87	93	1	1	2	1	34	35
Dodge	1	5	6	0	0	0	0	3	3
Douglas	0	11	11	0	1	1	0	3	3
Faribault	0	9	9	0	1	1	0	1	1
Fillmore	1	9	10	0	0	0	0	0	0
Freeborn	1	8	9	0	0	0	0	4	4
Goodhue	0	32	32	0	0	0	0	5	5
Grant	1	4	5	0	0	0	0	1	1
Hennepin	31	445	476	8	41	49	7	99	106
Houston	0	11	11	0	0	0	0	5	5
Hubbard	1	13	14	0	0	0	0	3	3
Isanti	1	10	11	0	1	1	0	5	5
Itasca	1	27	28	0	0	0	0	5	5
Jackson	2	6	8	0	0	0	0	2	2
Kanabec	0	4	4	0	0	0	0	1	1
Kandiyohi	2	17	19	0	2	2	0	3	3
Kittson	0	4	4	0	0	0	0	0	0
Koochiching	0	8	8	0	0	0	0	4	4
Lac Qui Parle	0	3	3	0	0	0	0	0	0
Lake	1	7	8	0	0	0	0	3	3
Lake of the Woods	0	4	4	0	0	0	0	1	1
Le Sueur	0	11	11	0	0	0	1	2	3
Lincoln	0	4	4	0	1	1	0	1	1
Lyon	1	11	12	0	0	0	0	2	2
McLeod	3	15	18	0	0	0	0	3	3
Mahnomen	0	1	1	0	1	1	0	2	2
Marshall	0	2	2	0	0	0	0	2	2
Martin	0	15	15	0	0	0	2	3	5
Meeker	0	10	10	0	0	0	1	1	2
Mille Lacs	4	14	18	0	0	0	0	3	3
Morrison	2	14	16	0	3	3	1	5	6

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2007

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	149	1,914	2,063	22	96	118	39	532	571
Mower	1	20	21	1	0	1	0	7	7
Murray	0	4	4	0	0	0	0	0	0
Nicollet	0	9	9	1	1	2	0	6	6
Nobles	0	10	10	0	1	1	0	2	2
Norman	0	8	8	0	0	0	0	1	1
Olmsted	7	42	49	0	3	3	2	13	15
Otter Tail	1	22	23	0	0	0	0	9	9
Pennington	0	9	9	0	0	0	0	2	2
Pine	2	12	14	0	0	0	0	2	2
Pipestone	0	5	5	0	0	0	1	1	2
Polk	1	20	21	1	0	1	0	2	2
Pope	0	5	5	0	0	0	0	0	0
Ramsey	13	189	202	3	13	16	1	43	44
Red Lake	0	3	3	0	0	0	0	0	0
Redwood	0	11	11	0	0	0	3	0	3
Renville	1	7	8	0	0	0	2	2	4
Rice	4	15	19	0	0	0	0	7	7
Rock	0	3	3	0	0	0	0	1	1
Roseau	2	7	9	0	0	0	0	1	1
St. Louis	2	92	94	0	3	3	2	29	31
Scott	2	31	33	0	0	0	0	6	6
Sherburne	2	21	23	0	1	1	1	7	8
Sibley	0	5	5	0	0	0	0	2	2
Stearns	4	41	45	0	0	0	0	10	10
Steele	1	11	12	0	1	1	1	3	4
Stevens	0	7	7	0	0	0	0	2	2
Swift	2	5	7	0	0	0	0	0	0
Todd	2	10	12	0	0	0	1	4	5
Traverse	0	2	2	0	0	0	0	0	0
Wabasha	1	12	13	0	0	0	0	4	4
Wadena	0	4	4	0	0	0	0	2	2
Waseca	0	7	7	1	1	2	0	5	5
Washington	6	44	50	2	0	2	2	22	24
Watowan	1	4	5	0	1	1	0	3	3
Wilkin	0	3	3	0	0	0	1	1	2
Winona	1	23	24	0	0	0	0	3	3
Wright	4	41	45	0	2	2	0	14	14
Yellow Medicine	0	6	6	0	0	0	0	1	1

Source: Minnesota Department of Health, Center for Health Statistics

ICD-10 Codes:

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2007

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	4	681	685	69	509	578	8	31	39
Aitkin	0	3	3	0	3	3	0	0	0
Anoka	0	28	28	4	21	25	2	1	3
Becker	0	1	1	0	5	5	0	1	1
Beltrami	0	3	3	1	12	13	0	1	1
Benton	0	3	3	1	3	4	0	0	0
Big Stone	0	0	0	0	1	1	0	0	0
Blue Earth	0	6	6	0	7	7	0	0	0
Brown	0	6	6	1	2	3	0	0	0
Carlton	0	4	4	0	4	4	0	0	0
Carver	0	13	13	2	3	5	0	0	0
Cass	0	3	3	0	6	6	0	1	1
Chippewa	0	1	1	0	3	3	0	0	0
Chisago	0	6	6	2	7	9	0	0	0
Clay	0	7	7	1	3	4	0	0	0
Clearwater	0	2	2	0	0	0	0	0	0
Cook	0	0	0	0	2	2	0	0	0
Cottonwood	0	4	4	0	1	1	0	0	0
Crow Wing	0	10	10	1	4	5	0	3	3
Dakota	1	40	41	3	27	30	0	2	2
Dodge	0	1	1	1	3	4	0	0	0
Douglas	0	1	1	0	4	4	0	0	0
Faribault	0	5	5	0	4	4	0	0	0
Fillmore	0	4	4	0	2	2	0	0	0
Freeborn	0	1	1	0	4	4	0	0	0
Goodhue	0	14	14	0	7	7	0	0	0
Grant	0	1	1	1	1	2	0	0	0
Hennepin	1	231	232	6	66	72	2	6	8
Houston	0	4	4	0	3	3	0	0	0
Hubbard	0	4	4	0	2	2	0	0	0
Isanti	0	1	1	0	5	5	0	0	0
Itasca	0	13	13	1	10	11	0	0	0
Jackson	0	1	1	0	3	3	0	0	0
Kanabec	0	1	1	0	2	2	0	0	0
Kandiyohi	0	5	5	2	6	8	0	0	0
Kittson	0	0	0	0	3	3	0	0	0
Koochiching	0	3	3	0	3	3	0	0	0
Lac Qui Parle	0	0	0	0	0	0	0	0	0
Lake	0	0	0	1	4	5	0	0	0
Lake of the Woods	0	0	0	0	2	2	0	1	1
Le Sueur	0	3	3	0	5	5	0	0	0
Lincoln	0	1	1	0	1	1	0	0	0
Lyon	0	0	0	1	5	6	0	0	0
McLeod	0	10	10	1	3	4	1	0	1
Mahnomen	0	0	0	0	1	1	0	0	0
Marshall	0	2	2	0	0	0	0	0	0
Martin	0	7	7	0	4	4	0	0	0
Meeker	0	5	5	0	4	4	0	0	0
Mille Lacs	0	4	4	2	6	8	0	1	1
Morrison	0	7	7	1	1	2	0	0	0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2007

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	4	681	685	69	509	578	8	31	39
Mower	0	7	7	0	4	4	0	0	0
Murray	0	2	2	0	2	2	0	0	0
Nicollet	0	1	1	0	4	4	0	0	0
Nobles	0	0	0	0	9	9	0	0	0
Norman	0	3	3	0	3	3	0	0	0
Olmsted	0	15	15	5	12	17	0	1	1
Otter Tail	0	5	5	0	10	10	0	0	0
Pennington	0	3	3	0	3	3	0	0	0
Pine	0	4	4	1	0	1	0	1	1
Pipestone	0	0	0	0	4	4	0	0	0
Polk	0	7	7	0	6	6	1	0	1
Pope	0	1	1	0	3	3	0	0	0
Ramsey	1	48	49	6	37	43	1	7	8
Red Lake	0	1	1	0	1	1	0	0	0
Redwood	0	2	2	0	4	4	0	0	0
Renville	0	0	0	1	5	6	0	0	0
Rice	0	5	5	1	4	5	0	0	0
Rock	0	1	1	0	1	1	0	0	0
Roseau	0	0	0	2	2	4	0	0	0
St. Louis	0	25	25	1	29	30	0	1	1
Scott	1	12	13	1	7	8	0	1	1
Sherburne	0	3	3	1	10	11	1	2	3
Sibley	0	3	3	0	2	2	0	0	0
Stearns	0	14	14	4	5	9	0	0	0
Steele	0	3	3	1	4	5	0	0	0
Stevens	0	3	3	0	2	2	0	0	0
Swift	0	0	0	2	2	4	0	0	0
Todd	0	2	2	2	3	5	0	0	0
Traverse	0	2	2	0	0	0	0	0	0
Wabasha	0	7	7	0	1	1	0	0	0
Wadena	0	2	2	0	0	0	0	0	0
Waseca	0	1	1	0	4	4	0	0	0
Washington	0	12	12	4	14	18	0	0	0
Watonwan	0	1	1	1	2	3	0	0	0
Wilkin	0	1	1	0	2	2	0	0	0
Winona	0	4	4	0	8	8	0	0	0
Wright	0	11	11	3	20	23	0	0	0
Yellow Medicine	0	1	1	0	2	2	0	0	0

Source: Minnesota Department of Health Center for Health Statistics

ICD-10 Codes:

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2003-2005**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	15	0.1%	1,950	14.7%	1,227	8.9%	1,320	9.9%
Aitkin	1	1.3%	7	11.7%	6	7.7%	5	8.3%
Anoka	0	0.0%	100	16.6%	46	7.9%	44	7.3%
Becker	0	0.0%	12	12.0%	11	10.5%	7	7.0%
Beltrami	1	1.0%	6	5.4%	9	8.6%	20	17.9%
Benton	0	0.0%	15	16.0%	9	8.9%	7	7.4%
Big Stone	1	3.0%	3	8.6%	4	12.1%	4	11.4%
Blue Earth	0	0.0%	15	10.4%	15	12.1%	20	13.9%
Brown	0	0.0%	17	15.0%	13	13.4%	11	9.7%
Carlton	0	0.0%	14	12.6%	14	10.3%	6	5.4%
Carver	0	0.0%	27	23.3%	23	16.2%	9	7.8%
Cass	0	0.0%	11	12.4%	13	9.3%	8	9.0%
Chippewa	0	0.0%	9	18.8%	8	13.3%	5	10.4%
Chisago	1	0.9%	15	13.2%	6	5.2%	8	7.0%
Clay	0	0.0%	21	15.0%	13	9.8%	25	17.9%
Clearwater	0	0.0%	5	23.8%	3	7.3%	1	4.8%
Cook	0	0.0%	4	26.7%	1	5.6%	0	0.0%
Cottonwood	0	0.0%	8	20.5%	7	13.0%	5	12.8%
Crow Wing	0	0.0%	25	12.8%	14	6.6%	18	9.2%
Dakota	0	0.0%	126	16.4%	56	7.8%	70	9.1%
Dodge	0	0.0%	8	20.5%	1	2.6%	4	10.3%
Douglas	0	0.0%	18	15.9%	10	7.9%	13	11.5%
Faribault	0	0.0%	10	15.2%	7	10.3%	7	10.6%
Fillmore	0	0.0%	11	19.3%	16	16.3%	6	10.5%
Freeborn	0	0.0%	19	18.8%	12	9.2%	16	15.8%
Goodhue	0	0.0%	30	21.1%	9	6.0%	16	11.3%
Grant	0	0.0%	4	15.4%	3	12.5%	3	11.5%
Hennepin	4	0.1%	408	14.5%	209	7.6%	269	9.6%
Houston	0	0.0%	11	20.0%	9	15.3%	6	10.9%
Hubbard	0	0.0%	6	10.7%	7	9.2%	4	7.1%
Isanti	0	0.0%	16	19.3%	6	6.6%	9	10.8%
Itasca	0	0.0%	21	14.1%	24	12.2%	14	9.4%
Jackson	0	0.0%	3	8.3%	4	8.0%	4	11.1%
Kanabec	0	0.0%	7	17.1%	3	4.5%	5	12.2%
Kandiyohi	0	0.0%	29	21.3%	8	6.3%	13	9.6%
Kittson	0	0.0%	3	33.3%	2	8.0%	1	11.1%
Koochiching	1	1.5%	6	9.5%	5	7.5%	4	6.3%
Lac Qui Parle	0	0.0%	8	27.6%	7	17.1%	5	17.2%
Lake	0	0.0%	7	14.9%	3	6.3%	3	6.4%
Lake of the Woods	0	0.0%	2	13.3%	5	23.8%	5	33.3%
Le Sueur	0	0.0%	15	22.1%	4	5.3%	4	5.9%
Lincoln	0	0.0%	2	7.7%	6	14.6%	7	26.9%
Lyon	0	0.0%	16	22.2%	11	10.9%	13	18.1%
McLeod	0	0.0%	18	20.0%	10	9.8%	9	10.0%
Mahnomen	0	0.0%	4	23.5%	2	9.1%	0	0.0%
Marshall	0	0.0%	6	27.3%	4	13.8%	5	22.7%
Martin	0	0.0%	16	18.4%	9	11.3%	9	10.3%
Meeker	0	0.0%	7	10.1%	7	8.6%	9	13.0%
Mille Lacs	0	0.0%	11	13.3%	12	13.0%	5	6.0%
Morrison	0	0.0%	7	7.9%	17	14.0%	11	12.4%

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2003-2005**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	0	0.0%	19	12.9%	14	8.8%	10	6.8%
Murray	0	0.0%	3	7.1%	5	9.6%	4	9.5%
Nicollet	0	0.0%	12	13.8%	4	6.7%	11	12.6%
Nobles	0	0.0%	6	9.7%	9	15.8%	5	8.1%
Norman	0	0.0%	6	18.2%	1	2.9%	2	6.1%
Olmsted	0	0.0%	52	16.7%	26	8.3%	26	8.3%
Otter Tail	0	0.0%	27	13.9%	22	10.0%	21	10.8%
Pennington	0	0.0%	5	10.4%	3	6.1%	6	12.5%
Pine	0	0.0%	12	14.0%	14	12.7%	10	11.6%
Pipestone	0	0.0%	4	12.9%	4	8.5%	2	6.5%
Polk	0	0.0%	12	11.5%	10	10.5%	12	11.5%
Pope	0	0.0%	3	8.1%	4	8.3%	7	18.9%
Ramsey	3	0.2%	181	12.9%	90	6.8%	128	9.1%
Red Lake	0	0.0%	2	16.7%	4	20.0%	2	16.7%
Redwood	0	0.0%	9	13.4%	5	6.8%	7	10.4%
Renville	0	0.0%	9	14.1%	11	14.3%	7	10.9%
Rice	0	0.0%	14	8.9%	22	13.0%	14	8.9%
Rock	0	0.0%	10	22.7%	3	9.7%	6	13.6%
Roseau	0	0.0%	8	21.6%	4	6.9%	2	5.4%
St. Louis	1	0.1%	96	12.9%	72	9.7%	70	9.4%
Scott	0	0.0%	32	17.0%	15	8.2%	17	9.0%
Sherburne	0	0.0%	18	14.9%	17	12.0%	12	9.9%
Sibley	0	0.0%	6	11.8%	4	7.7%	7	13.7%
Stearns	0	0.0%	36	12.5%	31	10.6%	39	13.6%
Steele	0	0.0%	14	13.6%	8	8.1%	10	9.7%
Stevens	0	0.0%	2	6.7%	2	6.7%	4	13.3%
Swift	0	0.0%	2	5.7%	7	13.7%	5	14.3%
Todd	1	0.9%	12	15.2%	11	10.4%	7	8.9%
Traverse	0	0.0%	3	15.8%	1	5.3%	1	5.3%
Wabasha	0	0.0%	11	16.2%	10	13.7%	11	16.2%
Wadena	0	0.0%	13	28.3%	4	6.1%	4	8.7%
Waseca	0	0.0%	11	19.6%	5	7.6%	4	7.1%
Washington	1	0.2%	66	15.8%	41	9.4%	42	10.0%
Watonwan	0	0.0%	7	16.7%	3	10.3%	3	7.1%
Wilkin	0	0.0%	2	8.7%	4	21.1%	5	21.7%
Winona	0	0.0%	17	11.3%	16	11.3%	16	10.7%
Wright	0	0.0%	30	15.6%	14	6.1%	22	11.5%
Yellow Medicine	0	0.0%	9	19.6%	4	10.8%	7	15.2%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2003, 2004 and 2005.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Breast C50.0 - C50.6, C50.8 - C50.9
 Colon and Rectum C18 - C20, C26.0

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2003-2005**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,835	27.8%	3,086	23.2%	1,594	11.5%	0	0.0%
Aitkin	27	34.6%	14	23.3%	8	10.3%	0	0.0%
Anoka	166	28.5%	183	30.3%	42	7.2%	0	0.0%
Becker	36	34.3%	29	29.0%	10	9.5%	0	0.0%
Beltrami	23	21.9%	37	33.0%	15	14.3%	0	0.0%
Benton	32	31.7%	20	21.3%	9	8.9%	0	0.0%
Big Stone	10	30.3%	5	14.3%	2	6.1%	0	0.0%
Blue Earth	31	25.0%	29	20.1%	17	13.7%	0	0.0%
Brown	15	15.5%	28	24.8%	14	14.4%	0	0.0%
Carlton	43	31.6%	33	29.7%	16	11.8%	0	0.0%
Carver	30	21.1%	19	16.4%	16	11.3%	0	0.0%
Cass	56	40.0%	25	28.1%	10	7.1%	0	0.0%
Chippewa	15	25.0%	10	20.8%	8	13.3%	0	0.0%
Chisago	36	31.3%	36	31.6%	12	10.4%	0	0.0%
Clay	33	24.8%	24	17.1%	22	16.5%	0	0.0%
Clearwater	11	26.8%	1	4.8%	8	19.5%	0	0.0%
Cook	6	33.3%	4	26.7%	1	5.6%	0	0.0%
Cottonwood	10	18.5%	5	12.8%	13	24.1%	0	0.0%
Crow Wing	66	31.1%	53	27.2%	30	14.2%	0	0.0%
Dakota	190	26.3%	172	22.3%	76	10.5%	0	0.0%
Dodge	11	28.9%	9	23.1%	4	10.5%	0	0.0%
Douglas	32	25.2%	23	20.4%	10	7.9%	0	0.0%
Faribault	21	30.9%	15	22.7%	10	14.7%	0	0.0%
Fillmore	26	26.5%	6	10.5%	11	11.2%	0	0.0%
Freeborn	36	27.5%	14	13.9%	12	9.2%	0	0.0%
Goodhue	42	28.2%	26	18.3%	23	15.4%	0	0.0%
Grant	9	37.5%	3	11.5%	3	12.5%	0	0.0%
Hennepin	762	27.7%	687	24.4%	291	10.6%	0	0.0%
Houston	10	16.9%	12	21.8%	6	10.2%	0	0.0%
Hubbard	22	28.9%	19	33.9%	8	10.5%	0	0.0%
Isanti	27	29.7%	21	25.3%	14	15.4%	0	0.0%
Itasca	64	32.5%	28	18.8%	19	9.6%	0	0.0%
Jackson	12	24.0%	7	19.4%	7	14.0%	0	0.0%
Kanabec	27	40.9%	13	31.7%	11	16.7%	0	0.0%
Kandiyohi	40	31.5%	33	24.3%	11	8.7%	0	0.0%
Kittson	4	16.0%	0	0.0%	4	16.0%	0	0.0%
Koochiching	23	34.3%	22	34.9%	9	13.4%	0	0.0%
Lac Qui Parle	10	24.4%	1	3.4%	7	17.1%	0	0.0%
Lake	15	31.3%	13	27.7%	3	6.3%	0	0.0%
Lake of the Woods	8	38.1%	6	40.0%	1	4.8%	0	0.0%
Le Sueur	24	32.0%	15	22.1%	7	9.3%	0	0.0%
Lincoln	11	26.8%	3	11.5%	9	22.0%	0	0.0%
Lyon	25	24.8%	9	12.5%	17	16.8%	0	0.0%
McLeod	27	26.5%	10	11.1%	15	14.7%	0	0.0%
Mahnomen	8	36.4%	2	11.8%	3	13.6%	0	0.0%
Marshall	8	27.6%	3	13.6%	3	10.3%	0	0.0%
Martin	19	23.8%	16	18.4%	8	10.0%	0	0.0%
Meeker	21	25.9%	5	7.2%	11	13.6%	0	0.0%
Mille Lacs	31	33.7%	20	24.1%	14	15.2%	0	0.0%
Morrison	38	31.4%	21	23.6%	15	12.4%	0	0.0%

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2003-2005**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	37	23.1%	32	21.8%	21	13.1%	0	0.0%
Murray	13	25.0%	8	19.0%	8	15.4%	0	0.0%
Nicollet	14	23.3%	17	19.5%	6	10.0%	0	0.0%
Nobles	18	31.6%	12	19.4%	8	14.0%	0	0.0%
Norman	9	25.7%	10	30.3%	8	22.9%	0	0.0%
Olmsted	78	24.9%	67	21.5%	23	7.3%	0	0.0%
Otter Tail	60	27.4%	31	16.0%	26	11.9%	0	0.0%
Pennington	11	22.4%	9	18.8%	10	20.4%	0	0.0%
Pine	38	34.5%	22	25.6%	9	8.2%	0	0.0%
Pipestone	11	23.4%	5	16.1%	5	10.6%	0	0.0%
Polk	22	23.2%	26	25.0%	8	8.4%	0	0.0%
Pope	11	22.9%	9	24.3%	8	16.7%	0	0.0%
Ramsey	396	30.1%	359	25.5%	143	10.9%	0	0.0%
Red Lake	5	25.0%	5	41.7%	1	5.0%	0	0.0%
Redwood	20	27.0%	14	20.9%	13	17.6%	0	0.0%
Renville	13	16.9%	12	18.8%	12	15.6%	0	0.0%
Rice	44	26.0%	39	24.8%	18	10.7%	0	0.0%
Rock	6	19.4%	5	11.4%	6	19.4%	0	0.0%
Roseau	8	13.8%	1	2.7%	19	32.8%	0	0.0%
St. Louis	200	26.8%	191	25.7%	108	14.5%	0	0.0%
Scott	49	26.6%	47	25.0%	24	13.0%	0	0.0%
Sherburne	39	27.5%	32	26.4%	8	5.6%	0	0.0%
Sibley	13	25.0%	10	19.6%	7	13.5%	0	0.0%
Stearns	80	27.3%	52	18.1%	42	14.3%	0	0.0%
Steele	29	29.3%	19	18.4%	10	10.1%	0	0.0%
Stevens	7	23.3%	5	16.7%	5	16.7%	0	0.0%
Swift	8	15.7%	4	11.4%	15	29.4%	0	0.0%
Todd	40	37.7%	19	24.1%	10	9.4%	0	0.0%
Traverse	2	10.5%	6	31.6%	3	15.8%	0	0.0%
Wabasha	27	37.0%	12	17.6%	7	9.6%	0	0.0%
Wadena	22	33.3%	8	17.4%	11	16.7%	0	0.0%
Waseca	18	27.3%	11	19.6%	7	10.6%	0	0.0%
Washington	114	26.2%	101	24.2%	34	7.8%	0	0.0%
Watonwan	11	37.9%	6	14.3%	6	20.7%	0	0.0%
Wilkin	3	15.8%	2	8.7%	4	21.1%	0	0.0%
Winona	39	27.5%	35	23.3%	16	11.3%	0	0.0%
Wright	62	26.8%	51	26.6%	25	10.8%	0	0.0%
Yellow Medicine	8	21.6%	3	6.5%	5	13.5%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2003, 2004 and 2005.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2003-2005**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,137	51.7%	6,930	52.2%	13,808	100%	13,286	100%
Aitkin	36	46.2%	34	56.7%	78	100%	60	100%
Anoka	328	56.4%	277	45.9%	582	100%	604	100%
Becker	48	45.7%	52	52.0%	105	100%	100	100%
Beltrami	57	54.3%	49	43.8%	105	100%	112	100%
Benton	51	50.5%	52	55.3%	101	100%	94	100%
Big Stone	16	48.5%	23	65.7%	33	100%	35	100%
Blue Earth	61	49.2%	80	55.6%	124	100%	144	100%
Brown	55	56.7%	57	50.4%	97	100%	113	100%
Carlton	63	46.3%	58	52.3%	136	100%	111	100%
Carver	73	51.4%	61	52.6%	142	100%	116	100%
Cass	61	43.6%	45	50.6%	140	100%	89	100%
Chippewa	29	48.3%	24	50.0%	60	100%	48	100%
Chisago	60	52.2%	55	48.2%	115	100%	114	100%
Clay	65	48.9%	70	50.0%	133	100%	140	100%
Clearwater	19	46.3%	14	66.7%	41	100%	21	100%
Cook	10	55.6%	7	46.7%	18	100%	15	100%
Cottonwood	24	44.4%	21	53.8%	54	100%	39	100%
Crow Wing	102	48.1%	99	50.8%	212	100%	195	100%
Dakota	400	55.4%	402	52.2%	722	100%	770	100%
Dodge	22	57.9%	18	46.2%	38	100%	39	100%
Douglas	75	59.1%	59	52.2%	127	100%	113	100%
Faribault	30	44.1%	34	51.5%	68	100%	66	100%
Fillmore	45	45.9%	34	59.6%	98	100%	57	100%
Freeborn	71	54.2%	52	51.5%	131	100%	101	100%
Goodhue	75	50.3%	70	49.3%	149	100%	142	100%
Grant	9	37.5%	16	61.5%	24	100%	26	100%
Hennepin	1,488	54.0%	1,450	51.5%	2,754	100%	2,814	100%
Houston	34	57.6%	26	47.3%	59	100%	55	100%
Hubbard	39	51.3%	27	48.2%	76	100%	56	100%
Isanti	44	48.4%	37	44.6%	91	100%	83	100%
Itasca	90	45.7%	86	57.7%	197	100%	149	100%
Jackson	27	54.0%	22	61.1%	50	100%	36	100%
Kanabec	25	37.9%	16	39.0%	66	100%	41	100%
Kandiyohi	68	53.5%	61	44.9%	127	100%	136	100%
Kittson	15	60.0%	5	55.6%	25	100%	9	100%
Koochiching	29	43.3%	31	49.2%	67	100%	63	100%
Lac Qui Parle	17	41.5%	15	51.7%	41	100%	29	100%
Lake	27	56.3%	24	51.1%	48	100%	47	100%
Lake of the Woods	7	33.3%	2	13.3%	21	100%	15	100%
Le Sueur	40	53.3%	34	50.0%	75	100%	68	100%
Lincoln	15	36.6%	14	53.8%	41	100%	26	100%
Lyon	48	47.5%	34	47.2%	101	100%	72	100%
McLeod	50	49.0%	53	58.9%	102	100%	90	100%
Mahnomen	9	40.9%	11	64.7%	22	100%	17	100%
Marshall	14	48.3%	8	36.4%	29	100%	22	100%
Martin	44	55.0%	46	52.9%	80	100%	87	100%
Meeker	42	51.9%	48	69.6%	81	100%	69	100%
Mille Lacs	35	38.0%	47	56.6%	92	100%	83	100%
Morrison	51	42.1%	50	56.2%	121	100%	89	100%

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2003-2005**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
Mower	88	55.0%	86	58.5%	160	100%	147	100%
Murray	26	50.0%	27	64.3%	52	100%	42	100%
Nicollet	36	60.0%	47	54.0%	60	100%	87	100%
Nobles	22	38.6%	39	62.9%	57	100%	62	100%
Norman	17	48.6%	15	45.5%	35	100%	33	100%
Olmsted	186	59.4%	167	53.5%	313	100%	312	100%
Otter Tail	111	50.7%	115	59.3%	219	100%	194	100%
Pennington	25	51.0%	28	58.3%	49	100%	48	100%
Pine	49	44.5%	42	48.8%	110	100%	86	100%
Pipestone	27	57.4%	20	64.5%	47	100%	31	100%
Polk	55	57.9%	54	51.9%	95	100%	104	100%
Pope	25	52.1%	18	48.6%	48	100%	37	100%
Ramsey	683	51.9%	738	52.5%	1,315	100%	1,406	100%
Red Lake	10	50.0%	3	25.0%	20	100%	12	100%
Redwood	36	48.6%	37	55.2%	74	100%	67	100%
Renville	41	53.2%	36	56.3%	77	100%	64	100%
Rice	85	50.3%	90	57.3%	169	100%	157	100%
Rock	16	51.6%	23	52.3%	31	100%	44	100%
Roseau	27	46.6%	26	70.3%	58	100%	37	100%
St. Louis	364	48.9%	385	51.9%	745	100%	742	100%
Scott	96	52.2%	92	48.9%	184	100%	188	100%
Sherburne	78	54.9%	59	48.8%	142	100%	121	100%
Sibley	28	53.8%	28	54.9%	52	100%	51	100%
Stearns	140	47.8%	160	55.7%	293	100%	287	100%
Steele	52	52.5%	60	58.3%	99	100%	103	100%
Stevens	16	53.3%	19	63.3%	30	100%	30	100%
Swift	21	41.2%	24	68.6%	51	100%	35	100%
Todd	44	41.5%	41	51.9%	106	100%	79	100%
Traverse	13	68.4%	9	47.4%	19	100%	19	100%
Wabasha	29	39.7%	34	50.0%	73	100%	68	100%
Wadena	29	43.9%	21	45.7%	66	100%	46	100%
Waseca	36	54.5%	30	53.6%	66	100%	56	100%
Washington	245	56.3%	209	50.0%	435	100%	418	100%
Watonwan	9	31.0%	26	61.9%	29	100%	42	100%
Wilkin	8	42.1%	14	60.9%	19	100%	23	100%
Winona	71	50.0%	82	54.7%	142	100%	150	100%
Wright	130	56.3%	89	46.4%	231	100%	192	100%
Yellow Medicine	20	54.1%	27	58.7%	37	100%	46	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2003, 2004 and 2005.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death

Section D: Morbidity and Utilization

Tables

Table 1: Number of Cases of Vaccine Preventable Disease

Table 2: Number of Cases of Sexually Transmitted Diseases

Table 3: Number of Cases of Other Reportable Diseases

Table 4: Motor Vehicle Injuries by Severity

Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured

Tables 6, 7, and 8: Number of Cases of Cancer Diagnosed by Major Site & Sex

Tables 9 and 10: Traumatic Brain Injury and Spinal Cord Injuries

Tables 11 and 12: Minnesota Behavioral Risk Factors of Adults

**Morbidity Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota
By State and County, 2007**

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	28	393	94	25
Aitkin	0	0	0	0
Anoka	1	19	1	1
Becker	0	0	0	0
Beltrami	0	0	1	1
Benton	0	0	1	0
Big Stone	0	0	0	0
Blue Earth	1	0	0	1
Brown	0	0	1	0
Carlton	0	1	1	0
Carver	0	3	1	0
Cass	0	0	0	1
Chippewa	0	0	0	0
Chisago	1	0	1	0
Clay	0	0	1	0
Clearwater	0	5	0	0
Cook	0	0	0	0
Cottonwood	0	0	0	0
Crow Wing	0	3	0	0
Dakota	1	68	1	1
Dodge	0	10	0	0
Douglas	0	1	0	0
Faribault	0	0	0	0
Fillmore	0	0	0	1
Freeborn	0	5	0	0
Goodhue	0	2	1	1
Grant	0	0	0	0
Hennepin	1	144	1	1
Houston	0	0	0	0
Hubbard	0	0	0	0
Isanti	0	0	0	0
Itasca	0	1	1	0
Jackson	0	0	0	0
Kanabec	0	0	0	0
Kandiyohi	1	0	0	1
Kittson	0	0	0	0
Koochiching	0	0	0	0
Lac Qui Parle	0	0	0	0
Lake	0	0	0	0
Lake of the Woods	0	2	0	0
Le Sueur	0	0	0	0
Lincoln	0	0	0	0
Lyon	0	0	0	1
McLeod	0	0	1	0
Mahnomen	0	0	0	0
Marshall	0	0	0	0
Martin	0	7	0	0
Meeker	0	0	0	0
Mille Lacs	0	2	0	1
Morrison	0	2	0	0
Mower	0	6	0	0
Murray	0	0	1	0
Nicollet	0	1	0	0

Morbidity Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota By State and County, 2007

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	28	393	94	25
Nobles	0	0	1	0
Norman	0	0	0	0
Olmsted	0	13	1	1
Otter Tail	0	11	1	0
Pennington	0	0	0	0
Pine	0	0	0	0
Pipestone	0	0	0	0
Polk	0	0	0	0
Pope	0	0	0	0
Ramsey	1	44	1	1
Red Lake	0	0	0	0
Redwood	0	0	0	0
Renville	0	0	0	0
Rice	0	5	0	0
Rock	0	0	0	0
Roseau	0	0	0	0
St. Louis	1	6	0	1
Scott	0	6	1	0
Sherburne	0	0	0	0
Sibley	0	0	0	0
Stearns	1	6	0	0
Steele	1	1	1	0
Stevens	0	0	0	0
Swift	0	0	0	0
Todd	0	2	0	0
Traverse	0	0	0	0
Wabasha	0	0	1	0
Wadena	0	0	1	0
Waseca	1	0	0	0
Washington	1	13	1	1
Watonwan	0	0	0	0
Wilkin	0	0	0	0
Winona	0	3	1	0
Wright	1	1	1	0
Yellow Medicine	0	0	0	0

Source: Minnesota Department of Health - Immunization, TB & International Health Section

Note: There were no cases of diphtheria, rubella or polio in Minnesota in 2007. There was one case of measles and one case of tetanus in Minnesota in 2007.

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Infectious Disease Epidemiology Prevention and Control Division at 651/201-5414

Morbidity Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota By State and County, 2007

	Chlamydia ¹	Gonorrhea ¹	Primary/Secondary Syphilis	Syphilis - All Stages ²	HIV ³
State of Minnesota	13,412	3,459	59	186	325
Aitkin	10	1	0	0	0
Anoka	685	132	2	4	12
Becker	23	3	0	0	0
Beltrami	147	16	0	0	0
Benton	46	5	0	0	2
Big Stone	5	0	0	0	0
Blue Earth	239	20	0	0	1
Brown	23	1	0	0	0
Carlton	53	8	0	0	1
Carver	73	6	0	1	2
Cass	69	7	0	1	1
Chippewa	27	1	0	0	0
Chisago	88	9	1	1	1
Clay	87	7	1	2	0
Clearwater	5	2	0	0	1
Cook	2	0	0	0	0
Cottonwood	12	3	0	0	0
Crow Wing	91	16	0	1	0
Dakota	794	124	3	9	18
Dodge	24	7	0	0	0
Douglas	18	0	0	0	0
Faribault	19	0	0	0	0
Fillmore	13	1	0	0	0
Freeborn	57	2	0	1	0
Goodhue	89	5	0	0	0
Grant	1	0	0	0	0
Hennepin	4,742	1,651	41	112	190
Houston	17	4	0	0	0
Hubbard	13	0	0	0	2
Isanti	51	3	0	0	0
Itasca	76	10	0	0	0
Jackson	4	1	0	0	0
Kanabec	11	0	0	0	0
Kandiyohi	109	12	0	0	1
Kittson	0	0	0	0	0
Koochiching	36	0	0	0	0
Lac Qui Parle	5	0	0	0	0
Lake	12	2	0	0	0
Lake of the Woods	1	1	0	0	0
Le Sueur	36	3	0	0	0
Lincoln	3	0	0	0	0
Lyon	43	4	0	0	0
McLeod	55	4	0	0	0
Mahnomen	6	0	0	0	0
Marshall	6	0	0	0	0
Martin	21	0	0	0	0
Meeker	18	5	0	0	0
Mille Lacs	57	2	0	0	0
Morrison	31	1	0	0	2
Mower	89	13	0	0	0
Murray	12	0	0	0	0
Nicollet	33	4	0	0	0

Morbidity Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota By State and County, 2007

	Chlamydia ¹	Gonorrhea ¹	Primary/Secondary Syphilis	Syphilis - All Stages ²	HIV ³
State of Minnesota	13,412	3,459	59	186	325
Nobles	45	3	0	1	0
Norman	3	0	0	0	0
Olmsted	308	87	0	2	4
Otter Tail	25	6	0	0	1
Pennington	13	3	0	0	0
Pine	48	2	0	0	0
Pipestone	2	1	0	0	0
Polk	25	2	0	0	0
Pope	4	0	0	0	2
Ramsey	2,249	775	8	30	54
Red Lake	1	0	0	0	0
Redwood	15	2	0	0	0
Renville	25	2	0	1	0
Rice	106	8	1	1	3
Rock	1	0	0	0	0
Roseau	10	2	0	0	0
St. Louis	526	124	0	0	6
Scott	186	26	0	2	5
Sherburne	85	16	0	0	2
Sibley	7	1	0	0	0
Stearns	377	70	0	1	8
Steele	74	7	0	0	0
Stevens	3	0	0	0	0
Swift	11	3	0	0	1
Todd	17	2	0	0	0
Traverse	0	0	0	0	0
Wabasha	15	3	0	0	0
Wadena	6	0	0	0	0
Waseca	31	4	0	0	0
Washington	299	58	1	7	4
Watonwan	9	0	0	0	1
Wilkin	1	0	0	0	0
Winona	53	6	0	0	0
Wright	125	25	0	2	0
Yellow Medicine	18	2	0	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

¹ Data exclude cases diagnosed in federal or private correctional facilities; County data missing for 502 chlamydia, 123 gonorrhea and 1 primary/secondary syphilis cases.

² Neurosyphilis, primary, secondary, early latent, late latent, congenital and other syphilis

³ HIV infection includes all new cases of HIV infection (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2007.

HIV Surveillance Reports, MDH www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html

STD Surveillance Reports, MDH: www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, contact the Acute Disease Epidemiology Section at 651/201-5414

**Morbidity Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota
By State and County, 2007**

	Campylo- bacteriosis	Giardiasis	Lyme Disease ¹	Human Anaplasmosis ¹	West Nile ²	Salmo- nellosis	Shig- ellosis	Tuber- culosis
State of Minnesota	907	904	1,239	322	101	711	237	238
Aitkin	0	6	20	24	0	0	0	0
Anoka	45	39	101	20	1	43	26	10
Becker	2	3	11	5	5	1	0	0
Beltrami	2	1	15	8	2	6	21	0
Benton	12	4	3	1	0	12	0	0
Big Stone	2	0	0	0	8	0	0	0
Blue Earth	5	14	4	1	0	8	2	2
Brown	2	4	2	1	0	2	0	0
Carlton	3	4	34	7	0	4	4	0
Carver	21	12	11	1	1	7	0	1
Cass	3	2	40	34	0	5	8	1
Chippewa	0	1	0	0	0	1	0	0
Chisago	1	3	21	4	0	6	4	0
Clay	1	2	3	0	11	4	0	0
Clearwater	0	1	2	1	0	2	0	0
Cook	0	1	0	0	0	0	0	0
Cottonwood	7	0	1	0	1	0	1	0
Crow Wing	10	8	111	68	0	3	0	1
Dakota	68	33	75	8	2	56	21	8
Dodge	3	1	2	0	0	5	0	0
Douglas	9	3	2	1	1	2	5	0
Faribault	1	3	0	0	1	0	0	0
Fillmore	16	3	5	0	0	2	0	0
Freeborn	1	4	1	2	0	5	0	1
Goodhue	20	3	10	1	1	8	0	0
Grant	0	1	0	0	0	0	0	0
Hennepin	188	262	195	27	11	167	83	114
Houston	3	2	17	1	0	5	0	0
Hubbard	2	0	16	13	0	0	0	0
Isanti	1	0	15	4	0	5	0	0
Itasca	1	8	24	8	0	7	0	0
Jackson	2	0	0	0	0	1	0	0
Kanabec	3	2	12	3	0	0	0	0
Kandiyohi	9	10	5	0	1	6	3	2
Kittson	1	0	0	0	3	0	0	0
Koochiching	2	1	0	0	1	1	0	0
Lac Qui Parle	3	0	0	0	1	2	0	0
Lake	0	1	1	0	0	2	0	0
Lake of the Woods	1	0	0	0	0	1	0	0
Le Sueur	5	3	4	1	0	2	1	1
Lincoln	2	0	0	0	2	4	0	0
Lyon	6	1	0	0	2	5	1	1
McLeod	0	1	3	0	0	0	0	0
Mahnomen	1	1	1	2	0	0	0	0
Marshall	6	7	1	0	0	1	0	0
Martin	7	5	0	0	0	3	0	0
Meeker	4	2	0	0	1	2	0	0
Mille Lacs	6	2	12	1	1	0	1	0
Morrison	10	7	19	4	0	4	0	1
Mower	15	10	2	1	1	13	1	0
Murray	3	0	1	0	1	0	0	0

Morbidity Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota By State and County, 2007

	Campylobacteriosis	Giardiasis	Lyme Disease ¹	Human Anaplasmosis ¹	West Nile ²	Salmonellosis	Shigellosis	Tuberculosis
State of Minnesota	907	904	1,239	322	101	711	237	238
Nicollet	4	0	2	0	1	1	0	0
Nobles	8	0	0	0	1	5	0	1
Norman	0	4	0	0	7	0	0	0
Olmsted	28	17	17	2	0	36	1	20
Otter Tail	13	4	10	2	2	7	0	2
Pennington	1	0	0	0	1	1	1	0
Pine	2	1	41	12	0	5	0	1
Pipestone	3	1	0	0	0	0	0	0
Polk	3	2	6	1	8	2	1	0
Pope	4	3	0	0	1	0	0	0
Ramsey	76	177	94	15	3	76	32	47
Red Lake	1	0	1	0	1	1	0	0
Redwood	4	1	0	0	0	2	2	1
Renville	5	0	0	0	0	0	0	0
Rice	9	11	9	2	0	6	2	1
Rock	3	0	0	0	0	2	0	0
Roseau	0	2	0	0	2	0	0	0
St. Louis	18	14	30	6	3	17	3	3
Scott	7	7	18	1	0	17	2	3
Sherburne	2	1	35	5	0	2	0	1
Sibley	24	25	1	0	0	13	2	0
Stearns	33	25	29	6	2	13	2	8
Steele	9	4	1	1	0	8	1	1
Stevens	5	1	0	0	1	0	0	0
Swift	1	1	0	0	0	3	0	0
Todd	5	0	8	3	0	1	0	0
Traverse	1	1	0	0	1	1	0	0
Wabasha	7	2	3	1	0	6	0	1
Wadena	7	1	8	0	1	11	0	0
Waseca	2	2	2	0	0	2	0	1
Washington	47	24	64	10	1	36	5	4
Watonwan	5	2	0	0	0	3	0	0
Wilkin	2	0	0	0	3	1	0	0
Winona	19	5	36	0	0	6	1	0
Wright	30	10	22	3	2	14	0	0
Yellow Medicine	4	1	0	0	1	0	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

¹Lyme disease and human anaplasmosis (HA) are caused by bites from blacklegged ticks (deer ticks), which are found in wooded areas of north-central, eastern, and southeastern Minnesota and western Wisconsin. Most Minnesotans with Lyme disease or HA lived or traveled to these areas. County of residence does not always indicate county of tick exposure.

²West Nile virus disease is caused by bites from *Culex tarsalis* mosquitoes. These mosquitoes can be found anywhere in Minnesota, but risk is greatest in agricultural areas of western and central Minnesota. County of residence does not always indicate county of mosquito exposure.

For more information on tick- and mosquito-borne diseases, please refer to the MDH Vector-borne Diseases webpage (<http://www.health.state.mn.us/divs/idepc/dtopics/vectorborne/index.html>) or call 651-201-5414.

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 651/201-5414.

**Morbidity Table 4: Motor Vehicle Injuries by Severity in Minnesota
By State and County, 2007**

	Injury Severity					Total
	Severe	Moderate	Minor	Killed	Unhurt	
State of Minnesota	1,736	9,365	24,217	510	169,156	204,984
Aitkin	8	30	58	2	293	391
Anoka	109	563	1,391	17	8,412	10,492
Becker	13	84	106	5	529	737
Beltrami	9	60	181	4	1,024	1,278
Benton	18	79	216	4	1,161	1,478
Big Stone		18	15	1	87	121
Blue Earth	27	173	293	3	2,748	3,244
Brown	8	36	103	3	585	735
Carlton	14	58	119	3	490	684
Carver	19	126	352	13	2,506	3,016
Cass	20	57	108	7	492	684
Chippewa	3	24	41	2	217	287
Chisago	25	120	221	8	1,299	1,673
Clay	9	64	219	6	1,665	1,963
Clearwater	3	16	20	1	139	179
Cook	2	12	22	2	154	192
Cottonwood	6	24	26	3	184	243
Crow Wing	16	103	324	11	1,490	1,944
Dakota	79	475	1,598	26	10,283	12,461
Dodge	10	26	71	2	387	496
Douglas	18	75	182	9	1,289	1,573
Faribault	5	26	62	5	317	415
Fillmore	9	26	57		385	477
Freeborn	10	54	121	4	1,029	1,218
Goodhue	29	120	166	12	1,337	1,664
Grant	3	15	17	1	120	156
Hennepin	347	2,314	6,849	52	49,526	59,088
Houston	14	30	47		468	559
Hubbard	10	43	79	3	273	408
Isanti	18	82	151	8	845	1,104
Itasca	25	98	232	10	924	1,289
Jackson	12	19	34	1	258	324
Kanabec	6	27	94	2	300	429
Kandiyohi	23	98	276	4	1,314	1,715
Kittson	1	7	6	2	43	59
Koochiching	5	22	37	2	306	372
Lac Qui Parle	2	8	12		87	109
Lake	6	28	29	3	222	288
Lake of the Woods		11	5	1	57	74
Le Sueur	10	59	124	3	647	843
Lincoln	3	11	15	3	149	181
Lyon	10	54	93	2	621	780
McLeod	8	52	150	2	1,006	1,218
Mahnomen	4	11	14	3	52	84
Marshall	2	19	23	1	85	130
Martin	11	47	116	4	620	798
Meeker	11	45	74	1	424	555
Mille Lacs	4	32	100	6	527	669
Morrison	18	52	116	4	605	795
Mower	11	51	142	2	1,205	1,411
Murray	2	15	24	3	85	129

**Morbidity Table 4: Motor Vehicle Injuries by Severity in Minnesota
By State and County, 2007**

	Injury Severity					Total
	Severe	Moderate	Minor	Killed	Unhurt	
State of Minnesota	1,736	9,365	24,217	510	169,156	204,984
Nicollet	5	51	124	4	865	1,049
Nobles	4	54	101	4	516	679
Norman	6	17	17	1	66	107
Olmsted	58	395	544	14	4,835	5,846
Otter Tail	13	71	191	7	1,281	1,563
Pennington	6	19	73	1	346	445
Pine	10	62	165	6	505	748
Pipestone	11	16	42	4	255	328
Polk	13	52	87	7	610	769
Pope	3	13	43	2	167	228
Ramsey	131	792	2,895	21	27,803	31,642
Red Lake		2	5	2	29	38
Redwood	12	38	66	4	242	362
Renville	19	28	51	4	188	290
Rice	25	86	225	4	1,120	1,460
Rock	2	15	48	4	223	292
Roseau	1	10	51	2	161	225
St. Louis	80	396	933	23	6,756	8,188
Scott	52	198	467	19	2,924	3,660
Sherburne	19	123	310	10	2,147	2,609
Sibley	2	15	44	1	221	283
Stearns	61	349	766	10	5,386	6,572
Steele	22	74	131	7	913	1,147
Stevens	2	9	30	3	163	207
Swift	7	14	20	3	148	192
Todd	8	40	62	3	357	470
Traverse	3	4	9		48	64
Wabasha	6	61	78	2	404	551
Wadena	2	25	42	1	213	283
Waseca	10	35	74	4	340	463
Washington	36	287	895	20	5,894	7,132
Watonwan	3	23	38	3	212	279
Wilkin	6	10	20	6	149	191
Winona	29	120	206	6	1,640	2,001
Wright	31	141	411	20	2,642	3,245
Yellow Medicine	3	21	22	2	116	164

Sources: Minnesota Department of Public Safety

Severe Injury: Any injury, other than a fatal injury which prevents the injured person from walking, driving, or normally continuing activities which he/she was capable of performing just before the accident

Moderate Injury: Any injury, other than fatal or incapacitating, which is evident to a person other than the injured at the scene of the accident (e.g. bruises, abrasions, swelling, minor lacerations, limping etc.).

Minor Injury: None of the above injuries, but is a complaint of physical pain by the injured (e.g. momentary unconsciousness, nausea, hysteria, etc.)

**Morbidity Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured in Minnesota
By State and County, 2007**

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	24,655	77.6	3,435	10.8	3,665	11.5	31,755
Aitkin	69	78.4	17	19.3	2	2.3	88
Anoka	1,548	82.9	147	7.9	172	9.2	1,867
Becker	124	64.9	40	20.9	27	14.1	191
Beltrami	168	69.7	48	19.9	25	10.4	241
Benton	240	81.1	33	11.1	23	7.8	296
Big Stone	12	36.4	15	45.5	6	18.2	33
Blue Earth	351	79.1	46	10.4	47	10.6	444
Brown	101	77.7	12	9.2	17	13.1	130
Carlton	124	70.1	16	9.0	37	20.9	177
Carver	388	83.6	54	11.6	22	4.7	464
Cass	108	61.4	37	21.0	31	17.6	176
Chippewa	35	53.0	22	33.3	9	13.6	66
Chisago	261	75.4	33	9.5	52	15.0	346
Clay	214	79.0	29	10.7	28	10.3	271
Clearwater	20	57.1	11	31.4	4	11.4	35
Cook	26	74.3	7	20.0	2	5.7	35
Cottonwood	34	63.0	10	18.5	10	18.5	54
Crow Wing	324	79.4	54	13.2	30	7.4	408
Dakota	1,600	82.5	123	6.3	217	11.2	1,940
Dodge	60	60.6	24	24.2	15	15.2	99
Douglas	195	74.7	33	12.6	33	12.6	261
Faribault	48	53.3	19	21.1	23	25.6	90
Fillmore	58	69.9	18	21.7	7	8.4	83
Freeborn	141	85.5	17	10.3	7	4.2	165
Goodhue	223	75.6	47	15.9	25	8.5	295
Grant	23	65.7	9	25.7	3	8.6	35
Hennepin	6,404	78.1	550	6.7	1,242	15.2	8,196
Houston	54	70.1	16	20.8	7	9.1	77
Hubbard	93	75.6	20	16.3	10	8.1	123
Isanti	169	72.2	33	14.1	32	13.7	234
Itasca	243	70.6	53	15.4	48	14.0	344
Jackson	42	68.9	12	19.7	7	11.5	61
Kanabec	85	73.9	22	19.1	8	7.0	115
Kandiyohi	281	74.3	72	19.0	25	6.6	378
Kittson	7	43.8	5	31.3	4	25.0	16
Koochiching	35	61.4	12	21.1	10	17.5	57
Lac Qui Parle	11	68.8	4	25.0	1	6.3	16
Lake	37	68.5	13	24.1	4	7.4	54
Lake of the Woods	6	37.5	6	37.5	4	25.0	16
Le Sueur	131	72.4	27	14.9	23	12.7	181
Lincoln	17	56.7	8	26.7	5	16.7	30
Lyon	109	73.6	23	15.5	16	10.8	148
McLeod	146	79.8	21	11.5	16	8.7	183
Mahnomen	10	35.7	12	42.9	6	21.4	28
Marshall	27	67.5	11	27.5	2	5.0	40
Martin	111	69.8	33	20.8	15	9.4	159
Meeker	78	65.5	27	22.7	14	11.8	119
Mille Lacs	99	71.7	22	15.9	17	12.3	138
Morrison	113	68.5	36	21.8	16	9.7	165
Mower	151	78.2	33	17.1	9	4.7	193

**Morbidity Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured in Minnesota
By State and County, 2007**

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	24,655	77.6	3,435	10.8	3,665	11.5	31,755
Murray	23	62.2	6	16.2	8	21.6	37
Nicollet	121	74.7	22	13.6	19	11.7	162
Nobles	108	72.5	25	16.8	16	10.7	149
Norman	25	65.8	5	13.2	8	21.1	38
Olmsted	752	82.5	107	11.7	52	5.7	911
Otter Tail	200	79.7	33	13.1	18	7.2	251
Pennington	74	81.3	10	11.0	7	7.7	91
Pine	183	80.3	20	8.8	25	11.0	228
Pipestone	40	63.5	19	30.2	4	6.3	63
Polk	106	68.8	25	16.2	23	14.9	154
Pope	39	72.2	12	22.2	3	5.6	54
Ramsey	2,700	81.1	227	6.8	404	12.1	3,331
Red Lake	5	55.6	4	44.4	0	0.0	9
Redwood	74	66.1	26	23.2	12	10.7	112
Renville	57	60.0	29	30.5	9	9.5	95
Rice	224	74.2	49	16.2	29	9.6	302
Rock	41	64.1	19	29.7	4	6.3	64
Roseau	38	62.3	9	14.8	14	23.0	61
St. Louis	989	77.9	178	14.0	103	8.1	1,270
Scott	542	81.1	65	9.7	61	9.1	668
Sherburne	345	81.8	42	10.0	35	8.3	422
Sibley	32	57.1	17	30.4	7	12.5	56
Stearns	855	80.9	109	10.3	93	8.8	1,057
Steele	156	74.3	37	17.6	17	8.1	210
Stevens	11	31.4	11	31.4	13	37.1	35
Swift	23	56.1	12	29.3	6	14.6	41
Todd	60	57.1	28	26.7	17	16.2	105
Traverse	12	80.0	0	0.0	3	20.0	15
Wabasha	80	69.6	17	14.8	18	15.7	115
Wadena	40	65.6	14	23.0	7	11.5	61
Waseca	70	62.5	26	23.2	16	14.3	112
Washington	929	83.7	87	7.8	94	8.5	1,110
Watonwan	34	65.4	11	21.2	7	13.5	52
Wilkin	21	55.3	13	34.2	4	10.5	38
Winona	222	69.2	56	17.4	43	13.4	321
Wright	440	80.0	63	11.5	47	8.5	550
Yellow Medicine	30	68.2	10	22.7	4	9.1	44

Sources: Minnesota Department of Public Safety

Note: Occupants of vehicles normally equipped with seatbelts includes passenger vehicles, trucks, taxis, etc. This definition excludes motorcycles, buses, snowmobiles, etc.

Morbidity Table 6: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2003-2005**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	84	0.2%	10,252	30.4%	3,842	10.2%	3,640	10.8%
Aitkin	0	0.0%	46	31.3%	22	9.9%	17	11.6%
Anoka	4	0.2%	544	31.9%	183	9.9%	138	8.1%
Becker	1	0.3%	59	27.2%	39	12.9%	29	13.4%
Beltrami	2	0.7%	68	24.8%	35	11.6%	45	16.4%
Benton	1	0.4%	61	28.4%	20	7.8%	13	6.0%
Big Stone	0	0.0%	14	24.6%	11	18.6%	11	19.3%
Blue Earth	1	0.2%	101	28.5%	46	11.5%	53	15.0%
Brown	0	0.0%	64	25.8%	32	13.1%	35	14.1%
Carlton	0	0.0%	68	28.3%	42	12.9%	27	11.3%
Carver	0	0.0%	126	31.7%	35	9.0%	28	7.0%
Cass	0	0.0%	57	25.1%	25	8.3%	27	11.9%
Chippewa	0	0.0%	30	29.1%	20	15.6%	10	9.7%
Chisago	0	0.0%	91	29.2%	35	10.3%	34	10.9%
Clay	0	0.0%	102	30.6%	43	12.1%	56	16.8%
Clearwater	0	0.0%	18	38.3%	14	13.3%	4	8.5%
Cook	0	0.0%	8	21.6%	5	10.2%	4	10.8%
Cottonwood	0	0.0%	33	33.3%	19	14.0%	19	19.2%
Crow Wing	1	0.2%	133	27.3%	66	10.5%	45	9.2%
Dakota	4	0.2%	654	31.1%	212	9.6%	208	9.9%
Dodge	0	0.0%	30	23.6%	11	9.7%	17	13.4%
Douglas	1	0.2%	72	28.6%	43	10.6%	29	11.5%
Faribault	0	0.0%	37	27.2%	22	12.9%	19	14.0%
Fillmore	0	0.0%	65	35.3%	32	15.3%	18	9.8%
Freeborn	0	0.0%	77	31.4%	27	8.7%	30	12.2%
Goodhue	0	0.0%	114	31.8%	39	9.8%	52	14.5%
Grant	0	0.0%	15	30.6%	10	14.1%	8	16.3%
Hennepin	23	0.3%	2,300	31.3%	697	9.2%	693	9.4%
Houston	0	0.0%	46	33.3%	19	11.2%	10	7.2%
Hubbard	1	0.5%	55	32.2%	24	11.5%	18	10.5%
Isanti	1	0.4%	64	34.0%	19	8.0%	19	10.1%
Itasca	0	0.0%	118	33.2%	56	12.4%	48	13.5%
Jackson	0	0.0%	17	23.0%	16	16.3%	14	18.9%
Kanabec	0	0.0%	23	23.0%	13	8.6%	8	8.0%
Kandiyohi	1	0.3%	104	30.1%	28	8.9%	39	11.3%
Kittson	0	0.0%	19	44.2%	5	11.9%	4	9.3%
Koochiching	1	0.6%	30	23.8%	25	14.0%	18	14.3%
Lac Qui Parle	0	0.0%	26	32.9%	11	12.4%	14	17.7%
Lake	0	0.0%	21	23.3%	13	11.4%	14	15.6%
Lake of the Woods	0	0.0%	11	28.9%	9	13.8%	6	15.8%
Le Sueur	0	0.0%	56	30.4%	23	10.3%	17	9.2%
Lincoln	0	0.0%	14	24.1%	9	11.7%	9	15.5%
Lyon	0	0.0%	54	30.7%	16	8.3%	29	16.5%
McLeod	0	0.0%	77	33.3%	25	9.1%	25	10.8%
Mahnomen	0	0.0%	11	28.2%	12	25.5%	4	10.3%
Marshall	0	0.0%	27	35.1%	20	17.4%	13	16.9%
Martin	0	0.0%	48	24.2%	18	10.0%	25	12.6%
Meeker	0	0.0%	48	27.9%	18	9.7%	29	16.9%
Mille Lacs	0	0.0%	59	28.5%	17	7.0%	18	8.7%
Morrison	1	0.3%	71	30.2%	42	13.0%	16	6.8%
Mower	0	0.0%	83	27.9%	52	12.3%	26	8.8%

Morbidity Table 6: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2003-2005**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	84	0.2%	10,252	30.4%	3,842	10.2%	3,640	10.8%
Murray	0	0.0%	22	23.2%	11	11.5%	18	18.9%
Nicollet	1	0.5%	51	27.1%	26	13.3%	21	11.2%
Nobles	0	0.0%	43	25.3%	25	13.5%	33	19.4%
Norman	1	1.3%	23	38.3%	5	6.3%	1	1.7%
Olmsted	1	0.1%	275	31.3%	85	8.5%	66	7.5%
Otter Tail	2	0.4%	131	29.9%	70	12.6%	52	11.9%
Pennington	0	0.0%	30	28.6%	13	10.5%	13	12.4%
Pine	0	0.0%	67	29.9%	28	10.5%	26	11.6%
Pipestone	0	0.0%	39	34.2%	14	12.6%	25	21.9%
Polk	1	0.4%	70	27.6%	33	12.9%	53	20.9%
Pope	0	0.0%	22	22.4%	25	17.9%	9	9.2%
Ramsey	3	0.1%	1,010	29.8%	338	9.6%	358	10.6%
Red Lake	0	0.0%	9	26.5%	5	10.0%	1	2.9%
Redwood	0	0.0%	45	32.6%	14	8.6%	21	15.2%
Renville	1	0.6%	44	26.3%	25	15.2%	23	13.8%
Rice	2	0.5%	99	29.3%	48	10.8%	45	13.3%
Rock	0	0.0%	24	32.0%	11	11.7%	11	14.7%
Roseau	1	0.8%	22	29.7%	8	6.2%	11	14.9%
St Louis	6	0.3%	472	29.0%	187	10.7%	163	10.0%
Scott	2	0.4%	183	33.7%	53	10.2%	57	10.5%
Sherburne	1	0.2%	102	29.2%	35	8.0%	19	5.4%
Sibley	0	0.0%	27	24.8%	16	12.7%	20	18.3%
Stearns	3	0.3%	281	31.3%	101	9.8%	87	9.7%
Steele	1	0.4%	67	31.2%	17	6.3%	28	13.0%
Stevens	0	0.0%	21	28.0%	8	11.8%	8	10.7%
Swift	0	0.0%	33	29.5%	14	12.8%	20	17.9%
Todd	5	2.0%	51	29.7%	36	14.6%	26	15.1%
Traverse	1	2.0%	6	20.0%	5	10.0%	5	16.7%
Wabasha	0	0.0%	58	34.1%	22	12.7%	16	9.4%
Wadena	0	0.0%	29	23.6%	15	8.4%	26	21.1%
Waseca	1	0.8%	43	28.1%	8	6.0%	21	13.7%
Washington	5	0.4%	431	33.8%	133	9.6%	124	9.7%
Watonwan	0	0.0%	37	35.9%	8	8.2%	15	14.6%
Wilkin	0	0.0%	15	25.9%	15	21.7%	12	20.7%
Winona	1	0.3%	120	34.4%	45	13.1%	50	14.3%
Wright	2	0.3%	157	29.7%	49	7.5%	52	9.8%
Yellow Medicine	0	0.0%	24	27.9%	16	14.3%	12	14.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2003, 2004 and 2005.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Breast C50.0 - C50.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Colon & Rectum C18.0 - C18.9, C19.9, C20.9, C26.0, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity Table 7: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2003-2005**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,721	12.6%	4,035	12.0%	12,174	32.4%	0	0.0%
Aitkin	33	14.8%	25	17.0%	75	33.6%	0	0.0%
Anoka	219	11.8%	239	14.0%	602	32.5%	0	0.0%
Becker	35	11.6%	27	12.4%	91	30.0%	0	0.0%
Beltrami	43	14.2%	48	17.5%	105	34.7%	0	0.0%
Benton	29	11.2%	30	14.0%	96	37.2%	0	0.0%
Big Stone	11	18.6%	6	10.5%	15	25.4%	0	0.0%
Blue Earth	54	13.5%	31	8.8%	139	34.7%	0	0.0%
Brown	21	8.6%	27	10.9%	79	32.4%	0	0.0%
Carlton	38	11.7%	33	13.8%	96	29.5%	0	0.0%
Carver	41	10.5%	32	8.0%	133	34.0%	0	0.0%
Cass	43	14.3%	37	16.3%	105	34.9%	0	0.0%
Chippewa	18	14.1%	13	12.6%	38	29.7%	0	0.0%
Chisago	47	13.9%	46	14.7%	103	30.4%	0	0.0%
Clay	49	13.8%	32	9.6%	97	27.3%	0	0.0%
Clearwater	13	12.4%	4	8.5%	30	28.6%	0	0.0%
Cook	4	8.2%	5	13.5%	19	38.8%	0	0.0%
Cottonwood	14	10.3%	6	6.1%	54	39.7%	0	0.0%
Crow Wing	87	13.9%	73	15.0%	227	36.1%	0	0.0%
Dakota	262	11.8%	238	11.3%	687	31.0%	0	0.0%
Dodge	17	15.0%	13	10.2%	30	26.5%	0	0.0%
Douglas	51	12.5%	35	13.9%	134	32.9%	0	0.0%
Faribault	20	11.8%	16	11.8%	52	30.6%	0	0.0%
Fillmore	30	14.4%	13	7.1%	71	34.0%	0	0.0%
Freeborn	36	11.6%	21	8.6%	116	37.3%	0	0.0%
Goodhue	52	13.1%	27	7.5%	117	29.5%	0	0.0%
Grant	11	15.5%	6	12.2%	21	29.6%	0	0.0%
Hennepin	918	12.1%	905	12.3%	2,342	30.9%	0	0.0%
Houston	15	8.8%	18	13.0%	58	34.1%	0	0.0%
Hubbard	27	12.9%	30	17.5%	64	30.6%	0	0.0%
Isanti	38	16.0%	28	14.9%	78	32.8%	0	0.0%
Itasca	63	13.9%	37	10.4%	149	32.9%	0	0.0%
Jackson	13	13.3%	9	12.2%	27	27.6%	0	0.0%
Kanabec	26	17.2%	16	16.0%	41	27.2%	0	0.0%
Kandiyohi	41	13.1%	31	9.0%	103	32.8%	0	0.0%
Kittson	7	16.7%	4	9.3%	13	31.0%	0	0.0%
Koochiching	32	18.0%	22	17.5%	54	30.3%	0	0.0%
Lac Qui Parle	13	14.6%	1	1.3%	35	39.3%	0	0.0%
Lake	12	10.5%	12	13.3%	48	42.1%	0	0.0%
Lake of the Woods	6	9.2%	6	15.8%	21	32.3%	0	0.0%
Le Sueur	40	17.9%	27	14.7%	67	30.0%	0	0.0%
Lincoln	10	13.0%	3	5.2%	35	45.5%	0	0.0%
Lyon	20	10.4%	17	9.7%	63	32.8%	0	0.0%
McLeod	31	11.3%	14	6.1%	106	38.7%	0	0.0%
Mahnomen	9	19.1%	3	7.7%	10	21.3%	0	0.0%
Marshall	10	8.7%	5	6.5%	41	35.7%	0	0.0%
Martin	15	8.3%	19	9.6%	72	40.0%	0	0.0%
Meeker	25	13.5%	15	8.7%	59	31.9%	0	0.0%
Mille Lacs	39	16.1%	33	15.9%	85	35.1%	0	0.0%
Morrison	46	14.3%	35	14.9%	110	34.2%	0	0.0%
Mower	52	12.3%	45	15.2%	150	35.5%	0	0.0%

Morbidity Table 7: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2003-2005**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,721	12.6%	4,035	12.0%	12,174	32.4%	0	0.0%
Murray	15	15.6%	10	10.5%	25	26.0%	0	0.0%
Nicollet	20	10.3%	26	13.8%	63	32.3%	0	0.0%
Nobles	21	11.4%	18	10.6%	70	37.8%	0	0.0%
Norman	12	15.2%	8	13.3%	29	36.7%	0	0.0%
Olmsted	130	12.9%	99	11.3%	268	26.7%	0	0.0%
Otter Tail	59	10.6%	50	11.4%	202	36.3%	0	0.0%
Pennington	18	14.5%	9	8.6%	40	32.3%	0	0.0%
Pine	44	16.5%	33	14.7%	88	33.1%	0	0.0%
Pipestone	12	10.8%	10	8.8%	37	33.3%	0	0.0%
Polk	31	12.2%	27	10.6%	79	31.0%	0	0.0%
Pope	17	12.1%	15	15.3%	45	32.1%	0	0.0%
Ramsey	461	13.1%	415	12.3%	1,195	33.9%	0	0.0%
Red Lake	5	10.0%	7	20.6%	19	38.0%	0	0.0%
Redwood	25	15.3%	10	7.2%	67	41.1%	0	0.0%
Renville	15	9.1%	20	12.0%	53	32.1%	0	0.0%
Rice	63	14.2%	31	9.2%	120	27.1%	0	0.0%
Rock	10	10.6%	3	4.0%	29	30.9%	0	0.0%
Roseau	12	9.2%	7	9.5%	50	38.5%	0	0.0%
St. Louis	246	14.1%	224	13.8%	533	30.5%	0	0.0%
Scott	57	10.9%	60	11.0%	146	28.0%	0	0.0%
Sherburne	50	11.4%	44	12.6%	164	37.5%	0	0.0%
Sibley	16	12.7%	14	12.8%	37	29.4%	0	0.0%
Stearns	132	12.9%	84	9.4%	381	37.1%	0	0.0%
Steele	28	10.3%	14	6.5%	98	36.0%	0	0.0%
Stevens	5	7.4%	5	6.7%	18	26.5%	0	0.0%
Swift	14	12.8%	10	8.9%	43	39.4%	0	0.0%
Todd	37	15.0%	19	11.0%	89	36.2%	0	0.0%
Traverse	3	6.0%	5	16.7%	19	38.0%	0	0.0%
Wabasha	34	19.7%	17	10.0%	41	23.7%	0	0.0%
Wadena	23	12.8%	8	6.5%	55	30.7%	0	0.0%
Waseca	19	14.3%	16	10.5%	40	30.1%	0	0.0%
Washington	133	9.6%	148	11.6%	443	31.9%	0	0.0%
Watonwan	10	10.2%	9	8.7%	34	34.7%	0	0.0%
Wilkin	6	8.7%	9	15.5%	14	20.3%	0	0.0%
Winona	52	15.2%	48	13.8%	102	29.7%	0	0.0%
Wright	89	13.6%	79	15.0%	229	35.0%	0	0.0%
Yellow Medicine	11	9.8%	6	7.0%	45	40.2%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2003, 2004 and 2005.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Lung & Bronchus C34.0 - C34.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Prostate C61.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity Table 8: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2003-2005**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	16,795	44.6%	15,804	46.9%	37,616	100%	33,731	100%
Aitkin	93	41.7%	59	40.1%	223	100%	147	100%
Anoka	845	45.6%	784	46.0%	1,853	100%	1,705	100%
Becker	137	45.2%	102	47.0%	303	100%	217	100%
Beltrami	118	38.9%	113	41.2%	303	100%	274	100%
Benton	112	43.4%	111	51.6%	258	100%	215	100%
Big Stone	22	37.3%	26	45.6%	59	100%	57	100%
Blue Earth	161	40.1%	169	47.7%	401	100%	354	100%
Brown	112	45.9%	122	49.2%	244	100%	248	100%
Carlton	149	45.8%	112	46.7%	325	100%	240	100%
Carver	182	46.5%	212	53.3%	391	100%	398	100%
Cass	128	42.5%	106	46.7%	301	100%	227	100%
Chippewa	52	40.6%	50	48.5%	128	100%	103	100%
Chisago	154	45.4%	141	45.2%	339	100%	312	100%
Clay	166	46.8%	143	42.9%	355	100%	333	100%
Clearwater	48	45.7%	21	44.7%	105	100%	47	100%
Cook	21	42.9%	20	54.1%	49	100%	37	100%
Cottonwood	49	36.0%	41	41.4%	136	100%	99	100%
Crow Wing	247	39.3%	237	48.6%	628	100%	488	100%
Dakota	1,054	47.5%	1,002	47.7%	2,219	100%	2,102	100%
Dodge	55	48.7%	67	52.8%	113	100%	127	100%
Douglas	178	43.7%	116	46.0%	407	100%	252	100%
Faribault	76	44.7%	64	47.1%	170	100%	136	100%
Fillmore	76	36.4%	88	47.8%	209	100%	184	100%
Freeborn	132	42.4%	117	47.8%	311	100%	245	100%
Goodhue	188	47.5%	165	46.1%	396	100%	358	100%
Grant	29	40.8%	20	40.8%	71	100%	49	100%
Hennepin	3,592	47.4%	3,440	46.9%	7,572	100%	7,338	100%
Houston	78	45.9%	64	46.4%	170	100%	138	100%
Hubbard	93	44.5%	68	39.8%	209	100%	171	100%
Isanti	102	42.9%	77	41.0%	238	100%	188	100%
Itasca	185	40.8%	152	42.8%	453	100%	355	100%
Jackson	42	42.9%	34	45.9%	98	100%	74	100%
Kanabec	71	47.0%	53	53.0%	151	100%	100	100%
Kandiyohi	141	44.9%	171	49.6%	314	100%	345	100%
Kittson	17	40.5%	16	37.2%	42	100%	43	100%
Koochiching	66	37.1%	56	44.4%	178	100%	126	100%
Lac Qui Parle	30	33.7%	38	48.1%	89	100%	79	100%
Lake	41	36.0%	43	47.8%	114	100%	90	100%
Lake of the Woods	29	44.6%	15	39.5%	65	100%	38	100%
Le Sueur	93	41.7%	84	45.7%	223	100%	184	100%
Lincoln	23	29.9%	32	55.2%	77	100%	58	100%
Lyon	93	48.4%	76	43.2%	192	100%	176	100%
McLeod	112	40.9%	115	49.8%	274	100%	231	100%
Mahnomen	16	34.0%	21	53.8%	47	100%	39	100%
Marshall	44	38.3%	32	41.6%	115	100%	77	100%
Martin	75	41.7%	106	53.5%	180	100%	198	100%
Meeker	83	44.9%	80	46.5%	185	100%	172	100%
Mille Lacs	101	41.7%	97	46.9%	242	100%	207	100%
Morrison	123	38.2%	113	48.1%	322	100%	235	100%
Mower	169	40.0%	143	48.1%	423	100%	297	100%

Morbidity Table 8: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2003-2005**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	16,795	44.6%	15,804	46.9%	37,616	100%	33,731	100%
Murray	45	46.9%	45	47.4%	96	100%	95	100%
Nicollet	85	43.6%	90	47.9%	195	100%	188	100%
Nobles	69	37.3%	76	44.7%	185	100%	170	100%
Norman	32	40.5%	28	46.7%	79	100%	60	100%
Olmsted	520	51.8%	439	49.9%	1,004	100%	879	100%
Otter Tail	224	40.2%	205	46.8%	557	100%	438	100%
Pennington	53	42.7%	53	50.5%	124	100%	105	100%
Pine	106	39.8%	98	43.8%	266	100%	224	100%
Pipestone	48	43.2%	40	35.1%	111	100%	114	100%
Polk	111	43.5%	104	40.9%	255	100%	254	100%
Pope	53	37.9%	52	53.1%	140	100%	98	100%
Ramsey	1,527	43.3%	1,602	47.3%	3,524	100%	3,385	100%
Red Lake	21	42.0%	17	50.0%	50	100%	34	100%
Redwood	57	35.0%	62	44.9%	163	100%	138	100%
Renville	71	43.0%	80	47.9%	165	100%	167	100%
Rice	210	47.4%	163	48.2%	443	100%	338	100%
Rock	44	46.8%	37	49.3%	94	100%	75	100%
Roseau	59	45.4%	34	45.9%	130	100%	74	100%
St. Louis	776	44.4%	766	47.1%	1,748	100%	1,625	100%
Scott	264	50.6%	243	44.8%	522	100%	543	100%
Sherburne	187	42.8%	184	52.7%	437	100%	349	100%
Sibley	57	45.2%	48	44.0%	126	100%	109	100%
Stearns	410	39.9%	445	49.6%	1,027	100%	897	100%
Steele	128	47.1%	106	49.3%	272	100%	215	100%
Stevens	37	54.4%	41	54.7%	68	100%	75	100%
Swift	38	34.9%	49	43.8%	109	100%	112	100%
Todd	79	32.1%	76	44.2%	246	100%	172	100%
Traverse	22	44.0%	14	46.7%	50	100%	30	100%
Wabasha	76	43.9%	79	46.5%	173	100%	170	100%
Wadena	86	48.0%	60	48.8%	179	100%	123	100%
Waseca	65	48.9%	73	47.7%	133	100%	153	100%
Washington	675	48.6%	574	44.9%	1,389	100%	1,277	100%
Watonwan	46	46.9%	42	40.8%	98	100%	103	100%
Wilkin	34	49.3%	22	37.9%	69	100%	58	100%
Winona	143	41.7%	131	37.5%	343	100%	349	100%
Wright	285	43.6%	240	45.5%	654	100%	528	100%
Yellow Medicine	40	35.7%	44	51.2%	112	100%	86	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2003, 2004 and 2005.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Other Cell types M959_ - M998_, and all other Site Codes

Total Includes all microscopically-confirmed or Death-Certificate-Only cancers

(Counts include invasive cancers only, with the exception of cancers of urinary bladder, which include in situ cancers.)

**Morbidity Table 9: Minnesota Nonfatal Hospitalized Traumatic Brain Injury
Number and Rate per 100,000 population by State and County, 2005-2007**

	2005		2006		2007	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,817	92.0	4,759	90.4	4,623	87.7
Aitkin	17	*	17	*	15	*
Anoka	296	104.3	269	92.5	245	81.7
Becker	22	66.0	23	64.7	11	*
Beltrami	17	*	23	54.1	41	92.6
Benton	42	113.8	28	70.0	39	106.0
Big Stone	1	*	1	*	1	*
Blue Earth	63	111.5	50	80.7	73	117.6
Brown	18	*	29	98.5	22	79.6
Carlton	29	83.2	36	98.9	32	86.3
Carver	51	68.8	61	81.7	57	69.1
Cass	22	72.8	28	96.9	22	70.7
Chippewa	11	*	11	*	5	*
Chisago	65	135.6	56	116.8	63	129.0
Clay	2	*	3	*	4	*
Clearwater	5	*	4	*	5	*
Cook	4	*	3	*	4	*
Cottonwood	11	*	3	*	4	*
Crow Wing	51	80.0	65	96.6	58	90.7
Dakota	319	91.2	299	84.3	313	88.2
Dodge	31	159.5	30	155.7	25	127.9
Douglas	30	72.2	29	63.4	31	75.6
Faribault	17	*	16	*	18	*
Fillmore	33	160.2	33	144.0	29	131.6
Freeborn	34	95.5	32	89.8	33	95.0
Goodhue	75	152.6	62	127.5	64	128.0
Grant	5	*	6	*	1	*
Hennepin	1046	93.4	1011	90.7	940	84.3
Houston	15	*	13	*	13	*
Hubbard	5	*	2	*	7	*
Isanti	43	110.9	37	107.2	41	108.2
Itasca	36	75.6	32	77.7	40	82.1
Jackson	0	*	4	*	5	*
Kanabec	24	147.7	19	*	23	137.5
Kandiyohi	33	73.7	30	69.2	19	*
Kittson	0	*	3	*	0	*
Koochiching	7	*	8	*	14	*
Lac Qui Parle	3	*	4	*	6	*
Lake	7	*	8	*	5	*
Lake of the Woods	2	*	3	*	1	*
Le Sueur	35	128.2	41	141.7	33	116.2
Lincoln	1	*	0	*	4	*
Lyon	10	*	14	*	8	*
McLeod	36	95.0	36	93.3	28	72.3
Mahnomen	1	*	2	*	3	*
Marshall	3	*	2	*	2	*
Martin	22	82.4	20	84.9	17	*
Meeker	21	90.4	10	*	19	*
Mille Lacs	37	143.2	50	182.3	29	110.5
Morrison	38	110.0	37	102.8	30	85.8
Mower	57	131.2	77	189.7	49	108.0

**Morbidity Table 9: Minnesota Nonfatal Hospitalized Traumatic Brain Injury
Number and Rate per 100,000 population by State and County, 2005-2007**

	2005		2006		2007	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,817	92.0	4,759	90.4	4,623	87.7
Murray	4	*	4	*	3	*
Nicollet	38	129.2	27	84.6	17	*
Nobles	8	*	7	*	6	*
Norman	2	*	1	*	1	*
Olmsted	195	147.1	194	141.6	186	137.0
Otter Tail	42	64.5	35	60.3	30	41.6
Pennington	1	*	3	*	4	*
Pine	41	139.2	32	110.8	28	95.5
Pipestone	0	*	4	*	4	*
Polk	4	*	8	*	7	*
Pope	10	*	14	*	20	157.6
Ramsey	599	117.9	593	118.0	567	111.8
Red Lake	2	*	1	*	0	*
Redwood	17	*	13	*	13	*
Renville	15	*	17	*	23	117.1
Rice	71	112.5	64	101.7	63	97.2
Rock	2	*	1	*	1	*
Roseau	3	*	2	*	3	*
St. Louis	259	122.8	217	100.6	181	85.0
Scott	73	71.3	74	73.6	83	78.0
Sherburne	64	89.3	81	96.4	77	100.4
Sibley	9	*	13	*	11	*
Stearns	143	99.9	139	94.6	129	89.5
Steele	50	138.2	32	82.6	50	136.2
Stevens	11	*	16	*	14	*
Swift	2	*	8	*	8	*
Todd	15	*	18	*	18	*
Traverse	3	*	1	*	2	*
Wabasha	32	137.8	42	186.3	24	101.5
Wadena	11	*	6	*	7	*
Waseca	19	*	26	135.2	24	122.2
Washington	157	79.8	188	91.9	166	81.4
Watonwan	8	*	12	*	10	*
Wilkin	2	*	1	*	2	*
Winona	35	65.4	43	74.9	42	80.3
Wright	104	95.9	107	99.2	111	105.3
Yellow Medicine	6	*	5	*	5	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Traumatic Brain Injuries (TBI): Numbers are traumatic brain injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Traumatic Brain Injuries Case Report Definitions

*Rate not calculated under 20 events

**Morbidity Table 10: Minnesota Nonfatal Hospitalized Spinal Cord Injury
Number and Annualized Rate per 100,000 population by State and County, 2005-2007**

	2005	2006	2007	Annualized Rate 2005-2007
	Number	Number	Number	
State of Minnesota	242	266	218	4.6
Aitkin	1	0	2	*
Anoka	15	13	12	4.4
Becker	0	2	0	*
Beltrami	0	2	1	*
Benton	2	4	1	*
Big Stone	0	0	1	*
Blue Earth	3	2	3	*
Brown	0	0	1	*
Carlton	1	2	0	*
Carver	5	5	6	*
Cass	0	1	2	*
Chippewa	0	1	0	*
Chisago	6	3	5	*
Clay	0	0	0	*
Clearwater	0	0	0	*
Cook	1	2	0	*
Cottonwood	1	0	0	*
Crow Wing	5	5	4	*
Dakota	8	13	8	2.8
Dodge	3	0	2	*
Douglas	2	2	2	*
Faribault	2	2	1	*
Fillmore	1	0	3	*
Freeborn	2	2	2	*
Goodhue	3	2	1	*
Grant	2	0	0	*
Hennepin	63	75	44	5.2
Houston	1	3	1	*
Hubbard	0	1	1	*
Isanti	1	2	5	*
Itasca	3	0	1	*
Jackson	0	0	0	*
Kanabec	1	0	1	*
Kandiyohi	1	4	2	*
Kittson	0	0	0	*
Koochiching	2	0	0	*
Lac Qui Parle	0	0	0	*
Lake	0	0	0	*
Lake of the Woods	0	0	0	*
Le Sueur	1	5	2	*
Lincoln	0	0	0	*
Lyon	0	5	0	*
McLeod	1	3	1	*
Mahnomen	0	0	1	*
Marshall	0	1	0	*
Martin	1	0	1	*
Meeker	2	0	2	*
Mille Lacs	1	2	1	*
Morrison	2	1	1	*
Mower	2	0	1	*

**Morbidity Table 10: Minnesota Nonfatal Hospitalized Spinal Cord Injury
Number and Annualized Rate per 100,000 population by State and County, 2005-2007**

	2005	2006	2007	Annualized Rate 2005-2007
	Number	Number	Number	
State of Minnesota	242	266	218	4.6
Murray	0	0	0	*
Nicollet	2	1	0	*
Nobles	0	0	0	*
Norman	0	0	0	*
Olmsted	9	3	8	5.1
Otter Tail	1	1	0	*
Pennington	0	1	0	*
Pine	5	2	1	*
Pipestone	0	0	0	*
Polk	1	1	0	*
Pope	1	1	3	*
Ramsey	13	27	18	3.8
Red Lake	0	0	0	*
Redwood	1	1	0	*
Renville	2	2	2	*
Rice	2	1	3	*
Rock	0	0	0	*
Roseau	0	0	0	*
St. Louis	20	9	6	5.4
Scott	2	4	4	*
Sherburne	2	4	4	*
Sibley	2	0	0	*
Stearns	9	10	6	5.9
Steele	1	2	1	*
Stevens	2	1	0	*
Swift	2	0	0	*
Todd	0	1	1	*
Traverse	0	0	0	*
Wabasha	1	2	2	*
Wadena	0	2	2	*
Waseca	0	1	0	*
Washington	11	13	6	4.9
Watonwan	0	0	1	*
Wilkin	0	0	0	*
Winona	1	0	5	*
Wright	5	7	11	6.7
Yellow Medicine	1	1	2	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Spinal Cord Injuries (SCI): Numbers are spinal cord injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Spinal Cord Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity Tables 9 and 10: TBI and SCI Case Report Definitions

Traumatic Brain Injury (TBI)

Cases of traumatic brain injury must be reported to the Minnesota Department of Health if the patient receives one of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

310.2 - postconcussion syndrome
348.1 - (when coded with 994.1 or 994.7) - anoxic brain damage
800.0-800.99 - fracture of vault of skull
801.00-801.99 - fracture of base of skull
803.00-803.99 - other and unqualified skull fractures
804.00-804.99 - multiple fractures involving skull or face with other bones
850.0-850.9 - concussion
851.00-851.99 - cerebral laceration and contusion
852.00-852.59 - subarachnoid, subdural, and extradural hemorrhage, following injury
853.00-853.19 - other and unspecified intracranial hemorrhage following injury
854.00-854.19 - intracranial injury of other and unspecified nature
905.0* - late effect of fracture of skull and face bones
907.0* - late effect of intracranial injury without mention of skull fracture
950.0-950.9 - injury to optic nerve and pathways
995.55 - shaken infant syndrome

AND

the patient: was admitted as an inpatient to an acute care hospital.

Out-of-state hospitals are report cases who are Minnesota residents or who were injured in Minnesota.

Excludes patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts. Late effects of TBI or SCI found only in the UB-92 data were not included as, unlike late effects in the Registry, they have limited information with which to unduplicate them from previously treated injuries and there are many of them.

Spinal Cord Injuries (SCI)

Cases of spinal cord injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

806.00-806.9 - fracture of vertebral column with spinal cord injury
907.2* - late effect of spinal cord injury
952.00-952.9 - spinal cord injury without evidence of spinal bone injury

AND

the patient: was admitted as an inpatient to an acute care hospital.

Out-of-state hospitals are report cases who are Minnesota residents or who were injured in Minnesota.

Excludes patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts. Late effects of TBI or SCI found only in the UB-92 data were not included as, unlike late effects in the Registry, they have limited information with which to unduplicate them from previously treated injuries and there are many of them.

**Morbidity Table 11: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2007**

	Estimated Percent of:				
	Overweight (Not Obese)*	Obese	Current Smokers	Acute Drinking	Chronic Drinking
State of Minnesota	35.8	25.9	16.5	14.3	3.8
Aitkin	37.1	26.0	14.9	11.9	3.5
Anoka	35.8	26.2	17.1	15.1	3.9
Becker	36.2	25.9	15.9	13.3	3.6
Beltrami	34.5	25.0	16.5	14.5	3.8
Benton	35.1	25.3	17.0	15.4	3.7
Big Stone	36.8	25.6	14.5	11.4	3.5
Blue Earth	33.8	24.4	17.0	15.4	3.9
Brown	36.1	25.6	15.6	13.0	3.7
Carlton	36.0	25.9	16.2	14.0	3.7
Carver	35.6	25.9	17.1	15.3	3.9
Cass	36.4	26.1	15.6	13.0	3.6
Chippewa	36.5	25.8	15.3	12.5	3.6
Chisago	35.7	25.9	17.0	15.2	3.8
Clay	34.2	24.5	16.6	14.4	3.9
Clearwater	36.4	25.9	15.6	13.0	3.6
Cook	37.0	26.6	15.7	12.8	3.6
Cottonwood	36.7	25.7	15.0	12.2	3.5
Crow Wing	36.1	25.7	15.8	13.4	3.5
Dakota	35.6	26.1	17.0	14.9	3.9
Dodge	35.9	25.8	16.5	14.4	3.7
Douglas	36.0	25.5	15.7	13.5	3.5
Faribault	36.8	25.8	15.0	12.1	3.5
Fillmore	36.5	25.8	15.5	12.9	3.6
Freeborn	36.6	25.9	15.4	12.7	3.6
Goodhue	36.2	25.9	16.0	13.5	3.7
Grant	36.8	25.5	14.8	12.0	3.4
Hennepin	35.8	26.0	16.6	14.5	3.8
Houston	36.3	25.9	15.7	13.1	3.7
Hubbard	36.6	26.0	15.4	12.6	3.6
Isanti	35.6	25.8	16.9	15.0	3.7
Itasca	36.3	26.0	15.6	12.9	3.7
Jackson	36.7	25.7	15.3	12.6	3.6
Kanabec	36.2	26.0	16.2	13.8	3.6
Kandiyohi	36.0	25.7	15.9	13.4	3.7
Kittson	37.3	26.2	14.5	11.4	3.6
Koochiching	36.7	26.2	15.3	12.3	3.6
Lac Qui Parle	37.1	25.8	14.8	11.8	3.5
Lake	36.8	26.0	15.3	12.5	3.6
Lake of the Woods	37.2	26.5	15.2	12.1	3.5
Le Sueur	36.0	25.9	16.2	14.0	3.7
Lincoln	37.0	25.6	14.6	11.7	3.4
Lyon	35.0	25.1	16.2	14.0	3.8
McLeod	35.9	25.8	16.2	14.0	3.7
Mahnomen	36.5	26.1	15.5	12.8	3.7
Marshall	36.8	26.0	15.3	12.5	3.6
Martin	36.7	25.9	15.0	12.1	3.5

Morbidity Table 11: Minnesota Behavioral Risk Factors[^] of Adults - County Synthetic Estimates and State Estimates, 2007

	Estimated Percent of:				
	Overweight (Not Obese)*	Obese	Current Smokers	Acute Drinking	Chronic Drinking
State of Minnesota	35.8	25.9	16.5	14.3	3.8
Meeker	36.3	25.9	15.9	13.5	3.6
Mille Lacs	35.9	25.6	16.1	13.9	3.6
Morrison	36.1	25.8	16.1	13.8	3.7
Mower	36.3	25.6	15.4	13.0	3.6
Murray	36.8	25.9	15.0	12.1	3.6
Nicollet	34.6	25.1	16.7	14.6	3.9
Nobles	36.5	25.9	15.6	13.1	3.6
Norman	36.9	26.0	15.0	12.1	3.6
Olmsted	35.8	25.8	16.6	14.4	3.7
Otter Tail	36.5	25.8	15.4	12.7	3.6
Pennington	35.6	25.6	16.1	13.8	3.7
Pine	36.3	26.0	16.3	14.1	3.6
Pipestone	36.4	25.4	15.0	12.1	3.5
Polk	35.8	25.5	15.8	13.3	3.7
Pope	36.6	25.7	15.2	12.4	3.5
Ramsey	35.5	25.6	16.3	14.0	3.8
Red Lake	36.3	25.8	15.8	13.3	3.6
Redwood	36.6	25.9	15.3	12.6	3.6
Renville	36.7	25.9	15.4	12.7	3.6
Rice	34.6	25.1	16.8	14.9	3.9
Rock	36.3	25.6	15.3	12.7	3.6
Roseau	36.4	26.2	16.4	14.1	3.7
St. Louis	35.5	25.5	16.0	13.5	3.8
Scott	35.4	25.9	17.4	15.9	3.8
Sherburne	35.1	25.6	17.4	16.0	3.8
Sibley	36.3	25.9	15.9	13.5	3.7
Stearns	34.6	25.0	16.8	14.9	3.9
Steele	35.9	25.8	16.3	14.0	3.7
Stevens	34.0	24.1	16.0	13.6	3.9
Swift	37.3	26.4	16.0	14.3	3.6
Todd	36.2	25.9	15.9	13.3	3.7
Traverse	37.1	25.1	14.1	11.2	3.4
Wabasha	36.3	26.0	15.9	13.3	3.7
Wadena	36.3	25.5	15.2	12.6	3.5
Waseca	36.3	26.1	16.4	14.4	3.7
Washington	35.7	26.2	16.9	14.7	3.9
Watonwan	36.5	25.8	15.2	12.4	3.6
Wilkin	36.4	25.9	15.9	13.1	3.7
Winona	34.0	24.5	16.5	14.3	3.9
Wright	35.4	25.8	17.1	15.4	3.8
Yellow Medicine	36.5	25.6	15.1	12.3	3.6

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

[^]See page D-26 for definitions

*Note: In previous County Health Tables, estimated percent of overweight included obesity.

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

**Morbidity Table 12: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2007**

	Estimated Percent of:			
	Health Status (fair or poor)*	Reporting Limitations**	No Exercise	Hypertension
State of Minnesota	11.0	18.8	16.7	21.5
Aitkin	13.5	23.0	18.5	28.1
Anoka	10.2	17.6	15.8	19.6
Becker	12.0	20.5	17.5	24.2
Beltrami	10.8	18.1	17.2	20.6
Benton	10.3	17.5	16.4	19.2
Big Stone	14.0	23.6	19.1	29.0
Blue Earth	10.4	16.8	17.3	18.6
Brown	12.4	20.9	17.9	24.9
Carlton	11.6	19.6	17.2	22.9
Carver	10.1	17.2	15.7	18.9
Cass	12.3	21.0	17.6	25.1
Chippewa	12.9	21.9	18.2	26.3
Chisago	10.4	17.8	16.0	19.8
Clay	10.8	17.6	17.5	20.0
Clearwater	12.4	21.1	17.8	25.2
Cook	12.3	21.2	17.4	25.5
Cottonwood	13.3	22.5	18.5	27.2
Crow Wing	12.0	20.5	17.6	24.1
Dakota	10.2	17.6	15.8	19.7
Dodge	11.0	18.7	16.6	21.4
Douglas	12.2	20.7	17.8	24.3
Faribault	13.4	22.6	18.5	27.5
Fillmore	12.6	21.3	17.9	25.4
Freeborn	12.7	21.6	17.9	25.8
Goodhue	11.8	20.1	17.3	23.6
Grant	13.6	22.8	18.7	27.7
Hennepin	10.8	18.5	16.4	21.0
Houston	12.2	20.7	17.5	24.5
Hubbard	12.7	21.6	18.0	26.0
Isanti	10.4	17.9	16.3	20.0
Itasca	12.3	21.0	17.7	25.1
Jackson	12.9	21.8	18.1	26.1
Kanabec	11.5	19.7	17.0	22.9
Kandiyohi	11.9	20.2	17.4	23.7
Kittson	14.0	23.8	18.7	29.3
Koochiching	12.9	22.0	18.0	26.5
Lac Qui Parle	13.7	23.1	18.7	28.3
Lake	12.8	21.8	17.9	26.2
Lake of the Woods	13.1	22.3	18.0	27.1
Le Sueur	11.5	19.5	17.0	22.6
Lincoln	13.9	23.4	18.9	28.6
Lyon	11.5	19.2	17.6	22.2
McLeod	11.5	19.6	17.0	22.7
Mahnomen	12.5	21.3	17.8	25.5
Marshall	12.9	21.9	18.0	26.4
Martin	13.3	22.6	18.4	27.4

**Morbidity Table 12: Minnesota Behavioral Risk Factors[^] of Adults -
County Synthetic Estimates and State Estimates, 2007**

	Estimated Percent of:			
	Health Status (fair or poor)*	Reporting Limitations**	No Exercise	Hypertension
State of Minnesota	11.0	18.8	16.7	21.5
Meeker	12.0	20.5	17.4	24.1
Mille Lacs	11.6	19.8	17.3	23.0
Morrison	11.8	20.0	17.3	23.3
Mower	12.6	21.4	18.0	25.4
Murray	13.3	22.6	18.4	27.5
Nicollet	10.8	17.8	17.1	20.3
Nobles	12.5	21.1	17.7	25.0
Norman	13.3	22.4	18.3	27.2
Olmsted	10.9	18.6	16.5	21.2
Otter Tail	12.7	21.5	18.0	25.9
Pennington	11.6	19.9	17.4	23.1
Pine	11.6	19.8	17.1	22.9
Pipestone	13.3	22.3	18.6	27.0
Polk	12.1	20.4	17.8	24.1
Pope	13.1	22.1	18.3	26.7
Ramsey	11.2	19.0	17.0	21.8
Red Lake	12.2	20.6	17.7	24.4
Redwood	12.9	21.9	18.1	26.4
Renville	12.8	21.6	17.9	25.9
Rice	10.6	17.6	17.0	19.8
Rock	12.8	21.8	18.2	26.0
Roseau	11.4	19.3	16.6	22.3
St. Louis	11.7	19.7	17.6	23.2
Scott	9.5	16.5	15.3	17.7
Sherburne	9.7	16.5	15.7	17.8
Sibley	11.9	20.3	17.3	23.8
Stearns	10.6	17.6	17.0	19.9
Steele	11.3	19.3	16.9	22.3
Stevens	11.7	18.8	18.5	22.0
Swift	12.5	21.0	17.5	24.6
Todd	12.1	20.4	17.5	24.1
Traverse	14.6	24.4	19.5	30.1
Wabasha	12.0	20.4	17.3	24.1
Wadena	13.0	22.0	18.4	26.4
Waseca	11.5	19.5	16.9	22.5
Washington	10.4	17.8	15.9	20.1
Watonwan	13.0	22.0	18.2	26.4
Wilkin	12.1	20.4	17.4	24.2
Winona	11.0	17.9	17.7	20.5
Wright	10.1	17.3	15.9	19.0
Yellow Medicine	13.2	22.2	18.4	26.8

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

[^]See page D-26 for definitions

*estimate of those who perceive their health status to be fair or poor

**in any activities because of any impairment or health problem

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

Morbidity Tables 11 and 12:

Definitions for Behavior Risk Factors of Adults

Behavioral Risk Factor Surveillance System (BRFSS): A continuous monthly telephone survey that monitors health risk behaviors that has impact on chronic diseases and disabilities. Approximately, 4800 interviews of adults 18 years and older are completed yearly.

Smoking: Current regular smoker (ever smoked 100 cigarettes and now smokes every day or some days).

Overweight: The prevalence of overweight is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] is between 25.0 to 29.9. Note this does not include obese as it did in previous years.

Obese: The prevalence of obese is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] greater than or equal to 30.0.

Acute Drinking: Respondents who report they have consumed five or more drinks on an occasion, one or more times in the month prior to the survey.

Chronic Drinking: Chronic drinking of adults is defined as the percent of male respondents 18 and older who report an average of more than two drinks per day and female respondents 18 and older who report an average of more than one drink per day.

Limitation of Activities: The percent of adults who are limited in any activities because of physical mental or emotional problems, OR those adults who have a health impairment that requires the use of special equipment, such as cane, a wheelchair, a special bed or special telephone.

No Exercise: Percent of respondents who reported no physical activities during the past month, other than regular job.

Hypertension: Percent of respondents who have EVER been told by a doctor, nurse or other health professional that they have high blood pressure.

Section E: Chemical Health

Tables

Table 1: Alcohol-related motor vehicle fatalities

Table 2: Alcohol-related motor vehicle injuries and crashes

Table 3: Impaired Driving Incidents by Occurrence

Table 4: Impaired Driving Incidents by Residence

**Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities
by State and County, 2004-2006**

	2005			2006			2007			2005-2007 Percent Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	559	197	35.2	494	166	33.6	510	190	37.3	35.4
Aitkin	5	1	20.0	2	1	50.0	2	0	0.0	22.2
Anoka	22	9	40.9	29	12	41.4	17	8	47.1	42.6
Becker	6	4	66.7	4	1	25.0	5	3	60.0	53.3
Beltrami	4	2	50.0	8	3	37.5	4	1	25.0	37.5
Benton	10	3	30.0	4	2	50.0	4	0	0.0	27.8
Big Stone	0	0	0.0	1	0	0.0	1	1	100.0	50.0
Blue Earth	10	6	60.0	5	2	40.0	3	3	100.0	61.1
Brown	1	1	100.0	3	1	33.3	3	0	0.0	28.6
Carlton	4	0	0.0	9	2	22.2	3	2	66.7	25.0
Carver	8	3	37.5	8	2	25.0	13	5	38.5	34.5
Cass	5	3	60.0	4	1	25.0	7	4	57.1	50.0
Chippewa	4	0	0.0	5	1	20.0	2	0	0.0	9.1
Chisago	6	1	16.7	13	4	30.8	8	4	50.0	33.3
Clay	5	1	20.0	8	3	37.5	6	3	50.0	36.8
Clearwater	5	4	80.0	3	1	33.3	1	0	0.0	55.6
Cook	1	0	0.0	2	1	50.0	2	1	50.0	40.0
Cottonwood	1	0	0.0	1	0	0.0	3	1	33.3	20.0
Crow Wing	16	11	68.8	8	5	62.5	11	2	18.2	51.4
Dakota	28	5	17.9	20	7	35.0	26	8	30.8	27.0
Dodge	7	0	0.0	2	0	0.0	2	0	0.0	0.0
Douglas	6	3	50.0	8	1	12.5	9	1	11.1	21.7
Faribault	2	1	50.0	3	2	66.7	5	2	40.0	50.0
Fillmore	2	2	100.0	6	2	33.3	0	0	0.0	50.0
Freeborn	4	1	25.0	2	2	100.0	4	0	0.0	30.0
Goodhue	8	3	37.5	7	2	28.6	12	1	8.3	22.2
Grant	0	0	0.0	1	1	100.0	1	0	0.0	50.0
Hennepin	50	16	32.0	40	14	35.0	52	22	42.3	36.6
Houston	2	1	50.0	0	0	0.0	0	0	0.0	50.0
Hubbard	5	2	40.0	5	1	20.0	3	2	66.7	38.5
Isanti	7	1	14.3	9	3	33.3	8	2	25.0	25.0
Itasca	4	4	100.0	5	2	40.0	10	4	40.0	52.6
Jackson	6	0	0.0	1	0	0.0	1	1	100.0	12.5
Kanabec	9	3	33.3	0	0	0.0	2	1	50.0	36.4
Kandiyohi	8	0	0.0	8	1	12.5	4	1	25.0	10.0
Kittson	2	1	50.0	0	0	0.0	2	1	50.0	50.0
Koochiching	1	1	100.0	1	0	0.0	2	0	0.0	25.0
Lac Qui Parle	1	1	100.0	2	1	50.0	0	0	0.0	66.7
Lake	5	3	60.0	3	0	0.0	3	1	33.3	36.4
Lake of the Woods	2	1	50.0	1	1	100.0	1	1	100.0	75.0
Le Sueur	7	2	28.6	3	0	0.0	3	0	0.0	15.4
Lincoln	3	1	33.3	0	0	0.0	3	2	66.7	50.0
Lyon	2	1	50.0	6	1	16.7	2	0	0.0	20.0
McLeod	5	1	20.0	7	2	28.6	2	2	100.0	35.7
Mahnomen	0	0	0.0	2	0	0.0	3	1	33.3	20.0

Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2004-2006

	2005			2006			2007			2005-2007 Percent Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	559	197	35.2	494	166	33.6	510	190	37.3	35.4
Marshall	1	1	100.0	2	0	0.0	1	0	0.0	25.0
Martin	3	2	66.7	2	1	50.0	4	2	50.0	55.6
Meeker	5	3	60.0	3	1	33.3	1	0	0.0	44.4
Mille Lacs	8	4	50.0	10	2	20.0	6	2	33.3	33.3
Morrison	7	5	71.4	5	2	40.0	4	0	0.0	43.8
Mower	1	0	0.0	5	1	20.0	2	0	0.0	12.5
Murray	2	1	50.0	1	0	0.0	3	3	100.0	66.7
Nicollet	1	0	0.0	6	1	16.7	4	1	25.0	18.2
Nobles	3	0	0.0	2	0	0.0	4	0	0.0	0.0
Norman	0	0	0.0	0	0	0.0	1	0	0.0	0.0
Olmsted	10	0	0.0	15	4	26.7	14	5	35.7	23.1
Otter Tail	10	3	30.0	4	3	75.0	7	4	57.1	47.6
Pennington	3	1	33.3	0	0	0.0	1	0	0.0	25.0
Pine	13	4	30.8	4	2	50.0	6	2	33.3	34.8
Pipestone	2	0	0.0	2	1	50.0	4	1	25.0	25.0
Polk	4	2	50.0	6	0	0.0	7	2	28.6	23.5
Pope	2	1	50.0	4	1	25.0	2	1	50.0	37.5
Ramsey	26	12	46.2	20	10	50.0	21	7	33.3	43.3
Red Lake	1	1	100.0	2	2	100.0	2	2	100.0	100.0
Redwood	3	2	66.7	3	1	33.3	4	1	25.0	40.0
Renville	7	5	71.4	4	0	0.0	4	2	50.0	46.7
Rice	14	2	14.3	13	4	30.8	4	0	0.0	19.4
Rock	1	1	100.0	1	0	0.0	4	3	75.0	66.7
Roseau	6	2	33.3	0	0	0.0	2	1	50.0	37.5
St. Louis	19	9	47.4	21	8	38.1	23	11	47.8	44.4
Scott	11	1	9.1	8	2	25.0	19	4	21.1	18.4
Sherburne	18	6	33.3	9	6	66.7	10	4	40.0	43.2
Sibley	0	0	0.0	2	1	50.0	1	1	100.0	66.7
Stearns	18	5	27.8	15	6	40.0	10	3	30.0	32.6
Steele	7	0	0.0	5	2	40.0	7	2	28.6	21.1
Stevens	3	2	66.7	2	0	0.0	3	3	100.0	62.5
Swift	0	0	0.0	0	0	0.0	3	0	0.0	0.0
Todd	5	0	0.0	3	1	33.3	3	2	66.7	27.3
Traverse	0	0	0.0	1	1	100.0	0	0	0.0	100.0
Wabasha	6	3	50.0	7	1	14.3	2	1	50.0	33.3
Wadena	2	1	50.0	3	3	100.0	1	0	0.0	66.7
Waseca	3	2	66.7	3	0	0.0	4	3	75.0	50.0
Washington	19	3	15.8	16	2	12.5	20	10	50.0	27.3
Watonwan	3	1	33.3	4	0	0.0	3	0	0.0	10.0
Wilkin	0	0	0.0	1	1	100.0	6	2	33.3	42.9
Winona	2	1	50.0	7	3	42.9	6	2	33.3	40.0
Wright	16	6	37.5	11	8	72.7	20	10	50.0	51.1
Yellow Medicine	5	2	40.0	3	0	0.0	2	2	100.0	40.0

Source: Minnesota Department of Public Safety

A **fatality** is considered alcohol-related if the investigating officer suspects alcohol-involvement for any driver, pedestrian or bicyclist involved in the crash. Fatalities are by county of occurrence.

Three year average: The average is determined by adding up all the events that occurred in the three years and then dividing that sum by three

**Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries
By State and County, 2007**

corrected 04/13/09

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	81,505	4,386	5.4	35,318	3,252	9.2	\$ 314,125,400
Aitkin	195	24	12.3	96	22	22.9	\$ 524,400
Anoka	4,013	226	5.6	2,063	185	9.0	\$ 14,316,300
Becker	294	33	11.2	203	41	20.2	\$ 4,504,300
Beltrami	528	40	7.6	250	27	10.8	\$ 1,926,700
Benton	622	39	6.3	313	27	8.6	\$ 697,300
Big Stone	62	4	6.5	33	5	15.2	\$ 1,310,900
Blue Earth	1,363	76	5.6	493	60	12.2	\$ 5,208,600
Brown	320	12	3.8	147	11	7.5	\$ 287,700
Carlton	334	18	5.4	191	12	6.3	\$ 2,710,400
Carver	1,241	55	4.4	497	29	5.8	\$ 7,058,100
Cass	347	44	12.7	185	35	18.9	\$ 5,897,300
Chippewa	118	7	5.9	68	4	5.9	\$ 70,600
Chisago	665	43	6.5	366	40	10.9	\$ 5,972,400
Clay	788	52	6.6	292	28	9.6	\$ 4,467,200
Clearwater	86	3	3.5	39	3	7.7	\$ 153,500
Cook	90	3	3.3	36	1	2.8	\$ 1,229,700
Cottonwood	113	7	6.2	56	4	7.1	\$ 1,341,000
Crow Wing	769	42	5.5	443	41	9.3	\$ 3,231,500
Dakota	4,954	284	5.7	2,152	200	9.3	\$ 14,211,200
Dodge	218	11	5.0	107	10	9.3	\$ 276,200
Douglas	663	35	5.3	275	29	10.5	\$ 1,959,700
Faribault	193	8	4.1	93	6	6.5	\$ 2,565,200
Fillmore	236	17	7.2	92	14	15.2	\$ 389,000
Freeborn	531	11	2.1	185	5	2.7	\$ 183,500
Goodhue	793	42	5.3	315	26	8.3	\$ 2,108,600
Grant	62	5	8.1	35	4	11.4	\$ 80,000
Hennepin	22,337	1,024	4.6	9,510	789	8.3	\$ 46,767,500
Houston	275	15	5.5	91	12	13.2	\$ 357,800
Hubbard	188	21	11.2	132	18	13.6	\$ 2,952,400
Isanti	430	24	5.6	251	24	9.6	\$ 3,054,800
Itasca	574	44	7.7	355	37	10.4	\$ 5,862,300
Jackson	147	5	3.4	65	4	6.2	\$ 1,417,200
Kanabec	196	24	12.2	127	18	14.2	\$ 1,569,400
Kandiyohi	676	36	5.3	397	21	5.3	\$ 1,744,500
Kittson	37	3	8.1	14	3	21.4	\$ 1,262,100
Koochiching	146	12	8.2	64	9	14.1	\$ 240,100
Lac Qui Parle	54	2	3.7	22	2	9.1	\$ 40,600
Lake	140	7	5.0	63	3	4.8	\$ 1,286,700
Lake of the Woods	35	6	17.1	16	7	43.8	\$ 1,334,500
Le Sueur	408	40	9.8	193	39	20.2	\$ 864,700
Lincoln	91	9	9.9	29	3	10.3	\$ 2,496,100
Lyon	333	24	7.2	157	19	12.1	\$ 615,900
McLeod	551	27	4.9	210	12	5.7	\$ 2,793,000
Mahnomen	40	7	17.5	29	8	27.6	\$ 1,498,400

**Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries
By State and County, 2007**

corrected 04/13/09

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	81,505	4,386	5.4	35,318	3,252	9.2	\$ 314,125,400
Marshall	68	8	11.8	44	7	15.9	\$ 114,500
Martin	346	23	6.6	174	24	13.8	\$ 2,958,000
Meeker	229	15	6.6	130	16	12.3	\$ 304,200
Mille Lacs	256	18	7.0	136	22	16.2	\$ 2,929,200
Morrison	361	37	10.2	186	39	21.0	\$ 1,096,300
Mower	549	29	5.3	204	17	8.3	\$ 548,900
Murray	74	7	9.5	41	3	7.3	\$ 3,689,700
Nicollet	464	20	4.3	180	12	6.7	\$ 1,448,200
Nobles	319	9	2.8	159	4	2.5	\$ 104,600
Norman	57	7	12.3	40	8	20.0	\$ 263,200
Olmsted	2,187	101	4.6	997	72	7.2	\$ 8,121,800
Otter Tail	668	45	6.7	275	33	12.0	\$ 5,745,300
Pennington	179	14	7.8	98	7	7.1	\$ 172,500
Pine	307	20	6.5	237	24	10.1	\$ 2,942,800
Pipestone	139	10	7.2	69	9	13.0	\$ 1,585,500
Polk	335	30	9.0	152	15	9.9	\$ 2,946,500
Pope	116	13	11.2	59	10	16.9	\$ 1,520,200
Ramsey	11,751	495	4.2	3,818	274	7.2	\$ 15,663,800
Red Lake	20	5	25.0	7	5	71.4	\$ 2,486,300
Redwood	154	13	8.4	116	15	12.9	\$ 1,451,700
Renville	145	16	11.0	98	14	14.3	\$ 2,963,200
Rice	640	54	8.4	336	52	15.5	\$ 1,456,200
Rock	151	7	4.6	65	2	3.1	\$ 3,669,400
Roseau	102	11	10.8	62	13	21.0	\$ 1,445,100
St. Louis	3,456	225	6.5	1,409	154	10.9	\$ 17,773,600
Scott	1,391	78	5.6	717	70	9.8	\$ 6,597,000
Sherburne	1,122	67	6.0	452	45	10.0	\$ 6,153,500
Sibley	150	16	10.7	61	12	19.7	\$ 1,501,600
Stearns	2,550	105	4.1	1,176	62	5.3	\$ 5,166,400
Steele	493	17	3.4	227	14	6.2	\$ 2,717,600
Stevens	92	7	7.6	41	6	14.6	\$ 3,724,800
Swift	85	8	9.4	41	7	17.1	\$ 284,500
Todd	215	17	7.9	110	26	23.6	\$ 3,086,000
Traverse	34	2	5.9	16	1	6.3	\$ 28,500
Wabasha	270	17	6.3	145	13	9.0	\$ 1,462,700
Wadena	134	8	6.0	69	5	7.2	\$ 99,700
Waseca	226	20	8.8	119	19	16.0	\$ 4,103,500
Washington	2,854	151	5.3	1,218	95	7.8	\$ 14,435,500
Watonwan	146	9	6.2	64	9	14.1	\$ 180,900
Wilkin	93	7	7.5	36	3	8.3	\$ 2,488,500
Winona	874	50	5.7	355	50	14.1	\$ 3,813,400
Wright	1,361	93	6.8	583	56	9.6	\$ 13,408,000
Yellow Medicine	83	11	13.3	46	11	23.9	\$ 2,633,300

Source: Minnesota Department of Public Safety

A **crash** or **injury** are considered alcohol-related if any driver, pedestrian or bicyclist involved in the crash was perceived by the report officer or found by a laboratory test, to be positive for alcohol (i.e., to have a blood alcohol concentration of .01% or higher). Crashes are by county of occurrence.

Alcohol-related costs are calculated using estimates (provided annually by the National Safety Council) which do not attempt to include “comprehensive costs” but just direct costs due to medical expense, property damage, and lost productivity. Other estimating procedures (e.g., those used by the US Department of Transportation) that do attempt to include comprehensive costs result in estimates about three times as great as those used by National Safety Council.

Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record by County of Occurrence per 10,000 Population, 2003-2007

	2003		2004		2005		2006		2007		2003-2007
	Number	Rate	Rate								
State of Minnesota*	32,193	63.6	34,199	67.0	36,870	71.8	41,867	81.0	38,661	74.4	71.6
Aitkin	199	126.1	111	69.2	215	132.9	208	128.8	247	155.2	122.4
Anoka	1,706	54.3	2,001	62.5	2,049	63.2	2,160	66.1	2,340	71.7	63.7
Becker	333	106.8	298	93.7	438	137.4	521	161.7	383	119.8	124.0
Beltrami	430	102.9	371	87.8	354	82.6	445	103.1	508	116.5	98.6
Benton	273	73.9	253	66.4	268	69.6	346	89.4	358	90.6	78.1
Big Stone	40	70.8	19	**	23	42.0	47	85.3	35	65.0	59.4
Blue Earth	594	103.7	440	76.6	638	109.9	676	116.0	613	102.5	101.8
Brown	193	72.8	176	65.8	148	55.8	176	66.8	162	62.3	64.7
Carlton	309	93.5	270	80.3	399	117.3	410	120.2	252	74.4	97.2
Carver	339	42.9	478	58.2	414	48.8	430	49.1	396	44.8	48.7
Cass	191	67.7	227	79.8	283	97.9	397	136.7	367	127.8	102.2
Chippewa	108	84.3	92	72.7	114	89.0	145	114.0	97	77.8	87.6
Chisago	321	69.5	326	67.4	369	74.7	371	73.7	370	73.8	71.9
Clay	614	118.1	354	66.9	802	149.0	742	136.2	682	124.4	119.2
Clearwater	66	78.3	75	88.9	67	79.0	57	67.5	57	69.1	76.6
Cook	62	117.4	33	62.1	76	141.6	101	189.5	61	113.0	124.8
Cottonwood	58	48.3	67	56.0	54	45.6	55	47.2	72	63.4	52.0
Crow Wing	432	73.9	449	75.5	655	109.3	714	117.0	648	105.1	96.5
Dakota	2,519	67.5	2,364	62.4	2,650	69.1	3,001	77.3	2,907	74.4	70.2
Dodge	97	51.2	122	63.0	147	75.0	152	76.9	163	83.4	70.1
Douglas	212	62.1	196	56.6	241	68.6	257	72.5	265	73.5	66.8
Faribault	67	42.6	74	47.3	68	43.9	90	58.9	101	67.9	51.9
Fillmore	103	48.3	93	43.6	113	52.9	142	67.1	116	55.1	53.4
Freeborn	224	70.1	172	53.8	241	75.4	204	64.5	184	58.9	64.6
Goodhue	297	65.8	245	53.9	385	84.5	525	114.6	402	87.7	81.4
Grant	46	73.7	41	67.0	43	70.3	53	87.2	37	61.5	72.0
Hennepin	7,072	63.1	7,181	64.1	7,539	67.4	8,597	76.6	7,789	68.5	67.9
Houston	136	68.1	97	48.8	143	71.7	152	76.6	170	87.1	70.4
Hubbard	138	74.1	124	65.8	154	81.6	181	95.8	165	87.9	81.1
Isanti	158	44.7	240	65.7	241	64.0	357	92.5	256	65.8	66.9
Itasca	236	53.3	292	65.9	503	113.3	587	131.2	460	103.3	93.5
Jackson	43	38.5	51	45.4	51	45.6	83	74.4	97	89.1	58.4
Kanabec	100	63.0	106	66.0	96	59.2	103	63.3	150	93.2	68.9
Kandiyohi	244	59.3	311	75.5	287	69.7	321	78.1	269	66.0	69.7
Kittson	21	42.3	28	58.1	25	52.2	23	49.0	20	**	49.2
Koochiching	96	68.5	87	62.8	60	43.1	97	71.0	108	80.2	65.0
Lac Qui Parle	27	34.3	34	43.8	36	47.3	45	60.3	47	64.8	49.8
Lake	43	38.5	64	57.1	59	52.9	66	60.2	71	66.1	54.9
Lake of the Woods	74	168.8	41	93.1	78	176.4	65	150.2	39	95.2	137.3
Le Sueur	133	49.7	207	76.2	148	53.8	179	64.2	181	64.6	61.7
Lincoln	8	**	16	**	29	47.9	31	52.0	38	64.7	40.4
Lyon	182	73.3	140	56.7	214	87.4	201	81.6	166	67.2	73.2
McLeod	269	75.0	212	58.6	266	72.6	366	98.2	290	77.9	76.6
Mahnomen	108	211.2	78	153.5	130	254.3	96	189.3	113	220.3	205.8
Marshall	38	38.0	57	56.9	57	57.2	50	50.2	58	60.3	52.5
Martin	142	66.9	128	60.8	132	62.9	120	57.8	181	88.5	67.3
Meeker	86	37.1	121	52.0	117	50.1	147	62.8	145	62.5	52.9
Mille Lacs	250	102.8	208	82.9	298	116.0	351	134.1	288	109.3	109.3
Morrison	181	55.5	176	53.8	194	59.2	205	62.3	211	64.5	59.1
Mower	344	88.6	277	71.0	321	82.7	305	78.9	343	90.2	82.2
Murray	39	43.4	24	26.7	31	35.0	35	39.9	37	43.5	37.6
Nicollet	287	93.4	220	71.4	321	104.1	362	115.6	255	80.5	93.0

Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record by County of Occurrence per 10,000 Population, 2003-2007

	2003		2004		2005		2006		2007		2003-2007
	Number	Rate	Rate								
State of Minnesota*	32,193	63.6	34,199	67.0	36,870	71.8	41,867	81.0	38,661	74.4	71.6
Nobles	182	88.3	126	61.5	189	92.2	184	90.0	186	92.4	84.9
Norman	23	32.0	33	46.6	55	78.5	54	78.8	43	64.3	59.7
Olmsted	692	52.7	830	62.3	869	64.3	823	59.8	1,014	72.6	62.4
Otter Tail	341	57.9	366	63.2	415	72.0	429	74.2	435	76.3	68.7
Pennington	88	64.5	118	87.1	125	91.9	119	86.8	107	77.8	81.6
Pine	248	89.4	259	92.1	334	117.3	347	122.1	274	97.3	103.7
Pipestone	42	43.4	30	31.3	68	72.2	60	63.7	74	79.5	57.8
Polk	308	99.7	204	65.5	269	86.4	301	96.8	282	91.8	88.0
Pope	67	59.5	53	47.2	83	73.8	74	66.0	62	56.0	60.5
Ramsey	2,327	46.0	2,749	55.0	2,632	53.2	3,231	65.5	2,912	58.3	55.5
Red Lake	41	94.9	20	**	47	108.9	79	189.5	71	172.4	121.6
Redwood	79	48.7	99	61.1	125	78.0	148	93.7	152	97.9	75.6
Renville	108	64.1	131	78.4	133	79.3	159	96.2	111	68.8	77.4
Rice	417	69.9	416	68.9	339	55.6	346	55.8	433	69.9	64.0
Rock	57	59.3	38	39.7	51	53.6	63	66.1	54	56.9	55.1
Roseau	115	70.5	137	84.0	159	96.4	140	86.4	127	79.6	83.4
St. Louis	1,324	66.6	1,399	70.6	1,593	80.8	1,723	87.9	1,559	79.3	77.0
Scott	679	62.5	762	66.4	1,111	92.7	1,245	100.3	1,067	84.3	81.9
Sherburne	385	51.6	486	61.7	573	70.1	799	94.0	690	80.0	72.2
Sibley	100	65.5	129	84.7	112	73.5	124	82.0	129	86.0	78.3
Stearns	930	67.8	890	63.1	1,134	79.5	1,332	92.4	1,298	88.9	78.5
Steele	191	55.0	210	59.7	254	71.0	288	79.5	244	67.1	66.6
Stevens	52	52.6	41	41.3	44	44.8	39	39.7	45	46.8	45.0
Swift	59	50.6	54	47.0	42	37.1	64	62.1	51	45.6	48.3
Todd	111	45.7	134	54.4	165	67.1	241	98.9	206	85.7	70.3
Traverse	18	**	13	**	21	55.1	22	57.9	16	**	47.1
Wabasha	185	83.5	130	58.5	152	68.5	198	88.9	172	79.0	75.7
Wadena	105	77.2	85	62.5	91	66.7	127	94.5	112	83.7	76.8
Waseca	144	74.1	108	56.0	117	60.5	150	77.0	149	76.3	68.8
Washington	1,330	62.3	1,087	50.2	1,442	65.4	1,844	82.0	1,355	59.8	64.0
Watsonwan	76	65.4	65	57.1	95	84.6	104	93.2	83	75.3	75.0
Wilkin	71	102.2	36	53.1	50	73.5	72	108.5	78	121.5	91.4
Winona	359	72.6	305	62.2	418	84.8	378	76.7	359	72.1	73.7
Wright	569	55.5	638	59.7	690	62.3	874	76.1	838	71.4	65.3
Yellow Medicine	82	76.8	61	57.7	89	85.2	136	130.4	103	101.7	90.1

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while DWI violations that occurred **WITHIN** that county/state each year.

Rate: The number of DWI violations per 10,000 population in the county/state.

Chemical Health Table 4: Minnesota Impaired Driving Incidents on Record by County of Residence per 10,000 Population, 2003-2007

	2003		2004		2005		2006		2007		2003-2007
	Number	Rate	Rate								
State of Minnesota*	32,193	63.6	34,199	67.0	34,256	66.7	38,938	75.4	36,989	71.2	68.8
Aitkin	130	82.4	157	97.9	131	81.0	131	81.1	130	81.7	84.8
Anoka	1,781	56.7	1,939	60.6	2,121	65.5	2,285	69.9	2,344	71.8	65.0
Becker	258	82.8	340	106.9	303	95.1	338	104.9	303	94.8	96.9
Beltrami	395	94.5	434	102.7	373	87.0	446	103.3	489	112.1	100.0
Benton	232	62.8	259	68.0	271	70.4	304	78.6	339	85.8	73.3
Big Stone	29	51.3	33	58.9	14	**	33	59.9	27	50.1	49.2
Blue Earth	463	80.8	545	94.9	534	92.0	563	96.6	477	79.8	88.8
Brown	164	61.9	216	80.7	129	48.6	180	68.3	163	62.7	64.5
Carlton	262	79.3	342	101.7	298	87.6	326	95.6	222	65.5	85.9
Carver	424	53.7	408	49.7	483	56.9	509	58.1	497	56.2	55.0
Cass	195	69.1	255	89.6	260	89.9	344	118.5	315	109.7	95.5
Chippewa	105	82.0	102	80.6	98	76.6	142	111.6	102	81.8	86.5
Chisago	287	62.2	393	81.3	325	65.8	363	72.1	324	64.6	69.2
Clay	309	59.4	782	147.8	351	65.2	406	74.5	474	86.4	86.6
Clearwater	84	99.7	67	79.4	63	74.3	73	86.5	81	98.2	87.6
Cook	37	70.0	44	82.8	42	78.3	49	91.9	40	74.1	79.4
Cottonwood	51	42.4	74	61.9	56	47.3	55	47.2	75	66.1	52.9
Crow Wing	344	58.9	528	88.8	521	87.0	532	87.2	495	80.3	80.5
Dakota	2,368	63.4	2,417	63.8	2,590	67.5	2,974	76.6	2,813	72.0	68.8
Dodge	115	60.7	103	53.2	150	76.6	155	78.4	156	79.8	69.9
Douglas	196	57.4	222	64.1	201	57.2	272	76.7	271	75.1	66.2
Faribault	95	60.4	60	38.4	82	52.9	88	57.6	103	69.3	55.6
Fillmore	96	45.0	121	56.8	112	52.4	127	60.0	127	60.4	54.9
Freeborn	205	64.1	224	70.1	201	62.9	182	57.5	207	66.2	64.2
Goodhue	277	61.3	284	62.4	318	69.8	390	85.1	328	71.6	70.1
Grant	52	83.3	27	44.1	52	85.1	44	72.4	45	74.7	72.0
Hennepin	6,895	61.5	7,381	65.8	7,331	65.5	8,184	72.9	7,656	67.4	66.6
Houston	99	49.5	134	67.4	115	57.7	105	52.9	131	67.1	58.9
Hubbard	128	68.7	106	56.2	139	73.7	165	87.3	167	88.9	75.0
Isanti	186	52.6	238	65.1	257	68.2	333	86.3	264	67.8	68.3
Itasca	236	53.3	313	70.6	406	91.5	495	110.7	406	91.1	83.5
Jackson	44	39.4	46	40.9	40	35.8	62	55.6	61	56.1	45.5
Kanabec	95	59.9	103	64.2	123	75.9	109	67.0	132	82.0	69.8
Kandiyohi	231	56.1	289	70.2	264	64.1	318	77.4	290	71.1	67.8
Kittson	24	48.3	22	45.6	21	43.8	24	51.2	23	51.1	47.9
Koochiching	96	68.5	81	58.4	76	54.6	113	82.7	112	83.2	69.4
Lac Qui Parle	34	43.2	18	**	45	59.2	46	61.6	35	48.2	46.9
Lake	46	41.2	63	56.2	60	53.8	79	72.0	74	68.9	58.3
Lake of the Woods	42	95.8	64	145.3	50	113.1	32	74.0	33	80.6	102.2
Le Sueur	179	66.9	168	61.8	194	70.6	241	86.4	249	88.8	75.1
Lincoln	11	**	15	**	18	**	21	35.2	34	57.9	32.8
Lyon	145	58.4	158	64.0	176	71.9	199	80.8	173	70.1	69.0
McLeod	237	66.1	231	63.8	256	69.9	295	79.1	257	69.0	69.7
Mahnomen	77	150.6	118	232.2	88	172.1	64	126.2	86	167.7	169.8
Marshall	54	54.0	42	41.9	70	70.2	69	69.3	69	71.7	61.4
Martin	120	56.5	134	63.7	134	63.8	133	64.0	163	79.7	65.5
Meeker	108	46.5	109	46.8	131	56.1	154	65.8	156	67.2	56.5
Mille Lacs	201	82.7	285	113.6	213	82.9	332	126.9	250	94.9	100.4
Morrison	197	60.4	164	50.2	222	67.7	239	72.6	253	77.3	65.7
Mower	312	80.4	293	75.1	311	80.2	295	76.3	336	88.3	80.0
Murray	32	35.6	25	27.8	31	35.0	45	51.3	44	51.7	40.1

Chemical Health Table 4: Minnesota Impaired Driving Incidents on Record by County of Residence per 10,000 Population, 2003-2007

	2003		2004		2005		2006		2007		2003-2007
	Number	Rate	Rate								
State of Minnesota*	32,193	63.6	34,199	67.0	34,256	66.7	38,938	75.4	36,989	71.2	68.8
Aitkin	130	82.4	157	97.9	131	81.0	131	81.1	130	81.7	84.8
Anoka	1,781	56.7	1,939	60.6	2,121	65.5	2,285	69.9	2,344	71.8	65.0
Nicollet	235	76.5	281	91.1	234	75.9	249	79.5	224	70.7	78.7
Nobles	148	71.8	162	79.1	148	72.2	138	67.5	148	73.5	72.8
Norman	40	55.6	19	**	61	87.1	50	73.0	40	59.8	60.3
Olmsted	731	55.6	772	57.9	868	64.2	856	62.2	1,003	71.8	62.5
Otter Tail	342	58.1	405	69.9	396	68.7	419	72.5	392	68.7	67.5
Pennington	83	60.9	119	87.9	121	88.9	138	100.7	139	101.0	87.9
Pine	193	69.6	325	115.6	259	90.9	290	102.0	218	77.4	91.2
Pipestone	35	36.2	50	52.2	67	71.1	53	56.2	50	53.7	53.8
Polk	239	77.3	322	103.5	210	67.5	225	72.4	243	79.1	80.0
Pope	47	41.8	65	57.9	66	58.7	67	59.8	64	57.8	55.2
Ramsey	2,712	53.6	2,404	48.1	2,967	59.9	3,473	70.4	3,302	66.1	59.6
Red Lake	28	64.8	34	79.3	25	57.9	32	76.8	43	104.4	76.4
Redwood	78	48.1	110	67.9	120	74.9	122	77.3	128	82.5	70.0
Renville	107	63.5	127	76.0	129	77.0	156	94.4	126	78.1	77.7
Rice	408	68.4	405	67.0	371	60.9	412	66.5	461	74.4	67.4
Rock	50	52.0	47	49.1	33	34.7	48	50.3	40	42.1	45.7
Roseau	113	69.2	158	96.9	140	84.9	142	87.6	126	79.0	83.6
St. Louis	1,272	64.0	1,486	75.0	1,440	73.0	1,595	81.3	1,435	73.0	73.2
Scott	626	57.7	899	78.3	848	70.8	906	73.0	837	66.1	69.3
Sherburne	409	54.8	465	59.0	554	67.8	700	82.4	629	72.9	67.8
Sibley	99	64.8	133	87.3	91	59.7	132	87.3	107	71.3	74.1
Stearns	879	64.1	981	69.5	941	66.0	1,192	82.7	1,080	73.9	71.3
Steele	178	51.2	223	63.4	238	66.6	268	74.0	248	68.2	64.8
Stevens	46	46.5	50	50.3	57	58.0	53	53.9	49	50.9	51.9
Swift	64	54.9	42	36.6	63	55.6	84	81.5	53	47.4	54.7
Todd	121	49.8	134	54.4	151	61.4	209	85.7	199	82.8	66.7
Traverse	21	53.7	24	62.0	17	**	19	**	23	62.0	54.4
Wabasha	130	58.7	137	61.7	131	59.0	162	72.7	157	72.1	64.8
Wadena	77	56.6	81	59.5	96	70.3	138	102.6	116	86.7	75.1
Waseca	132	67.9	111	57.6	130	67.3	146	75.0	146	74.8	68.5
Washington	1,150	53.8	1,314	60.6	1,194	54.2	1,562	69.4	1,348	59.5	59.6
Watonwan	70	60.2	75	65.8	88	78.3	88	78.8	96	87.1	73.9
Wilkin	32	46.1	61	89.9	23	33.8	37	55.8	60	93.5	63.4
Winona	259	52.3	490	99.9	268	54.4	296	60.1	311	62.4	65.8
Wright	548	53.4	640	59.9	771	69.6	919	80.1	856	72.9	67.6
Yellow Medicine	69	64.6	72	68.1	90	86.1	99	94.9	91	89.8	80.6

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while impaired violations by county of residence.

Rate: The number of DWI violations per 10,000 population in the county/state.

Notes about the Chemical Health Indicators

IMPAIRED DRIVING INCIDENTS

Minnesota Motor Vehicle Crash Facts

This category includes data about motor vehicle crashes and violations related to alcohol. The violations' indicators includes violations for both failing and also refusing to take (implied consent law) a test for blood alcohol content.

These indicators include both local law enforcement and State Patrol reports.

Source:

Minnesota Department of Public Safety, 651/201-7000

Limitations:

Under-reporting

Law enforcement officers at a crash or arrest site may not realize and thus not report that alcohol or other drugs were involved.

Lack of Standard Reporting

The number of reports of alcohol-related crashes or driving while impaired violations are affected by the inconsistency of enforcement of the laws by local law enforcement officials. One community may be very strict in enforcement, or receive specific funds for specific enforcement, while another community may be more lenient.

Section F: Environmental Health

Tables

Table 1: Blood Lead Tests

Table 2: Food and Waterborne Outbreaks

Table 3: Hazardous Material Releases

Blood Lead, 2007

Lead poisoning is a significant, preventable environmental health problem among children in the United States. Lead poisoning can cause learning, behavior, and health problems in young children. In adults, lead can cause high blood pressure, kidney damage, and damage to the reproductive organs. Exposure pathways include deteriorating lead paint; soil and dust; drinking water; “take-home lead” by way of parental occupations and hobbies; air; food; and possibly “traditional” medicines.

The Minnesota Department of Health (MDH) maintains an extensive blood lead surveillance system for the purpose of monitoring trends in blood lead levels in Minnesota. Independent laboratories and/or hospitals report blood lead analyses to the MDH. The data are used to help ensure that screening services are provided to high risk groups and that environmental and medical follow-up is provided to children with elevated blood lead levels. Lead program staff advise local health departments of elevated venous blood lead levels that require follow up. Health care providers and public health agencies educate families of children with blood lead levels of 10 micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or greater about the hazards of lead. Homes of children with venous blood lead levels of 15 $\mu\text{g}/\text{dL}$ or greater, or pregnant women with venous blood lead levels of 15 $\mu\text{g}/\text{dL}$ or greater, are inspected for lead hazards so that homes can be made lead safe and blood lead levels can be reduced.

In addition, MDH has developed guidelines for case management and clinical treatment in collaboration with local partners and physicians. The case management guidelines are targeted to local public health agencies and others who provide services to provide information on recommended activities related to elevated childhood lead cases. The clinical guidelines provide recommended treatment information to physicians who may not deal with many lead cases in their practice. This information, as well as other information on childhood lead poisoning, may be found at the MDH website at: www.health.state.mn.us/divs/eh/lead.

The results in Environmental Health Table 1 represent submitted reports of blood lead tests of Minnesota children aged 0-72 months between January 1, 2007 and December 31, 2007. The table below shows the numbers of children 0-72 months of age tested in 2007 according to blood lead level.

For more information contact the Environmental Impacts Analysis Unit, Section of Environmental Surveillance and Assessment: Erik Zabel, 651/201-4931, erik.zabel@state.mn.us, or www.health.state.mn.us/divs/eh/lead.

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter (µg/dL) in 2007 by State and County

	Number of Children (0 to 72 Months)			
	5 to 9.9 µg/dL ²	10 to 14.9 µg/dL ¹	15 µg/dL or Greater ¹	Total Tested ²
State of Minnesota	6,577	721	197	93,477
Aitkin	24	1	0	258
Anoka	217	15	4	5,744
Becker	38	1	0	667
Beltrami	27	1	0	280
Benton	39	2	0	1,048
Big Stone	7	0	0	77
Blue Earth	44	4	2	876
Brown	25	2	0	247
Carlton	53	3	0	721
Carver	35	2	0	1,078
Cass	27	1	0	362
Chippewa	17	1	0	209
Chisago	38	6	1	788
Clay	30	2	0	642
Clearwater	1	0	0	47
Cook	1	0	0	31
Cottonwood	6	1	0	94
Crow Wing	113	10	1	1,188
Dakota	336	29	7	6,582
Dodge	16	2	0	230
Douglas	35	2	0	548
Faribault	33	3	2	216
Fillmore	20	2	0	193
Freeborn	19	5	4	380
Goodhue	27	5	2	540
Grant	8	0	0	97
Hennepin	1,797	260	68	21,912
Houston	18	3	0	201
Hubbard	9	0	0	133
Isanti	37	3	0	688
Itasca	37	7	0	729
Jackson	5	0	0	93
Kanabec	17	2	0	183
Kandiyohi	58	6	0	926
Kittson	6	1	0	36
Koochiching	25	0	0	175
Lac Qui Parle	13	2	0	96
Lake	8	0	0	194
Lake of the Woods	9	0	0	64
Le Sueur	19	2	5	398
Lincoln	3	1	0	50
Lyon	29	1	2	513
McLeod	36	4	1	693
Mahnomen	3	0	0	73
Marshall	5	0	0	72
Martin	31	4	3	343
Meeker	18	4	0	367
Mille Lacs	16	3	0	397
Morrison	29	1	1	557
Mower	31	2	1	473
Murray	7	0	0	94
Nicollet	23	2	4	500

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter (µg/dL) in 2007 by State and County

	Number of Children (0 to 72 Months)			
	5 to 9.9 µg/dL ²	10 to 14.9 µg/dL ¹	15 µg/dL or Greater ¹	Total Tested ²
State of Minnesota	6,577	721	197	93,477
Nobles	34	5	0	527
Norman	2	0	1	56
Olmsted	60	5	4	1,142
Otter Tail	16	0	1	418
Pennington	4	1	0	136
Pine	51	3	1	398
Pipestone	2	2	0	44
Polk	14	3	1	320
Pope	20	3	0	147
Ramsey	1,260	176	59	11,579
Red Lake	1	1	0	36
Redwood	15	5	1	251
Renville	21	2	0	283
Rice	69	4	4	1,002
Rock	15	0	0	82
Roseau	5	0	0	122
St. Louis	291	29	7	3,553
Scott	99	3	1	1,947
Sherburne	63	7	0	1,840
Sibley	21	4	1	235
Stearns	116	14	2	3,100
Steele	27	7	0	731
Stevens	12	2	0	120
Swift	16	0	0	141
Todd	39	1	0	408
Traverse	14	0	0	56
Wabasha	12	0	0	22
Wadena	12	0	0	196
Waseca	25	2	0	331
Washington	155	12	1	2,888
Watonwan	17	5	1	205
Wilkin	2	0	0	83
Winona	27	3	4	387
Wright	65	6	0	222
Yellow Medicine	17	2	0	158

Source: Minnesota Department of Health, Environmental Health Division

¹results of venous tests only

²venous, capillary, and unknown test types

Foodborne and Waterborne Disease Outbreaks and Cases, 2007

Biological or chemical agents may be present in food and water and can cause illness when ingested. The Minnesota Department of Health (MDH) investigates outbreaks of gastroenteritis, including foodborne and waterborne disease outbreaks. Epidemiologists in the Infectious Disease Epidemiology, Prevention and Control Division collaborate with sanitarians in the Environmental Health Division and with local public health agencies in these investigations.

A confirmed foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after a common food or meal, and epidemiologic evaluation implicates the food or meal as the source of illness. Confirmed outbreaks may or may not be laboratory-confirmed. A probable foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after ingestion of a common food or meal, and a specific food or meal is suspected, but person-to-person transmission or other exposures cannot be ruled out.

Waterborne disease outbreaks are similar to foodborne disease outbreaks, except that epidemiologic analysis implicates drinking water or recreational water as the source of illness. Nonfoodborne/nonwaterborne gastroenteritis outbreaks are related by time and place of exposure, but investigation results suggest that either person-to-person transmission occurred or a vehicle other than food or water (e.g., animal contact) is identified.

Environmental Health Table 2 shows the number of confirmed and probable foodborne outbreaks and cases, the number of confirmed waterborne outbreaks and cases, and nonfoodborne/nonwaterborne gastroenteritis outbreaks identified by MDH in 2007. For more information, go to <http://www.health.state.mn.us/divs/idepc/dtopics/foodborne/outbreaksummary.html>, or contact the Acute Disease Investigation and Control Section, Infectious Disease Epidemiology, Prevention and Control Division: 651/201-5414.

**Environmental Health Table 2: Foodborne and Waterborne Outbreaks and Cases
Minnesota by State and County, 2007**

	Foodborne				Outbreaks of Other/ Unknown Routes of Transmission	Waterborne	
	Confirmed		Probable			Confirmed	
	Outbreaks	Cases	Outbreaks	Cases		Outbreaks	Cases
State of Minnesota	48	601	12	51	69	6	123
Aitkin	0	0	0	0	1	0	0
Anoka	3	24	0	0	1	0	0
Becker	0	0	0	0	0	0	0
Beltrami	0	0	0	0	2	0	0
Benton	0	0	0	0	3	0	0
Big Stone	0	0	0	0	0	0	0
Blue Earth	0	0	0	0	0	1	31
Brown	0	0	0	0	0	0	0
Carlton	0	0	0	0	0	0	0
Carver	0	0	0	0	1	1	3
Cass	1	66	0	0	1	0	0
Chippewa	0	0	0	0	0	0	0
Chisago	0	0	0	0	1	0	0
Clay	0	0	0	0	1	0	0
Clearwater	0	0	0	0	0	0	0
Cook	0	0	0	0	0	0	0
Cottonwood	0	0	0	0	0	0	0
Crow Wing	0	0	1	2	2	0	0
Dakota	5	61	1	2	3	0	0
Dodge	0	0	0	0	0	0	0
Douglas	0	0	0	0	1	0	0
Faribault	0	0	0	0	0	0	0
Fillmore	0	0	0	0	0	0	0
Freeborn	0	0	0	0	0	0	0
Goodhue	0	0	0	0	2	1	20
Grant	0	0	0	0	0	0	0
Hennepin	17	199	6	23	18	0	0
Houston	0	0	0	0	1	0	0
Hubbard	0	0	0	0	0	0	0
Isanti	0	0	0	0	0	0	0
Itasca	0	0	0	0	0	0	0
Jackson	0	0	0	0	0	0	0
Kanabec	0	0	0	0	0	0	0
Kandiyohi	0	0	0	0	1	0	0
Kittson	0	0	0	0	0	0	0
Koochiching	0	0	0	0	0	0	0
Lac Qui Parle	0	0	0	0	0	0	0
Lake	0	0	0	0	0	0	0
Lake of the Woods	0	0	0	0	0	0	0
Le Sueur	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0
Lyon	0	0	0	0	1	0	0
McLeod	0	0	0	0	1	0	0
Mahnomen	0	0	0	0	0	0	0
Marshall	0	0	0	0	0	0	0
Martin	0	0	0	0	0	0	0
Meeker	0	0	0	0	0	0	0
Mille Lacs	1	5	0	0	0	0	0
Morrison	0	0	0	0	1	0	0
Mower	1	4	0	0	0	0	0

**Environmental Health Table 2: Foodborne and Waterborne Outbreaks and Cases
Minnesota by State and County, 2007**

	Foodborne				Outbreaks of Other/ Unknown Routes of Transmission	Waterborne	
	Confirmed		Probable			Confirmed	
	Outbreaks	Cases	Outbreaks	Cases		Outbreaks	Cases
State of Minnesota	48	601	12	51	69	6	123
Murray	1	7	0	0	1	0	0
Nicollet	0	0	0	0	0	0	0
Nobles	0	0	0	0	1	0	0
Norman	1	13	0	0	0	0	0
Olmsted	1	23	0	0	5	0	0
Otter Tail	0	0	0	0	0	0	0
Pennington	0	0	0	0	0	0	0
Pine	1	13	0	0	0	0	0
Pipestone	0	0	0	0	0	0	0
Polk	0	0	0	0	2	0	0
Pope	0	0	0	0	0	0	0
Ramsey	5	56	2	6	9	2	11
Red Lake	0	0	0	0	0	0	0
Redwood	0	0	0	0	0	0	0
Renville	2	61	0	0	0	0	0
Rice	0	0	0	0	2	0	0
Rock	0	0	0	0	0	0	0
Roseau	0	0	0	0	0	0	0
St. Louis	0	0	0	0	2	0	0
Scott	0	0	0	0	1	0	0
Sherburne	1	2	0	0	0	0	0
Sibley	0	0	0	0	0	0	0
Stearns	0	0	0	0	1	0	0
Steele	0	0	0	0	0	0	0
Stevens	0	0	0	0	0	0	0
Swift	0	0	0	0	1	0	0
Todd	0	0	0	0	0	0	0
Traverse	0	0	0	0	0	0	0
Wabasha	0	0	0	0	0	0	0
Wadena	1	9	0	0	0	0	0
Waseca	0	0	0	0	0	0	0
Washington	3	29	0	0	1	0	0
Watonwan	0	0	0	0	0	0	0
Wilkin	0	0	0	0	0	0	0
Winona	0	0	1	3	1	0	0
Wright	0	0	0	0	0	1	58
Yellow Medicine	0	0	0	0	0	0	0
multi-county	4	29	1	15	0	0	0

Source: Minnesota Department of Health, Infectious Disease Epidemiology, Prevention and Control Division

Hazardous Substances Emergency Events Surveillance, 2007

Hazardous materials are released daily throughout Minnesota as a result of industrial, agricultural, and domestic spills of acids, ammonia, and other chemicals. Many of these releases cause injuries and force evacuations. The Hazardous Substances Emergency Events Surveillance (HSEES) program maintains a database of acute hazardous material releases in Minnesota. The HSEES program is currently active in thirteen other states, and is conducted under a cooperative agreement with the U.S. Agency for Toxic Substances and Disease Registry.

The HSEES program collects data on acute, emergency hazardous material releases, as well as threatened releases that involved a public health action such as evacuation. The program does not include releases that involve petroleum products exclusively, such as diesel fuel or propane, nor does the program include releases permitted by the Minnesota Pollution Control Agency. Chronic releases, such as a several-month leak from an acid holding tank, are also excluded from the program.

The Minnesota Department of Health (MDH) receives initial reports of hazardous material releases from several sources, including the Minnesota Duty Officer, the U. S. Coast Guard's National Response Center, and the U.S. Department of Transportation. Later, MDH calls the responsible party or emergency responders and obtains information to complete an extensive questionnaire. Examples of information gathered include the number of people who were evacuated, injured, or decontaminated; the identity and quantity of the materials spilled; and response actions. Data on long-term health effects from chemical exposures are not collected. The MDH follow-up procedure has the advantage of providing more complete and accurate information than may have been available at the time of original notification of the release.

HSEES data identify the chemicals released, the day of the week and time of day of the release, and the resulting injuries and evacuations. Maps can be generated showing the locations of spills with respect to municipalities; rivers and lakes; and roads. A person is considered injured if that person develops symptoms within 24 hours of exposure to a hazardous substance. Symptoms range from minor ailments, such as throat irritation, to death. The program does not differentiate between injuries caused directly by exposure to hazardous materials and injuries caused indirectly by the release, such as burns from a fire caused by the hazardous materials.

HSEES data can be used in emergency management planning and training. A region's agricultural and industrial activities determine the types of hazardous material releases that are likely to occur within that region. Thus, regional differences require different strategies for planning and training.

During 2007, a total of 595 events occurred in Minnesota involving 636 chemicals. Among these, there were 592 events with actual releases, two events with a combination of actual and potential releases, one event with a potential release, 48 evacuations, and 150 injured people (i.e., victims). For the ten urban* counties, there were 391 events involving 411 chemicals, one event with a combination of actual and potential releases, 133 victims, and 33 evacuations. For the 77 rural counties, there were 204 events involving 225 chemicals, one event with a potential release, one event with a combination of actual and potential releases, 17 victims, and 15 evacuations. Environmental Health Table 3 provides the number of hazardous material releases in each county and the average number of events, injuries, evacuations, and chemicals released per event.

For further information contact the Site Assessment and Consultation Unit: Nancy Rice, HSEES Coordinator, 651/201-4923 or health.hazard@state.mn.us.

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2007 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number Chemicals/Event
Urban Counties	39.1	13.3	3.3	1.1
Rural Counties	2.6	0.2	0.2	1.1
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	595	150	48	1.1
Aitkin	2	1	0	1.0
Anoka	35	3	2	1.2
Becker	1	0	1	6.0
Beltrami	1	0	0	1.0
Benton	3	0	1	1.0
Big Stone	2	0	0	1.0
Blue Earth	6	0	0	1.0
Brown	5	0	1	1.0
Carlton	3	0	0	2.0
Carver	9	0	1	1.1
Cass	0	0	0	0.0
Chippewa	1	1	1	1.0
Chisago	1	0	0	1.0
Clay	10	1	1	1.0
Clearwater	0	0	0	0.0
Cook	2	3	1	1.0
Cottonwood	2	0	0	1.0
Crow Wing	0	0	0	0.0
Dakota	76	52	4	1.1
Dodge	1	0	0	1.0
Douglas	0	0	0	0.0
Faribault	6	0	0	1.0
Fillmore	6	0	1	1.8
Freeborn	8	0	0	1.0
Goodhue	2	0	0	1.0
Grant	2	0	1	1.5
Hennepin	84	22	13	1.1
Houston	0	0	0	0.0
Hubbard	2	0	0	1.0
Isanti	2	2	0	1.5
Itasca	15	0	0	1.1
Jackson	4	0	0	1.0
Kanabec	0	0	0	0.0
Kandiyohi	10	1	1	1.0
Kittson	1	0	0	1.0
Koochiching	1	0	0	1.0
Lac Qui Parle	0	0	0	0.0
Lake	2	0	0	1.0
Lake of the Woods	1	1	0	1.0
Le Sueur	3	0	0	1.0
Lincoln	0	0	0	0.0
Lyon	4	0	0	1.0
McLeod	16	1	1	1.0
Mahnomen	0	0	0	0.0
Marshall	3	0	0	1.0
Martin	5	3	1	1.0
Meeker	0	0	0	0.0

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2007 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number Chemicals/Event
Urban Counties	39.1	13.3	3.3	1.1
Rural Counties	2.6	0.2	0.2	1.1
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	595	150	48	1.1
Mille Lacs	0	0	0	0.0
Morrison	0	0	0	0.0
Mower	4	0	0	1.0
Murray	1	0	0	1.0
Nicollet	1	0	0	1.0
Nobles	1	0	0	1.0
Norman	0	0	0	0.0
Olmsted	10	0	0	1.0
Otter Tail	5	1	0	1.8
Pennington	0	0	0	0.0
Pine	0	0	0	0.0
Pipestone	2	0	0	1.0
Polk	2	0	0	1.0
Pope	3	0	0	1.0
Ramsey	78	49	9	1.0
Red Lake	0	0	0	0.0
Redwood	2	0	0	1.0
Renville	2	0	1	1.0
Rice	3	0	0	1.0
Rock	0	0	0	0.0
Roseau	1	0	0	1.0
St. Louis	13	0	0	1.0
Scott	11	1	0	1.0
Sherburne	11	1	0	1.0
Sibley	0	0	0	0.0
Stearns	14	1	1	1.1
Steele	7	0	0	1.0
Stevens	4	0	0	1.0
Swift	10	1	0	1.0
Todd	2	0	0	1.0
Traverse	0	0	0	0.0
Wabasha	2	0	1	1.0
Wadena	1	0	0	1.0
Waseca	0	0	0	0.0
Washington	61	5	3	1.0
Watonwan	1	0	1	1.0
Wilkin	0	0	0	0.0
Winona	4	0	1	1.0
Wright	1	0	0	1.0
Yellow Medicine	1	0	0	1.0

Source: Minnesota Department of Health, Environmental Health Division

***Urban counties:** Anoka, Carver, Dakota, Hennepin, Olmsted, Ramsey, St. Louis, Scott, Stearns and Washington counties (Includes counties with at least one city with a population more than 50,000 or located in the seven-county Twin Cities Metropolitan Area)